Test Automation as a Service

Author Imran Abbas Satti
Date 18/01/2021

Overview

This is helping guide and it will help you in understanding the TASS approach using C# and BDD approach under the hood. I have automated some of test cases for https://trello.com/ board at frontend and api level.

Test Automation As a Service (TAAS)


I have not just only automated test scenarios using BDD but also designed a complete framework with an Idea of Test Automation As a Service, my own Idea. Approach/Idea of TAAS TAAS is a centralized automation framework for performing automated testing different application deployment environments (test, stage, prod) over different platforms (web, android, IOS) over different testing layers (UI, API, Databases). All in one service.

Implementation Technology Stack

Following technology stack is used in automating 6 test scenarios 3 at UI layer and 3 at API layer.

- 1. Visual Studio Community Version 2019
- 2. C#
- 3. Project
 - Specflow Template
 - .NET Core 3.1

- Nunit as runner
- 4. Installed visual studio extensions
 - Specflow
 - NUnit 3 Test Adapter
- 5. Installed following Dependencies using Nuget Manger




- 6. For reporting I have used
 - CLI tool for Specflow
 - Specflow Plus Living doc plugin
 - Find the link below


https://docs.specflow.org/projects/specflow/en/latest/Tools/Reporting.html

Understanding Framework Architecture


- 1. Framework have only three directories under project root folder [TestAutoService]
 - a. Auto Engine contains the core logic and C# code files
 - b. Inputs contains static files like test data, configurations etc
 - c. Outputs also contains static files like test results, logs etc



2. Each above directory is divided into three subdirectories named [API,DB,UI] as we are following layer base approach, so we have segregated test cases on the base of layer. Also according to research 90 % issues lies under API and DB layer, so this segregation will help us in maintaining the test cases.




- 3. let's take look into **UI** layer first
 - a. Under **AutoEngine** in UI we have **Logic** and **Tests** directory. Test directory contain further two folders **Features** and **Steps**
 - b. In Inputs we have Configuration and TestData folder etc
 - c. In **Outputs** under UI we have Logs and **TestReports** etc




So this hierarchy is not random but is done after doing analysis on a lot of factors like maintenance, integration, modularity, separation of concerns, accessibility, DRY and readability.

4. For UI automation I have followed **Page Object pattern** and leveraged OOP principles. Like **BoardMenuPage** and **BoardList** class is derived from **BoardPage** class.




- 5. Linkage of files
 - a. Each feature file is linked to one step file only, following one to one approach
 - b. Each **step file** is linked to one **logic file** only




Same approach is used for API and DB layer

6. In **Input** folder we have static and centralized files like for environmental configuration we can refer **to TestConfiguration.xml** file. Also we have test data folder for placing test data on feature bases



7. In **Outputs** directory we have logs and test reports. Considering logs we can have exception logs, health logs etc.



- 8. For reporting I have used **Specflow CLI** tool.
- 9. Execution of test cases
 - a. One way is using **cmd** to execute test cases for that
 - i. Open cmd
 - ii. Run the command dotnet test <path to TestAutoService project>
 - b. Second way is to import **TestAutoService** project in visual code and use test explorer to execute test cases

Modular Level Architecture

Each module have its own unique responsibility and a defined dependency, as shown in figure below

Automation Service

Inputs



Automation Engine



Outputs

Input Module contains all of the configurations, dependencies and test data for each layer like API, database and UI (android, IOS,Web) Automation Engine contains the core logic for test cases. As we are following BDD cucumber approach, so we have divided the logic into three sperate files for each layer (API, DB and Web). Each feature file is associated with step file and logic file

Output Module is central repository for keeping all of logs, test reports on the bases of layers (UI, API, database)

