bayesian_optimization Parameters

```
cm_name: bo_60
dataframe in: data missing 60
description: Bayesian optimization method for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: bayesian_optimization
name: bayesian_optimization
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  exploration_strategy: ei
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_iterations: 3750
  num_pool: 5
  seed: 16
report_parameters: {}
running_time: 249228.48688197136
type: calibrationmodel
version: 1.0.0
```

Results

Summary CalibrationModel with most optimal solution: graph_structure min_distance round 0 29851 2.286339 29851

bayesian_optimization Parameters

```
cm_name: bo_50
dataframe in: data missing 50
description: Bayesian optimization method for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: bayesian_optimization
name: bayesian_optimization
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  exploration_strategy: ei
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_iterations: 3750
  num_pool: 5
  seed: 16
report_parameters: {}
running_time: 219776.1959655285
type: calibrationmodel
version: 1.0.0
```

Results

Summary CalibrationModel with most optimal solution: graph_structure min_distance round 0 33895 2.289941 33895

Summary

| Model | Name Model Method | Score | Difference Function | Dataframe | Duration |
|-------|-----------------------|-------|---------------------|-----------------|----------------|
| bo_60 | bayesian_optimization | 0.97 | manhattan_metrics | data_missing_60 | 249228.487 sec |
| bo_50 | bayesian_optimization | 0.98 | manhattan_metrics | data_missing_50 | 219776.196 sec |