# bayesian\_optimization Parameters

```
cm_name: bo_10
dataframe in: data missing 10
description: Bayesian optimization method for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: bayesian_optimization
name: bayesian_optimization
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  exploration_strategy: ei
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_iterations: 3750
  num_pool: 5
  seed: 21
report_parameters: {}
running_time: 224599.04927492142
type: calibrationmodel
version: 1.0.0
```

### Results

```
Summary CalibrationModel with most optimal solution:
graph_structure min_distance round
0 32337 1.752245 32337
```

## bayesian\_optimization Parameters

```
cm_name: bo_20
dataframe in: data missing 20
description: Bayesian optimization method for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: bayesian_optimization
name: bayesian_optimization
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  exploration_strategy: ei
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_iterations: 3750
  num_pool: 5
  seed: 21
report_parameters: {}
running_time: 216328.51897025108
type: calibrationmodel
version: 1.0.0
```

#### Results

Summary CalibrationModel with most optimal solution: graph\_structure min\_distance round 0 33062 1.514893 33062

### Summary

Model Name	Model Method	Score	Difference Function	Dataframe	Duration
bo_20	bayesian_optimization	0.97	manhattan_metrics	data_missing_20	216328.519 sec
bo_10	bayesian_optimization	0.97	manhattan_metrics	data_missing_10	224599.049 sec