bayesian_optimization Parameters

```
cm_name: bo_60
dataframe in: data missing 60
description: Bayesian optimization method for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: bayesian_optimization
name: bayesian_optimization
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  exploration_strategy: ei
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_iterations: 3750
  num_pool: 5
  seed: 6
report_parameters: {}
running_time: 211587.72697377205
type: calibrationmodel
version: 1.0.0
```

Results

```
Summary CalibrationModel with most optimal solution:
graph_structure min_distance round
0 19040 7.503552 19040
```

bayesian_optimization Parameters

```
cm_name: bo_50
dataframe in: data missing 50
description: Bayesian optimization method for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: bayesian_optimization
name: bayesian_optimization
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  exploration_strategy: ei
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_iterations: 3750
  num_pool: 5
  seed: 6
report_parameters: {}
running_time: 227253.7651810646
type: calibrationmodel
version: 1.0.0
```

Results

Summary CalibrationModel with most optimal solution: graph_structure min_distance round 0 5428 6.38548 5428

Summary

| Model Name | Model Method | Score | Difference Function | Dataframe | Duration |
|------------|-----------------------|-------|---------------------|-----------------|----------------|
| bo_60 | bayesian_optimization | 0.97 | manhattan_metrics | data_missing_60 | 211587.727 sec |
| bo_50 | bayesian_optimization | 0.96 | manhattan_metrics | data_missing_50 | 227253.765 sec |