

# Freemarker Document Rendering Library

# Table of Contents

API .....	2
How to configure/use .....	3
Classpath .....	3
Bootstrapping .....	3
Known issues.....	4
Dependencies .....	5

This module (`incode-module-docrendering-freemarker`) provides an implementation of the `Document subdomain` module's `Renderer` interface using the `freemarker library` module.

# API

The module provides the `RendererForFreemarker` class which implements `RendererFromCharsToChars`. This can be used to render a document name, or to perform a "mail merge" for a text document, such as an HTML email.

The class is intended to be used as the `Renderer` implementation for a Document `RenderingStrategy`. The `RenderingStrategyFSForFreemarker` fixture script can be used to create such an entity, eg:

```
public class RenderingStrategyFSForFreemarker extends RenderingStrategyFSAbstract {  
  
    public static final String REF = "FMK";  
  
    @Override  
    protected void execute(ExecutionContext executionContext) {  
        upsertRenderingStrategy(  
            REF,  
            "RendererForFreemarker Rendering Strategy",  
            DocumentNature.CHARACTERS, DocumentNature.CHARACTERS,  
            RendererForFreemarker.class, executionContext);  
    }  
}
```

The `document subdomain` module also allows `RenderingStrategy`s to be created from the UI; it will "discover" all `Renderer` implementations from the classpath.

# How to configure/use

## Classpath

Update your classpath by adding this dependency in your dom project's `pom.xml`:

```
<dependency>
  <groupId>org.incode.module.docrendering</groupId>
  <artifactId>incode-module-docrendering-freemarker-dom</artifactId>
  <version>1.15.0</version>
</dependency>
```

Check for later releases by searching [Maven Central Repo](#).

For instructions on how to use the latest `-SNAPSHOT`, see the [contributors guide](#).

## Bootstrapping

In the `AppManifest`, update its `getModules()` method:

```
@Override
public List<Class<?>> getModules() {
    return Arrays.asList(
        ...
        org.incode.module.docrendering.freemarker.dom.
        FreemarkerDocRenderingModule.class,
    );
}
```

# Known issues

None known at this time.

# Dependencies

Maven can report modules dependencies using:

```
mvn dependency:list -o -pl modules/lib/docrendering-freemarker/impl -D  
excludeTransitive=true
```

which, excluding Apache Isis itself, returns no direct compile/runtime dependencies:

From the Incode Platform it uses:

- [base library](#) module
- [freemarker library](#) module
- [document generic subdomain](#) module