

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Tree</u>	8.260 s	1	1	0	0	16	16	0	0


TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@tree	1	1	0	0	1	1	0	0
@TC_Tree_45	1	1	0	0	1	1	0	0

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	<u>Tree</u>	1	1	0	0	8.260 s

SCENARIOS SUMMARY -- 5 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Tree</u>	user navigates to Applications of Binary trees Page and get the print message in the Editor Page	16	16	0	0	8.254 s

DETAILED SECTION -- 6 --

## Tree

PASSED	DURATION - 8.260 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 12:19:50.401 PM /	// 12:19:58.661 PM /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## user navigates to Applications of Binary trees Page and get the print message in the Editor Page

PASSED DURATION - 8.254 s	2 ] Steps	
/ 12:19:50.407 PM // 12:19:58.661 PM /	1.5	
7 12.10.00.107 1 11/7 12.10.00.001 1 11/7	1	16
Tree	0.5	10
@tree @TC_Tree_45	0	
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	

#	Step / Hook Details	Status	Duration
1	Given user Launch the Browser	PASSED	0.006 s
2	When user open the Homepage of dsportal and click get started button	PASSED	1.806 s
3	When user Navigate to Sign in button	PASSED	0.147 s
4	When user enters the Valid Username	PASSED	0.182 s
5	And enter Valid Password	PASSED	0.121 s
6	And user click the login button	PASSED	0.333 s
7	Then user should successfully login into Homepage	PASSED	0.002 s
8	When user clicks Tree get started button	PASSED	0.369 s
9	And user navigates to Tree page	PASSED	0.001 s
10	When user clicks Applications of Binary trees	PASSED	0.254 s
11	Then user should be redirected to Applications of Binary trees page	PASSED	0.001 s
12	When user clicks on the try here button	PASSED	0.691 s
13	And user should be navigate to the try editor page	PASSED	0.000 s
14	When user enters the Print Message "print('HelloWorld')" in the Editor box	PASSED	0.382 s
15	And user clicks the run Button	PASSED	0.162 s

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
16	Then user should able to see the print message	PASSED	0.000 s