


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Tree</u>	8.439 s	6	0	6	0	76	0	0	76

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	<u>Tree</u>	user navigates to Tree Page
2		user navigates to OverViewOfTree Page
3		Open the Practice Questions Page under overview of Tree page
4		Display the try Editor Page under overview of Tree page
5		user navigates to OverViewOfTree Page and get the print message in the Editor Page
6		Get Alert Message of Syntx Error


TAG	Scenario				Feature			
Name	Т	P	F	S	T	P	F	S
@tree	6	0	6	0	1	0	1	0
@TC_Tree_01	1	0	1	0	1	0	1	0
@TC_Tree_02	1	0	1	0	1	0	1	0
@TC_Tree_03	1	0	1	0	1	0	1	0
@TC_Tree_04	1	0	1	0	1	0	1	0
@TC_Tree_05	1	0	1	0	1	0	1	0
@TC_Tree_06	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>Tree</u>	6	0	6	0	8.439 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Tree</u>	user navigates to Tree Page	9	0	0	9	2.541 s
2		user navigates to OverViewOfTree Page	11	0	0	11	1.106 s
3		Open the Practice Questions Page under overview of Tree page	13	0	0	13	1.132 s
4		Display the try Editor Page under overview of Tree page	13	0	0	13	1.201 s
5		user navigates to OverViewOfTree Page and get the print message in the Editor Page	16	0	0	16	1.149 s
6		Get Alert Message of Syntx Error	14	0	0	14	1.186 s

DETAILED SECTION -- 7

Tree

FAILED	DURATION - 8.439 s	Scenarios		Steps	
		Total - 6		Total - 76	
/ 1:29:19.362 PM // 1	::29:27.801 PM /	Pass - 0	6	Pass - 0	76
		Fail - 6	ı J	Fail - 0	
		Skip - 0		Skip - 76	


user navigates to Tree Page



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp()	FAILED	2.488 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)	FAILED	2.488 s
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:163)</init>		
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:108)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:88)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:83)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:51)</init>		

#	Step / Hook Details	Status	Duration
	at Utilities.Helper. <init>(Helper.java:17) at Utilities.Helper.setUpDriver(Helper.java:36) at stepDefinitions.Hooks.setUp(Hooks.java:16)</init>		
1	Given user Launch the Browser	SKIPPED	0.005 s
2	When user open the Homepage of dsportal and click get started button	SKIPPED	0.001 s
3	When user Navigate to Sign in button	SKIPPED	0.001 s
4	When user enters the Valid Username	SKIPPED	0.001 s
5	And enter Valid Password	SKIPPED	0.001 s
6	And user click the login button	SKIPPED	0.000 s
7	Then user should successfully login into Homepage	SKIPPED	0.001 s
8	When user clicks Tree get started button	SKIPPED	0.002 s
9	And user navigates to Tree page	SKIPPED	0.001 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null at stepDefinitions.Hooks.tearDown(Hooks.java:23)		

user navigates to OverViewOfTree Page




#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp()	FAILED	1.084 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:163)</init>		
	at org.openqa.selenium.chromiumDriver. <init>(ChromiumDriver.java:108)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:88)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51)</init></init>		
	at Utilities.Helper. <init>(Helper.java:17)</init>		
	at Utilities.Helper.setUpDriver(Helper.java:36)		
	at stepDefinitions.Hooks.setUp(Hooks.java:16)		
1	Given user Launch the Browser	SKIPPED	0.001 s
2	When user open the Homepage of dsportal and click get started button	SKIPPED	0.001 s
3	When user Navigate to Sign in button	SKIPPED	0.001 s
4	When user enters the Valid Username	SKIPPED	0.001 s
5	And enter Valid Password	SKIPPED	0.001 s
6	And user click the login button	SKIPPED	0.001 s
7	Then user should successfully login into Homepage	SKIPPED	0.000 s
8	When user clicks Tree get started button	SKIPPED	0.001 s
9	And user navigates to Tree page	SKIPPED	0.001 s
10	When user clicks overview of Trees link	SKIPPED	0.000 s
11	Then user should be redirected to overview of Tree page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"		
	because the return value of "Utilities.Helper.getDriver()" is null		
	at stepDefinitions.Hooks.tearDown(Hooks.java:23)		

Open the Practice Questions Page under overview of Tree page

DETAILED SECTION -- 10 --



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp()	FAILED	1.105 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary. Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities= Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.oreateSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.chromet.RemoteWebDriver. at org.openqa.selenium.chromium.ChromiumDriver. (ChromeDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver. (ChromeDriver.java:8) at org.openqa.s		
1	Given user Launch the Browser	SKIPPED	0.000 s
2	When user open the Homepage of dsportal and click get started button	SKIPPED	0.001 s
3	When user Navigate to Sign in button	SKIPPED	0.001 s
4	When user enters the Valid Username	SKIPPED	0.001 s
5	And enter Valid Password	SKIPPED	0.001 s
6	And user click the login button	SKIPPED	0.001 s
7	Then user should successfully login into Homepage	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
8	When user clicks Tree get started button	SKIPPED	0.001 s
9	And user navigates to Tree page	SKIPPED	0.002 s
10	When user clicks overview of Trees link	SKIPPED	0.001 s
11	Then user should be redirected to overview of Tree page	SKIPPED	0.001 s
12	When user clicks the practice questions button under overview of Tree page	SKIPPED	0.001 s
13	Then User should land on the blank practice page under overview of Tree page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null at stepDefinitions.Hooks.tearDown(Hooks.java:23)		

Display the try Editor Page under overview of Tree page


						<u> </u>													
FAILED DURATION - 1.201 s	0.15	,][-				-				Steps			
/ 1:29:24.237 PM // 1:29:25.438 PM /	0.1	-		ļ	!	!	!	4.								Total - 13			
, 1.20.2																Pass - 0		13	
Tree	.05	1	- [-					-	- 7 -	- 7 -						Skip - 13		13	
@TC_Tree_04 @tree	0	-		<u> </u>			<u>- i -</u>	<u>- i -</u>	<u>- i -</u>	<u> </u>			_						
			1	2	3	4	5	6	7	8	9	10	11	12	13				

Step / Hook Details	Status	Duration
BEFORE - stepDefinitions.Hooks.setUp()	FAILED	1.185 s
org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:236)	TAILLD	1.103 3
	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)	BEFORE - stepDefinitions.Hooks.setUp() org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:108)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:88)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:83)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:51)</init>		
	at Utilities.Helper. <init>(Helper.java:17)</init>		
	at Utilities.Helper.setUpDriver(Helper.java:36)		
	at stepDefinitions.Hooks.setUp(Hooks.java:16)		
1	Given user Launch the Browser	SKIPPED	0.000 s
2	When user open the Homepage of dsportal and click get started button	SKIPPED	0.001 s
3	When user Navigate to Sign in button	SKIPPED	0.001 s
4	When user enters the Valid Username	SKIPPED	0.001 s
5	And enter Valid Password	SKIPPED	0.001 s
6	And user click the login button	SKIPPED	0.000 s
7	Then user should successfully login into Homepage	SKIPPED	0.000 s
8	When user clicks Tree get started button	SKIPPED	0.000 s
9	And user navigates to Tree page	SKIPPED	0.000 s
10	When user clicks overview of Trees link	SKIPPED	0.000 s
11	Then user should be redirected to overview of Tree page	SKIPPED	0.000 s
12	When user clicks on the try here button	SKIPPED	0.001 s
13	Then user should be navigate to the try editor page	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"		
	because the return value of "Utilities.Helper.getDriver()" is null		
	at stepDefinitions.Hooks.tearDown(Hooks.java:23)		

user navigates to OverViewOfTree Page and get the print message in the Editor Page




DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp()	FAILED	1.131 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary. Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession (capabilities=[Capabilities (browserName: chrome, goog:chromeOptions: [args: [remote-allow-origins=*], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver.sion(RemoteWebDriver.java:108) at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromeDriver.java:38) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:31) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:32) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:33) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:35) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:35) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:35) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:35) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:35) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:36) at stepDefinitions.Hooks.setUp(Hooks.java:16)</init>		
1	Given user Launch the Browser	SKIPPED	0.000 s
2	When user open the Homepage of dsportal and click get started button	SKIPPED	0.000 s
3	When user Navigate to Sign in button	SKIPPED	0.000 s
4	When user enters the Valid Username	SKIPPED	0.000 s
5	And enter Valid Password	SKIPPED	0.001 s
6	And user click the login button	SKIPPED	0.001 s
7	Then user should successfully login into Homepage	SKIPPED	0.001 s
8	When user clicks Tree get started button	SKIPPED	0.001 s
9	And user navigates to Tree page	SKIPPED	0.001 s
10	When user clicks overview of Trees link	SKIPPED	0.001 s
11	Then user should be redirected to overview of Tree page	SKIPPED	0.001 s
12	When user clicks on the try here button	SKIPPED	0.000 s
13	And user should be navigate to the try editor page	SKIPPED	0.001 s
14	When user enters the Print Message "HelloWorld" in the Editor box	SKIPPED	0.001 s
15	And user clicks the run Button	SKIPPED	0.001 s
16	Then user should able to see the print message HelloWorld	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration	
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s	
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null at stepDefinitions.Hooks.tearDown(Hooks.java:23)			

Get Alert Message of Syntx Error



#	Step / Hook Details	Status	Duration
	BEFORE - stepDefinitions.Hooks.setUp()	FAILED	1.172 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [remote-allow-origins=*], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:163) at org.openqa.selenium.chrome.ChromeDriver. <init>(RemoteWebDriver.java:108) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromiumDriver.java:38) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:83) at org.openqa.selenium.chrome.ChromeDriver.sinit>(ChromeDriver.java:51) at Utilities.Helper.sinit>(Helper.java:17)</init>		1.1123
	at Utilities.Helper.setUpDriver(Helper.java:36) at stepDefinitions.Hooks.setUp(Hooks.java:16)		
1	Given user Launch the Browser	SKIPPED	0.001 s

DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
2	When user open the Homepage of dsportal and click get started button	SKIPPED	0.000 s
3	When user Navigate to Sign in button	SKIPPED	0.000 s
4	When user enters the Valid Username	SKIPPED	0.000 s
5	And enter Valid Password	SKIPPED	0.000 s
6	And user click the login button	SKIPPED	0.001 s
7	Then user should successfully login into Homepage	SKIPPED	0.000 s
8	When user clicks Tree get started button	SKIPPED	0.000 s
9	And user navigates to Tree page	SKIPPED	0.000 s
10	When user clicks overview of Trees link	SKIPPED	0.000 s
11	Then user should be redirected to overview of Tree page	SKIPPED	0.001 s
12	When user clicks on the try here button	SKIPPED	0.000 s
13	And user should be navigate to the try editor page	SKIPPED	0.001 s
14	And user clicks the run Button	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null at stepDefinitions.Hooks.tearDown(Hooks.java:23)		