

# Cucumber Report

Oct 10, 2023, 1:26:52 PM

Start : Oct 10, 1:26:39.638 PM

End : Oct 10, 1:26:51.435 PM

Duration : 11.797 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 6  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 78




| Feature     |          | Scenario |   |   |   | Step |   |   |    |
|-------------|----------|----------|---|---|---|------|---|---|----|
| Name        | Duration | T        | P | F | S | T    | P | F | S  |
| <u>Tree</u> | 11.797 s | 6        | 0 | 6 | 0 | 78   | 0 | 0 | 78 |

| # | Feature Name | Scenario Name   |
|---|--------------|---|
| 1 | <u>Tree</u>  | <u>user navigates to Tree Page</u>  |
| 2 |              | <u>user navigates to OverViewOfTree Page</u>  |
| 3 |              | <u>Open the Practice Questions Page under overview of Tree page</u>                       |
| 4 |              | <u>Display the try Editor Page under overview of Tree page</u>                            |
| 5 |              | <u>user navigates to OverViewOfTree Page and get the print message in the Editor Page</u> |
| 6 |              | <u>Get Alert Message of Syntx Error</u>   |

| <b>TAG</b>  | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |
|-------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| <b>Name</b> | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>       | <b>P</b> | <b>F</b> | <b>S</b> |
| @tree       | 6               | 0        | 6        | 0        | 1              | 0        | 1        | 0        |
| @TC_Tree_01 | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @TC_Tree_02 | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @TC_Tree_03 | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @TC_Tree_04 | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @TC_Tree_05 | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @TC_Tree_06 | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |





| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|----------|
| 1 | <u>Tree</u>  | 6 | 0 | 6 | 0 | 11.797 s |





| # | Feature Name | Scenario Name   | T  | P | F | S  | Duration |
|---|--------------|---|----|---|---|----|----------|
| 1 | <u>Tree</u>  | <u>user navigates to Tree Page</u>  | 9  | 0 | 0 | 9  | 3.454 s  |
| 2 |              | <u>user navigates to OverViewOfTree Page</u>  | 11 | 0 | 0 | 11 | 1.471 s  |
| 3 |              | <u>Open the Practice Questions Page under overview of Tree page</u>                       | 13 | 0 | 0 | 13 | 1.615 s  |
| 4 |              | <u>Display the try Editor Page under overview of Tree page</u>                            | 13 | 0 | 0 | 13 | 1.706 s  |
| 5 |              | <u>user navigates to OverViewOfTree Page and get the print message in the Editor Page</u> | 16 | 0 | 0 | 16 | 1.682 s  |
| 6 |              | <u>Get Alert Message of Syntax Error</u>  | 16 | 0 | 0 | 16 | 1.616 s  |

## Tree

|                                      |                     |  |   |  |   |
|--------------------------------------|---------------------|--|---|--|---|
| FAILED                               | DURATION - 11.797 s | Scenarios<br>Total - 6<br>Pass - 0<br>Fail - 6<br>Skip - 0 |  | Steps<br>Total - 78<br>Pass - 0<br>Fail - 0<br>Skip - 78 |  |
| / 1:26:39.638 PM // 1:26:51.435 PM / |                     |  |   |  |   |
|                                      |                     |  |   |  |   |

## user navigates to Tree Page

|                                      |  |                    |  |  |  |   |
|--------------------------------------|--|--------------------|--|--|--|---|
| FAILED                               |  | DURATION - 3.454 s |  |  | Steps<br>Total - 9<br>Pass - 0<br>Fail - 0<br>Skip - 9 |  |
| / 1:26:39.644 PM // 1:26:43.098 PM / |  |                    |  |  |  |   |
| Tree                                 |  |                    |  |  |  |   |
| @tree @TC_Tree_01                    |  |                    |  |  |  |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - stepDefinitions.Hooks.setUp()<br><br>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}]<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)<br>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51) | FAILED | 3.411 s  |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | at Utilities.Helper.<init>(Helper.java:17)<br>at Utilities.Helper.setUpDriver(Helper.java:36)<br>at stepDefinitions.Hooks.setUp(Hooks.java:16)  |         |          |
| 1 | Given user Launch the Browser   | SKIPPED | 0.004 s  |
| 2 | When user open the Homepage of dsportal and click get started button  | SKIPPED | 0.001 s  |
| 3 | When user Navigate to Sign in button  | SKIPPED | 0.001 s  |
| 4 | When user enters the Valid Username   | SKIPPED | 0.001 s  |
| 5 | And enter Valid Password  | SKIPPED | 0.001 s  |
| 6 | And user click the login button   | SKIPPED | 0.001 s  |
| 7 | Then user should successfully login into Homepage   | SKIPPED | 0.000 s  |
| 8 | When user clicks Tree get started button  | SKIPPED | 0.000 s  |
| 9 | And user navigates to Tree page   | SKIPPED | 0.000 s  |
|   | AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)<br><br>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null<br>at stepDefinitions.Hooks.tearDown(Hooks.java:23) | FAILED  | 0.003 s  |

### user navigates to OverviewOfTree Page



|  |  |   |  |
|--|--|---|--|
| <b>FAILED</b><br><b>DURATION - 1.471 s</b><br>/ 1:26:43.166 PM // 1:26:44.637 PM /<br><b>Tree</b><br>@tree @TC_Tree_02 |  | <b>Steps</b><br>Total - 11<br>Pass - 0<br>Fail - 0<br>Skip - 11 |  |
|--|--|---|--|

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | BEFORE - stepDefinitions.Hooks.setUp()<br><br>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}]<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) | FAILED | 1.442 s  |



| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)<br>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51)<br>at Utilities.Helper.<init>(Helper.java:17)<br>at Utilities.Helper.setUpDriver(Helper.java:36)<br>at stepDefinitions.Hooks.setUp(Hooks.java:16) |         |          |
| 1  | Given user Launch the Browser   | SKIPPED | 0.001 s  |
| 2  | When user open the Homepage of dsportal and click get started button  | SKIPPED | 0.001 s  |
| 3  | When user Navigate to Sign in button  | SKIPPED | 0.001 s  |
| 4  | When user enters the Valid Username   | SKIPPED | 0.003 s  |
| 5  | And enter Valid Password  | SKIPPED | 0.000 s  |
| 6  | And user click the login button   | SKIPPED | 0.001 s  |
| 7  | Then user should successfully login into Homepage   | SKIPPED | 0.000 s  |
| 8  | When user clicks Tree get started button  | SKIPPED | 0.001 s  |
| 9  | And user navigates to Tree page   | SKIPPED | 0.001 s  |
| 10 | When user clicks overview of Trees link   | SKIPPED | 0.001 s  |
| 11 | Then user should be redirected to overview of Tree page   | SKIPPED | 0.001 s  |
|    | AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)<br>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null<br>at stepDefinitions.Hooks.tearDown(Hooks.java:23)   | FAILED  | 0.003 s  |



**Open the Practice Questions Page under overview of Tree page**

|                                      |                    |  |   |   |
|--------------------------------------|--------------------|--|---|---|
| FAILED                               | DURATION - 1.615 s |  | <div>Steps</div> <div>Total - 13</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 13</div> |  |
| / 1:26:44.689 PM // 1:26:46.304 PM / |                    |  |   |   |
| Tree                                 |                    |  |   |   |
| @tree @TC_Tree_03                    |                    |  |   |   |

| # | Step / Hook Details   | Status        | Duration |
|---|---|---------------|----------|
|   | <b>BEFORE - stepDefinitions.Hooks.setUp()</b><br>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)<br>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51)<br>at Utilities.Helper.<init>(Helper.java:17)<br>at Utilities.Helper.setUpDriver(Helper.java:36)<br>at stepDefinitions.Hooks.setUp(Hooks.java:16) | <b>FAILED</b> | 1.580 s  |
| 1 | Given user Launch the Browser   | SKIPPED       | 0.000 s  |
| 2 | When user open the Homepage of dsportal and click get started button  | SKIPPED       | 0.001 s  |
| 3 | When user Navigate to Sign in button  | SKIPPED       | 0.000 s  |
| 4 | When user enters the Valid Username   | SKIPPED       | 0.000 s  |
| 5 | And enter Valid Password  | SKIPPED       | 0.001 s  |
| 6 | And user click the login button   | SKIPPED       | 0.001 s  |
| 7 | Then user should successfully login into Homepage   | SKIPPED       | 0.002 s  |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
| 8  | When user clicks Tree get started button   | SKIPPED | 0.001 s  |
| 9  | And user navigates to Tree page  | SKIPPED | 0.002 s  |
| 10 | When user clicks overview of Trees link  | SKIPPED | 0.001 s  |
| 11 | Then user should be redirected to overview of Tree page  | SKIPPED | 0.001 s  |
| 12 | When user clicks the practice questions button under overview of Tree page   | SKIPPED | 0.001 s  |
| 13 | Then User should land on the blank practice page under overview of Tree page   | SKIPPED | 0.001 s  |
|    | AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)  | FAILED  | 0.004 s  |
|    | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null<br>at stepDefinitions.Hooks.tearDown(Hooks.java:23) |         |          |

### Display the try Editor Page under overview of Tree page

|                                      |                    |  |   |   |
|--------------------------------------|--------------------|--|---|---|
| FAILED                               | DURATION - 1.706 s |  | <div>Steps</div> <div>Total - 13</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 13</div> |  |
| / 1:26:46.335 PM // 1:26:48.041 PM / |                    |  |   |   |
| Tree                                 |                    |  |   |   |
| @TC_Tree_04 @tree                    |                    |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | BEFORE - stepDefinitions.Hooks.setUp()  | FAILED | 1.680 s  |
|   | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163) |        |          |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51)<br>at Utilities.Helper.<init>(Helper.java:17)<br>at Utilities.Helper.setUpDriver(Helper.java:36)<br>at stepDefinitions.Hooks.setUp(Hooks.java:16) |         |          |
| 1  | Given user Launch the Browser   | SKIPPED | 0.001 s  |
| 2  | When user open the Homepage of dsportal and click get started button  | SKIPPED | 0.001 s  |
| 3  | When user Navigate to Sign in button  | SKIPPED | 0.001 s  |
| 4  | When user enters the Valid Username   | SKIPPED | 0.001 s  |
| 5  | And enter Valid Password  | SKIPPED | 0.000 s  |
| 6  | And user click the login button   | SKIPPED | 0.001 s  |
| 7  | Then user should successfully login into Homepage   | SKIPPED | 0.001 s  |
| 8  | When user clicks Tree get started button  | SKIPPED | 0.001 s  |
| 9  | And user navigates to Tree page   | SKIPPED | 0.001 s  |
| 10 | When user clicks overview of Trees link   | SKIPPED | 0.000 s  |
| 11 | Then user should be redirected to overview of Tree page   | SKIPPED | 0.000 s  |
| 12 | When user clicks on the try here button   | SKIPPED | 0.000 s  |
| 13 | Then user should be navigate to the try editor page   | SKIPPED | 0.001 s  |
|    | AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)<br><br>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null<br>at stepDefinitions.Hooks.tearDown(Hooks.java:23)   | FAILED  | 0.003 s  |



### user navigates to OverViewOfTree Page and get the print message in the Editor Page

|  |  |  |  |
|--|--|--|--|
| <b>FAILED</b><br>DURATION - 1.682 s<br>/ 1:26:48.068 PM // 1:26:49.750 PM /<br>Tree<br>@TC_Tree_05 @tree |  | Steps<br>Total - 16<br>Pass - 0<br>Fail - 0<br>Skip - 16 |  |
|--|--|--|--|

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | BEFORE - stepDefinitions.Hooks.setUp()<br>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)<br>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51)<br>at Utilities.Helper.<init>(Helper.java:17)<br>at Utilities.Helper.setUpDriver(Helper.java:36)<br>at stepDefinitions.Hooks.setUp(Hooks.java:16) | FAILED  | 1.643 s  |
| 1  | Given user Launch the Browser  | SKIPPED | 0.001 s  |
| 2  | When user open the Homepage of dsportal and click get started button   | SKIPPED | 0.001 s  |
| 3  | When user Navigate to Sign in button   | SKIPPED | 0.001 s  |
| 4  | When user enters the Valid Username  | SKIPPED | 0.001 s  |
| 5  | And enter Valid Password   | SKIPPED | 0.001 s  |
| 6  | And user click the login button  | SKIPPED | 0.001 s  |
| 7  | Then user should successfully login into Homepage  | SKIPPED | 0.001 s  |
| 8  | When user clicks Tree get started button   | SKIPPED | 0.001 s  |
| 9  | And user navigates to Tree page  | SKIPPED | 0.001 s  |
| 10 | When user clicks overview of Trees link  | SKIPPED | 0.002 s  |
| 11 | Then user should be redirected to overview of Tree page  | SKIPPED | 0.002 s  |
| 12 | When user clicks on the try here button  | SKIPPED | 0.001 s  |
| 13 | And user should be navigate to the try editor page   | SKIPPED | 0.001 s  |
| 14 | When user enters the Print Message "HelloWorld" in the Editor box  | SKIPPED | 0.002 s  |
| 15 | And user clicks the run Button   | SKIPPED | 0.001 s  |
| 16 | Then user should able to see the print message HelloWorld  | SKIPPED | 0.001 s  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   | <b>AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</b><br>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null<br>at stepDefinitions.Hooks.tearDown(Hooks.java:23) | FAILED | 0.003 s  |

### Get Alert Message of Syntx Error

|  |  |  |   |
|--|--|--|---|
| <b>FAILED</b><br>DURATION - 1.616 s<br>/ 1:26:49.819 PM // 1:26:51.435 PM /<br>Tree<br>@TC_Tree_06 @tree |  | Steps<br>Total - 16<br>Pass - 0<br>Fail - 0<br>Skip - 16 |  |
|--|--|--|---|

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | <b>BEFORE - stepDefinitions.Hooks.setUp()</b><br>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: cannot find Chrome binary Host info: host: 'SAANVI_SINGH', ip: '192.168.1.105' Build info: version: '4.12.0', revision: '249f2a7d1b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96)<br>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:236)<br>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:163)<br>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83)<br>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51)<br>at Utilities.Helper.<init>(Helper.java:17)<br>at Utilities.Helper.setUpDriver(Helper.java:36)<br>at stepDefinitions.Hooks.setUp(Hooks.java:16) | FAILED  | 1.589 s  |
| 1 | Given user Launch the Browser   | SKIPPED | 0.001 s  |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
| 2  | When user open the Homepage of dsportal and click get started button   | SKIPPED | 0.001 s  |
| 3  | When user Navigate to Sign in button   | SKIPPED | 0.001 s  |
| 4  | When user enters the Valid Username  | SKIPPED | 0.001 s  |
| 5  | And enter Valid Password   | SKIPPED | 0.001 s  |
| 6  | And user click the login button  | SKIPPED | 0.000 s  |
| 7  | Then user should successfully login into Homepage  | SKIPPED | 0.001 s  |
| 8  | When user clicks Tree get started button   | SKIPPED | 0.001 s  |
| 9  | And user navigates to Tree page  | SKIPPED | 0.001 s  |
| 10 | When user clicks overview of Trees link  | SKIPPED | 0.000 s  |
| 11 | Then user should be redirected to overview of Tree page  | SKIPPED | 0.000 s  |
| 12 | When user clicks on the try here button  | SKIPPED | 0.001 s  |
| 13 | And user should be navigate to the try editor page   | SKIPPED | 0.001 s  |
| 14 | And user clicks the run Button   | SKIPPED | 0.000 s  |
| 15 | When user able to see Alert message of Syntx Error   | SKIPPED | 0.001 s  |
| 16 | Then user clicks the ok Button   | SKIPPED | 0.001 s  |
|    | AFTER - stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)  | FAILED  | 0.003 s  |
|    | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "Utilities.Helper.getDriver()" is null<br>at stepDefinitions.Hooks.tearDown(Hooks.java:23) |         |          |