

OR: Course Slots Scheduling Model

Dung Ha

Feb 7th 2024

Contents

1	Motivation	1
2	Method and Tools	1
2.1	Linear Programming	1
2.2	Binary Integer Programming	1
2.3	Gurobi Optimizer	2
2.4	Tkinter	2
3	Modeling	2
3.1	Requirements	2
3.2	Requirements implementation	3
4	Model	3
4.1	Notes	3
4.2	Sets	4
4.3	Variables	5
4.4	Objective function	5
4.5	Constraints	5
5	Result	10
6	Discussion	10
7	Sample Schedules	10

1 Motivation

A course (time-slot) schedule is the arrangement of time slots during the week where instructors can schedule their course. A linear programming model is a mathematical formulation of a problem into linear relationships. The solution of those relationships is the solution to the model and provides great analytical value to solving the original problem. This linear programming model is being devised to help create the best possible course schedule for Dickinson College.

This model aims to solve the following problem: Dickinson College's current course schedule only has two 75-minute common hours (time when there is no class) during the week. Is there a way to have more common hours and 75-minute classes while keeping similar requirements?

This model aims to automatically create schedules that have similar requirements as the current Dickinson College's course scheduling while optimizing the schedules to have as many 75-minute standard classes and 75-minute common hours as possible.

2 Method and Tools

2.1 Linear Programming

The standard form of linear programming is:

$$\begin{aligned} & \text{minimize} && \sum_{j=1}^m w_j x_j \\ & \text{subject to} && \sum_{j: e_i \in S_j} a_{ij} x_j \leq b_i, i = 1, \dots, n \\ & && j = 1, \dots, m \\ & && x_j \geq 0 \end{aligned}$$

where there are i constraints and j decision variables.

2.2 Binary Integer Programming

We can put a constraint on the decision variables to have only value 0 or 1 and create a Binary Integer Programming model:

$$\begin{aligned} & \text{minimize} && \sum_{j=1}^m w_j x_j \\ & \text{subject to} && \sum_{j: e_i \in S_j} a_{ij} x_j \leq b_i, \quad i = 1, \dots, n \\ & && x_j \in \{0, 1\}, \quad j = 1, \dots, m \end{aligned}$$

where there are i constraints and j decision variables.

This model is very useful in creating a situation where some thing may happen or not. For example, if a course can start at a certain time on Monday.

2.3 Gurobi Optimizer

We will use Gurobi Optimizer, a powerful software used to solve mathematical optimization problems to solve the model. We will also use Gurobipy and Jupyter Notebook to input our course scheduling model into the Gurobi Optimizer.

2.4 Tkinter

We will also use Tkinter, a Python library for GUI, to transform the solutions of our model into graphical representations.

3 Modeling

3.1 Requirements

There are several general groups of requirements of the course schedule for this model:

- The schedule includes standard courses that last for 50 minutes or 75 minutes, three-hour labs, language classes, three hours of seminar, 50-minute common hours, and 75-minute common hours.
- The number of courses of each type is limited
- All of these classes are called courses in this model. Each course starts at the same time during the day and meets a specific number of times during the week.
- Courses may or may not start at certain times
- A course may meet on consecutive days or not. But it cannot meet more than once a day
- There are courses that can overlap with each other and others that must not
- Classes start on the half-hour in this model (8:00, 8:30, 9:00, ..., 15:30).
- Every day, courses can start only as early as 8:30, except for at most two days where it can start at 8:00.

The detailed requirements can be seen in the model. The specific requirements are to be implemented as constraints in the model (see model below). The objective is to maximize the number of common hours and 75-minute classes.

3.2 Requirements implementation

- Each variable $x_{d,s,c}$ represents whether a meeting of a specific course s will start on day d of the week at period s .
- Each variable $w_{s,c}$ represents whether a meeting of course c is scheduled on period s . It is used to make sure all meeting of the same course time slot starts at the same time (period) on any day.
- Each variable e_d represents whether meetings can start at 8:00 (the earliest possible start time) on day d .
- Each variable a_c represents whether course c is scheduled. We use this variable for consistency between the availability of the course and the appropriate scheduling of the meeting of that course.
- To efficiently address desired variables, we need to combine the type of the variable with index sets. Sets that start with S help cover the index of periods (start time). Each group of start time indexes helps us limit start times as dependent on the context. Notice that classes are only allowed to start on the half-hour in this model which are 8:00 AM, 8:30 AM, 9:00 AM ... which can be indexed with 0, 1, 2, 3, ...
- Similarly, we have groups that start with C which helps address variables that are related to a set of courses. For example, $x_{d,s,c}$ where $c \in C_3$ tells us that we are only considering meetings for 3-hour lab sessions.
- Lastly, sets that starts with D , index the specific days in consideration
- So for example, $x_{d,s,c}$ where $d \in D_1, s \in S_1, c \in C_1$ is an expression that considers the availability of each meeting that can only start during the morning time, on weekdays, and belongs to a 50-minute standard course time-slot.

4 Model

4.1 Notes

- A meeting is a session that occurs at a specific day at a specific period.
- A course (course slot/course time-slot) is a set of related meeting which offers a time slot for a programmed activity (an academic course, common hours, faculty meetings, labs, seminars)
- A language meeting lasts 50 minutes. Three language course slots must be scheduled in the morning and one must be scheduled in the afternoon. The meetings of these courses can overlap with any courses except for common hours.

- A faculty meeting lasts 1.75 hour. Both faculty meetings and common hour are scheduled when no other meetings is occurring
- A seminar or a lab lasts 2.75 hours. A seminar can only overlap with a language meeting or a lab. A lab can overlap with all courses except for faculty meetings and common hours

4.2 Sets

- Start time (periods): $S = \{0, 1, \dots, 15\}$ (8:00, 8:30, 9:00, 9:30, ..., 15:30)
- Morning periods $S_1 = \{0, 1, 2, \dots, 7\}$
- Afternoon periods $S_2 = \{8, 9, \dots, 15\}$
- Lab periods $S_3 = \{8, 9, 10, 11\}$
- Seminar periods $S_4 = \{8, 9, 10, 11\}$
- 75-minute common hour periods $S_5 = \{0, 1, 2, \dots, 13, 14\}$
- Faculty meeting periods $S_6 = \{0, 1, 2, \dots, 13\}$
- Middle periods: $S_7 = \{5, 6, 7, \dots, 14\}$
- Courses: $C = \{0, 1, 2, \dots, 23\}$ (All courses)
- Course1: $C_1 = \{0, 1, \dots, 6\}$ (50-minute courses)
- Course2: $C_2 = \{7, 6, \dots, 14\}$ (75-minute courses)
- Course3: $C_3 = \{15\}$ (2.75h lab)
- Course4: $C_4 = \{16\}$ (75-minute common hour)
- Course5: $C_5 = \{17, 18, 19\}$ (morning language courses)
- Course6: $C_6 = \{20\}$ (afternoon language course)
- Course7: $C_7 = \{21\}$ (50-minute common hour)
- Course8: $C_8 = \{22\}$ (faculty meeting)
- Course9: $C_9 = \{23\}$ (seminar)
- Day: $D = \{0, 1, \dots, 6\}$ (Monday - Saturday)
- Day: $D_1 = \{0, 1, \dots, 5\}$ (Monday - Friday)

4.3 Variables

- $x_{d,s,c}$: a course slot c is scheduled to start at period s , day d
- $w_{s,c}$: a course slot c is scheduled to start at period s
- e_d : Courses are allowed to start at 8:00 on day d
- a_c : Course c is scheduled

4.4 Objective function

maximize

$$z = 20 \sum_{d \in D} \sum_{s \in S} \sum_{c_4 \in C_4} (x_{d,s,c_4}) + 60 \sum_{d \in D} \sum_{s \in S_7} \sum_{c_4 \in C_4} (x_{d,s,c_4}) + 3 \sum_{d \in D} \sum_{s \in S} \sum_{c_7 \in C_7} (x_{d,s,c_7}) + 8 \sum_{d \in D} \sum_{s \in S_7} \sum_{c_7 \in C_7} (x_{d,s,c_7})$$

$$+ 30 \sum_{d \in D} \sum_{s \in S} \sum_{c_2 \in C_2} (x_{d,s,c_2})$$

(add as many common hrs as possible, prioritize 75-minute common hour, add as many 75-minute class as possible)

4.5 Constraints

(I) Number of meetings in specific courses

1.

$$\sum_{d \in D} \sum_{s \in S} x_{d,s,c} = 3a_c, c \in C_1$$

(every 50-minute standard course slot meets 3 times a week)

2.

$$\sum_{d \in D} \sum_{s \in S} x_{d,s,c} = 2a_c, c \in C_2$$

(every 75-minute standard course slot meets twice a week)

3.

$$\sum_{d \in D} \sum_{s \in S} x_{d,s,c} = 5, c \in C_3, C_5, C_6$$

(every 5 meetings course slot meets five times a week)

4.

$$\sum_{d \in D_1} \sum_{s \in S_4} \sum_{c \in C_9} x_{d,s,c} = 1$$

(one seminar meeting per week)

(II) Invalid course start times

5.

$$\sum_{s \in S} \sum_{c \in C} x_{6,s,c} = 0$$

(No classes on Saturday)

6.

$$\sum_{d \in D_1} \sum_{s \in S/S_5} \sum_{c \in C_8} x_{d,p,c} = 0$$

(A faculty meeting can only be scheduled in Faculty Meeting hours)

7.

$$\sum_{d \in D_1} \sum_{s \in S/S_4} \sum_{c \in C_9} x_{d,p,c} = 0$$

(A seminar meeting can only be scheduled in Seminar hours)

8.

$$\sum_{d \in D} \sum_{c \in C_2, C_4} x_{d,15,c} = 0$$

(no period 15 is valid for 75-minute courses)

9.

$$\sum_{c \in C_5} \sum_{d \in D} \sum_{s \in S_2} x_{d,s,c} = 0$$

(No afternoon meetings for morning language courses)

10.

$$\sum_{c \in C_6, C_3} \sum_{d \in D} \sum_{s \in S_1} x_{d,s,c} = 0$$

(No morning meetings for afternoon language courses, and labs)

11.

$$\sum_{c \in C_3} \sum_{d \in D_1} \sum_{s \in S/S_3} x_{d,s,c} = 0$$

(No morning meetings or late afternoon meetings for labs)

(V) Fixed meeting times

12.

$$\sum_{d \in D} (x_{d,s,c}) - 3w_{s,c} = 0, c \in C_1, s \in S$$

(each 50-minute course slot will be scheduled at a fixed period (start time))

13.

$$\sum_{d \in D} (x_{d,s,c}) - 2w_{s,c} = 0, c \in C_2, s \in S$$

(each 75-minute course slot will be scheduled at a fixed period (start time))

14.

$$\sum_{d \in D} (x_{d,s,c}) - 5w_{s,c} = 0, c \in C_5, C_6, s \in S$$

(each language course slot will be scheduled at a fixed period (start time))

(IV) Day spacing for each course

15.

$$\sum_{s \in S} (x_{d,s,c} + x_{(d+1) \bmod |D_1|, s, c} + x_{(d+2) \bmod |D_1|, s, c}) \leq 2, d \in D_1, c \in C_1$$

(no more than two meetings will be scheduled in three consecutive weekdays for every 50-minute course slot)

16.

$$\sum_{s \in S} (x_{d,s,c} + x_{(d+1) \bmod |D_1|, s, c}) \leq 1, d \in D_1, c \in C_2$$

(no meetings will be scheduled in consecutive weekdays for each 75-minute course slot)

17.

$$\sum_{s \in S} x_{d,s,c} \leq 1, c \in C_3, C_5, C_6, d \in D_1$$

(at most 1 meeting per day for every 5 meetings course slot)

(VI) Collision (overlapping) of courses' meetings

18. (constraint 4.5 in the model)

$$\sum_{c \in C_1} (x_{d,s,c} + x_{d,s+1,c}) \leq 1, d \in D_1, s \in S/\{15\}$$

(50-minute standard course slots do not collide)

19. (constraint 5.5 in the model)

$$\sum_{c \in C_2, C_4} (x_{d,s,c} + x_{d,s+1,c} + x_{d,s+2,c}) \leq 1, d \in D_1, s \in S/\{14, 15\}$$

(75-minute standard course and 75-minute common hour slots do not collide)

20.

$$\sum_{c \in C_7} (x_{d,s,c} + x_{d,s+1,c}) \leq 1, d \in D_1, s \in S/\{15\}$$

(50-minute common hour slots do not collide)

21.

$$\sum_{c \in C_5, C_6} x_{d,s,c} + x_{d,s+1,c} \leq 1, s \in S_1$$

(language courses cannot collide)

22.

$$\sum_{c \in C_5, C_3} x_{d,s,c} + x_{d,s+1,c} \leq 1, s \in S_1$$

(morning language courses cannot collide with labs. Works at the moment because labs are only scheduled for the afternoon. In other words with the current model a lab always starts after morning language classes.)

23.

$$(x_{d,s-1,c_2} + x_{d,s-2,c_2} + x_{d,s,c_2} + x_{d,s+1,c_2})^{(*)} + Mx_{d,s,c_1} = M, c_1 \in C_1, c_2 \in C_2, s \in S, d \in D_1$$

(*: $s-1, s-2, s+1$ only exist if they belong to S)

(no overlapping allowed for 75-minute standard course slots and 75-minute standard course slots)

(III) Arrangement for special courses

24.

$$\begin{aligned} & \sum_{c \in C_1, C_5, C_6, C_7} x_{d,s-1,c} + \sum_{c \in C_2} (x_{d,s-1,c} + x_{d,s-2,c}) + \sum_{c \in C_8} (x_{d,s-1,c} + x_{d,s-2,c} + x_{d,s-3,c}) \\ & + \sum_{c \in C_3, C_9} (x_{d,s-1,c} + x_{d,s-2,c} + x_{d,s-3,c} + x_{d,s-4,c} + x_{d,s-5,c}) \\ & + \sum_{c \in C/C_4} (x_{d,s,c} + x_{d,s+1,c} + x_{d,s+2,c}) + Mx_{d,s,c_4} = M, d \in D, c_4 \in C_4, s \in S_5 \end{aligned}$$

(*: $s-1, s-2, s-3, s-4, s-5$ only exist if they belong to S)

(course slot arrangement for 75-minute common hours)

25.

$$\begin{aligned} & \sum_{c \in C_1, C_5, C_6} x_{d,s-1,c} + \sum_{c \in C_2, C_4} (x_{d,s-1,c} + x_{d,s-2,c}) + \sum_{c \in C_8} (x_{d,s-1,c} + x_{d,s-2,c} + x_{d,s-3,c}) \\ & + \sum_{c \in C_3, C_9} (x_{d,s-1,c} + x_{d,s-2,c} + x_{d,s-3,c} + x_{d,s-4,c} + x_{d,s-5,c}) \\ & + \sum_{c \in C/C_7} (x_{d,s,c} + x_{d,s+1,c}) + Mx_{d,s,c_7} = M, d \in D, c_7 \in C_7, s \in S \end{aligned}$$

(*: $s-1, s-2, s-3, s-4, s-5$ only exist if they belong to S)

(course slot arrangement for 50-minute common hours)

26.

$$\begin{aligned}
& \sum_{c \in C_1, C_5, C_6, C_7} x_{d,s-1,c} + \sum_{c \in C_2, C_4} (x_{d,s-1,c} + x_{d,s-2,c}) \\
& + \sum_{c \in C_3, C_9} (x_{d,s-1,c} + x_{d,s-2,c} + x_{d,s-3,c} + x_{d,s-4,c} + x_{d,s-5,c}) \\
& + \sum_{c \in C/C_8} (x_{d,s,c} + x_{d,s+1,c} + x_{d,s+2,c} + x_{d,s+3,c}) + Mx_{d,s,c_8} = M, d \in D, c_8 \in C_8, s \in S_6 \\
& (*: s-1, s-2, s-3, s-4, s-5 \text{ only exist if they belong to S}) \\
& (\text{course slot arrangement for faculty meetings})
\end{aligned}$$

27.

$$\begin{aligned}
& \sum_{c \in C_1, C_5, C_6, C_7} x_{d,s-1,c} + \sum_{c \in C_2, C_4} (x_{d,s-1,c} + x_{d,s-2,c}) + \sum_{c \in C_8} (x_{d,s-1,c} + x_{d,s-2,c} + x_{d,s-3,c}) \\
& + \sum_{c \in C/C_9} (x_{d,s,c} + x_{d,s+1,c} + x_{d,s+2,c} + x_{d,s+3,c} + x_{d,s+4,c} + x_{d,s+5,c}) + Mx_{d,s,c_9} = M, d \in D, c_9 \in C_9, s \in S_4 \\
& (\text{class arrangement for seminar}) \\
& (*: s-1, s-2, s-3, s-4, s-5 \text{ only exist if they belong to S})
\end{aligned}$$

(VII) Standard courses' sets size and number of 75-minute common hours

28.

$$\sum_{c \in C_1, C_2} a_c \geq 11$$

(At least 11 standard courses will be scheduled)

29.

$$\sum_{c \in C_1} a_c \geq 4$$

(At least 4 50-minute standard courses will be scheduled)

30.

$$\sum_{c \in C_2} a_c \geq 5$$

(At least 5 75-minute standard courses will be scheduled)

31.

$$\sum_{d \in D_1} \sum_{s \in S_5} \sum_{c \in C_4} x_{d,s,c} \geq 2$$

(At least 2 75-minute common hours will be scheduled)

(VIII) Early starts

32.

$$\sum_{d \in D_1} e_d \leq 2$$

(At most 2 days are allowed where courses can start early)

33.

$$\sum_{c \in C} x_{d,0,c} + M e_d \leq M, d \in D_1$$

(No courses are allowed to start early when the day is not eligible for an early start)

5 Result

Not only has the model been able to find more common hours than that of our original course time-slot schedule (only two 75-minute common hours), but it has helped us see that we can increase the length of some common hours by 30 minutes.

6 Discussion

This model not only saves time and effort compared to manually creating a schedule that adheres to the same set of requirements/constraints but also helps us approach the scheduling problem in incremental steps. We can revert to less requirements or add requirements on the go to see the effect of the changes.

7 Sample Schedules




Figure 1: Sample Schedule 1



Figure 2: Sample Schedule 2