

Fair Division

Iniyan Joseph

Dividing a cake



Dividing a cake

- ❖ Imagine two people want to share this cake...
- ❖ But we have some problems



Dividing a cake

- ❖ This cake is complicated
- ❖ Person 1 and Person 2 value different parts of the cake differently
- ❖ Can we come up with an algorithm where both people are happy?

What is happiness anyways?

❖ Fairness

❖ Every person believes that they received at least $\frac{1}{n}$ of the cake

❖ $\mu_i(X_i) \geq \frac{1}{n}$

❖ Envy-Freeness

❖ Every person believes that they received at least a good a piece of the cake as everyone else.

❖ $\forall_{i,j} \mu_i(X_i) \geq \mu_i(X_j)$

❖ Fair and envy-free divisions are always guaranteed to exist!

An ideal algorithm for $n=2$

- ❖ When $n=2$, an extremely simple algorithm exists
 - ❖ This solution is extremely old - it was first presented in the Torah
- ❖ One person can cut the cake, and the other person can choose their preferred piece
- ❖ Therefore, this algorithm is called "Cut & Choose"

Why does this work?

- ❖ The cutter gets exactly $\frac{1}{2}$ of the cake
- ❖ The cutter knows that the other piece is also worth $\frac{1}{2}$ of the cake
- ❖ The chooser gets the piece which they think is better
- ❖ One of those pieces must be worth at least $\frac{1}{2}$ of the cake
- ❖ The cutter is always incentivized to tell the truth - a concept in mechanism design called *DISC (Dominant Strategy is Incentive Compatible)*

The need for generality

I'm a computer scientist! Don't just tell me for k people, tell me for n people!

The need for generality

I'm a computer scientist! Don't just tell me for k people, tell me for n people!

- ❖ Sadly, the envy-free problem is extremely non-trivial to generalize...
- ❖ So let's first focus on fairness, which can be both tractable straightforward.

For n people, there are many algorithms for fair division

Banach-Knaster Last Diminisher

- ❖ Banach-Knaster was the first proposed solution for fairness
- ❖ for $i = 1 \dots n-1$
- ❖ Person i cuts $\frac{1}{n}$ of the cake and passes it to person $i+1$
- ❖ Person $i+1$ cuts if they believe that the piece is $> \frac{1}{n}$ of the cake, then passes to person $i+2$, etc.
- ❖ The last person to cut the cake now believes that the piece is worth $\frac{1}{n}$ of the cake, and they may take the piece.

The price of lying

- ❖ If someone wants to lie, they do so at significant risk.
- ❖ The only way they can lie is to not cut when they believe the piece of cake is worth $> \frac{1}{n}$.
- ❖ To make it clear why this doesn't work, let's show an extreme example
 - ❖ Person 1 cuts 98% of the cake, with the goal of taking it for themselves.
 - ❖ After passing the cake around, the last diminisher has only cut the piece down to 97% of the value of the cake!
 - ❖ Because Person 1 is not the last diminisher, they must continue playing, however they cannot receive more than 3% of the cake.

A σ -algebra of crumbs

We want to measure the number of cuts needed to cut the cake

- ❖ In the worst case, all people cut at every turn.
- ❖ First n people cut, then one player drops out
- ❖ Then $n-1$ people cut, then $n-2$ people, etc.
- ❖ Thus, the number of cuts needed is $\sum_{i=1}^n i = \frac{n*(n+1)}{2} = O(n^2)$
- ❖ In the best case, the first cutter is also the last diminisher so n cuts are sufficient.

Dubins-Spanier Moving Knife

- ❖ Here we can see another style of fair cake cutting solutions.
- ❖ Rather than having many cuts, a "moving knife" can be used to allocate chunks of cake.
 - ❖ A knife moves over the cake continuously from one side to the opposite side (for example from left to right)
 - ❖ When a person thinks that the portion remaining from the starting side/previous cut is worth $\frac{1}{n}$, then they may say "Cut", and they will take the portion on the left side.

Does this work?

- ❖ This works, because the same person who said "Cut" at any given point would have been the last diminisher in the Banach-Knaster Last Diminisher Method.
- ❖ On a surface level, this seems to take $n-1$ cuts, but this is incorrect. Instead, it takes an infinite number of cuts perpendicular to the direction of movement.