



3.3.1 STEP 3 - VIEWING AND SHARING YOUR TRAINING ON WEB PAGES

UPDATE THE MULTILINGUAL NAVIGATION

The first set is to update the **mkdocs.yml** file.

1 - Create the new language for the navigation tab

Add the new language after the existing ones using the same script.

```
54 | generator: false
55 alternate:
56   - name: English
57     link: ../
58     lang: en
59   - name: Français
60     link: ./fr/
61     lang: fr
62   - name: Italiano
63     link: ./it/
64     lang: it
65   - name: Deutsch
66     link: ./de/
67     lang: de
68   - name: Slovenščina
69     link: ./sl/
70     lang: sl
```

Script of languages setting in the .yml document.

- **name** : name of the language as it will appear in the navigation tab
- **link** : extension of all pages static web pages in the new language
- **lang** : ID used at the end of each markdown file for a single language

For adding Spanish to the navigation tab

- **name** : Español
- **link** : ./es/
- **lang** : es

2 - Translate titles and contents



■ Add new entries with the new language id: here **es** for **spanish**. All existing navigation has to be provided in the new target language

💡 Use es for spanish

```
425      "Mooc and on-line resources about AI and AI&Education": "Mooc in spletni viri o umetni inteligenci ter  
426      "AI4T resources presentation": "Predstavitev virov AI4T"  
427      "AI Tools for the LSEP": "Orodja UI za eksperimentiranje"  
428      "Partners Resources": "Viri za partnerje"  
429  es:  
430      "Home": "Inicio"  
431      "Explore and support the use of AI in education": "Explorar y apoyar el uso de la IA en la educación"  
432      "Online Self Training": "Autoformación en línea"  
433      "General Presentation": "Presentación general"  
434      "0.1 What does this training offer us?": "0.1 ¿Qué nos ofrece esta formación?"  
435      "0.2 Conditions of use": "0.2 Condiciones de uso"
```

Example of script adaptation to provide navigation in spanish.

HOW TO GENERATE THE STATIC WEB PAGES

Using GitHub pages, it is possible to generate static web pages and consult all the resources of the Mooc using a web browser. On your GitHub project page, you can display the predefined address of the static web pages as [YOURNAME].GitHub.io/ai4t/

tab.">

Access to the predefined address of the static webpages and localisation of action tab.

- 1 Access the visualisation of the GitHub pages.
- 2 Action tab : place to go to generate the static web pages.



Icône Setting tab : update to make before going to **Action**- the action tab.

The screenshot shows the GitHub Pages settings interface. On the left, there's a sidebar with sections like General, Access, Collaborators, Moderation options, Code and automation, Branches, Tags, Rules, Actions, Webhooks, Environments, Codespaces, and Pages. The 'Pages' tab is highlighted with a red box and circled with a yellow number 1. The main area is titled 'GitHub Pages' and contains sections for 'Build and deployment' (with a dropdown menu 'Deploy from a branch') and 'Source' (with a dropdown menu 'gh-pages'). Below these is a 'Branch' section with instructions to make a commit to the gh-pages branch. At the bottom right are buttons for 'Save' (circled with a yellow number 2) and other actions.

Access to the setting for the commit of github-pages.



Icône Once in the setting, choose the Pages tab.

2

Click on the button to commit changes in the gh-pages.

The screenshot shows the GitHub Actions workflow runs page. On the left, there's a sidebar with sections like Actions, New workflow, All workflows (highlighted with a red box and circled with a yellow number 1), Management, Caches, Deployments (Beta), and Runners. The main area shows a workflow named 'Mkdocs' with a file 'main.yml'. It lists '3 workflow runs'. A tooltip says 'This workflow has a workflow_dispatch event trigger.' There are two workflow runs listed, both triggered by 'Mkdocs' and run by 'benedictecardon'. Each run has a 'Run workflow' button (circled with a yellow number 3). A 'Run workflow' button for the current workflow is also highlighted with a red box and circled with a yellow number 2.

How to generate a new workflow in the action tab.

In order to generate the workflow, select the 3 elements in the order shown above.

It take time (several minutes) for the task to be completed. Then there is a time lag with the generation of static web pages, so you have to wait a little before you can view them on **YOURNAME.GitHub.io/ai4t!**.



These instructions are a very simplified presentation of how to view Gitub pages. For more details, consult the official git documentation: <https://pages.github.com/>