«React JS»

Практика 12.05.19



Иванов Максим преподаватель курса






1

Структура занятия



Структура занятия







Redux-router



Redux router - зачем

- 1. Синхронизировать данные в сторе с роутингом
- 2. Возможность навигации при диспатче экшенов
- 3. Поддержка time-travel, дебаг при помощи reduxdevtools



connected-react-router

1. https://github.com/supasate/connected-react-router



Структура приложения (с чего начать)



```
app-name
src
   page-name
    └─ component-name
        — ... component related files
    another-component-name
   another-page-name
     — component-name
        — ... component related files
    another-component-name
```

Создание приложения - это во многом исследование



Начните с описания приложения снаружи



Важно продумать структуру данных



Итеративный подход



SOLID / DRY



DRY

- Don't
- Repeat
- Yourself



SOLID

- Single responsibility principle
- Open-closed principle
- Liskov substitution principle
- Interface segregation principle
- Dependency inversion principle



Smart / dumb components



Smart-dumb components

 https://medium.com/@dan_abramov/smart-anddumb-components-7ca2f9a7c7d0



Redux persist



Redux-persist

https://github.com/rt2zz/redux-persist



Redux batching



Redux-batching

- https://github.com/tshelburne/redux-batched-actions
- https://github.com/manaflair/redux-batch
- https://github.com/tappleby/redux-batched-subscribe



ВСЕМ СПАСИБО ЗА ВНИМАНИЕ!

Добавляйтесь в друзья

- <u>@satansdeer</u>
- youtube.com/user/satansdeer1

youtube.com/user/loftblog

#loftblog #loftschool