


1000



Sheet: /UI_POT_BTN/ File: UI_POT_BTN.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 8.0.6	Id: 2/20	

1000

Simulation:
<http://tinyurl.com/y229mty4>



Sheet: /UI_BUTTON/ File: UI_BUTTON.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 8.0.6	Id: 3/20	

900



Sheet: /UI_LED/
File: UI_LED.kicad_sch

Title:

Size: A4
KiCad E.D.A. 8.0.6

Date:

Rev:
Id: 4/20

1000



1000



700



500

GRID Connector
Bi-Directional Data
2x SYNC

J501 Conn_01x04

J502 Conn_01x04

J503 Conn_01x04

J504 Conn_01x04

J505 Conn_01x04

J506 Conn_01x04

J507 Conn_01x04

J508 Conn_01x04

M501 Conn_01x08

Board Mounting Pattern

Sheet: /MCU/sheet5D85C9EA/
File: GRID.kicad_sch

Title:

Size: A4 Date: Rev:
KiCad E.D.A. 8.0.6 Id: 8/20

Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 8.0.6		Id: 8/20
4	5	6

Size: A4	Date:	Rev:
----------	-------	------

KiCad E.D.A. 8.0.6	Id: 8/20
--------------------	----------

6	Id: 8/20
---	----------

Id: 8/20

6

600

ESD Diodes
ESD protection for all of the externally accessible nets.

U601
C5451661

VBUS
USB_DATA_N
USB_DATA_P
GND

TP601
GND

TP602
VB

TP603
D-

TP604
D+

+3V3 LDO Regulators
Regulators for generating independent power rails for the microcontroller and the user interface.

U602
LN1134A332MR-G

VBUS +5V
GZ2012D601TF
L601

PWR_FLAG

C601
1u

C602
1u

TP605
UI

+3V3

J601
TYPE-C-32-M-12

VBUS
A9B4
A4B9

CC1
A5
B5

CC2
A7
B7

D-
A6
B6

D+
A8
B8

SBU1
A1B12
A12B1

SBU2
B12B1

SHIELD
S1
S2
S3
S4

GND

PWR_FLAG

USB_DATA_N
USB_DATA_P

GND
5k1
R601

GND
5k1
R602

C603
4n7

R603
1M

GND

Sheet: /MCU/Sheet60F06FE1/
File: USB_POWER.kicad_sch


Title:

Size: A4 Date: Rev:

KiCad E.D.A. 8.0.6 Id: 9/20

Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 8.0.6		Id: 9/20
4	5	6

800



Board Identification

Grid firmware can identify the hardware and the board revision through a 3 wire serial interface using one or more shift register as read only memory. The content of the memory is defined by pulling the inputs high or low through pcb traces or solderable configuration jumpers.

4b'Model + 4b'Revision + nb'Reserved (Multiple shift registers)

D0: MODEL (LSB)
D1: MODEL
D2: MODEL
D3: MODEL (MSB)
D4: REVISION (LSB)
D5: REVISION
D6: REVISION
D7: REVISION (MSB)

Model Codes (D3-D0):

Po16 0000
Bo16 0001
PBF4 0010
EN16 0011
...

Revision Codes (D7-D4):

RevA 0000
RevB 0001
RevC 0010
RevD 0011
...

Sheet: /HWCFG/
File: HWCFG.kicad_sch

Title:

Size: A4

Date:

KiCad E.D.A. 8.0.6

Rev:

Id: 10/20


1000

BACKLIGHT \square BACKLIGHT_PWM

$\overline{CS1}$ CS1
 $\overline{CS0}$ CS0
D/ \overline{C} D/ \overline{C}
SCLKD SCLK
SDIOD SDIO
 \overline{RESET} RESET



Sheet: /UI_DISPLAY/ File: UI_DISPLAY.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 8.0.6	Id: 11/20	





Sheet: /UI_HALL_PREAMP/INVERT_AND_OFFSET/
File: INVERT_AND_OFFSET.kicad_sch


Title:

Size: A4
KiCad E.D.A. 8.0.6

Date:

Rev:

Id: 13/20



Sheet: /UI_HALL_PREAMP/INVERT_AND_OFFSET1/
File: INVERT_AND_OFFSET.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 8.0.6

Id: 14/20



Sheet: /UI_HALL_PREAMP/INVERT_AND_OFFSET2/
File: INVERT_AND_OFFSET.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 8.0.6

Id: 15/20



Sheet: /UI_HALL_PREAMP/INVERT_AND_OFFSET3/
File: INVERT_AND_OFFSET.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 8.0.6

Id: 16/20



Sheet: /UI_HALL_PREAMP/INVERT_AND_OFFSET4/
File: INVERT_AND_OFFSET.kicad_sch

Title:

Size: A4

Date:

Rev:

KiCad E.D.A. 8.0.6

Id: 17/20



Sheet: /UI_HALL_PREAMP/INVERT_AND_OFFSET5/
File: INVERT_AND_OFFSET.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 8.0.6

Id: 18/20



Sheet: /UI_HALL_PREAMP/INVERT_AND_OFFSET6/
File: INVERT_AND_OFFSET.kicad_sch

Title:


Size: A4

Date:

Rev:

KiCad E.D.A. 8.0.6

Id: 19/20



Sheet: /UI_HALL_PREAMP/INVERT_AND_OFFSET7/
File: INVERT_AND_OFFSET.kicad_sch

Title:

Size: A4

Date:

Rev:

KiCad E.D.A. 8.0.6

Id: 20/20