# **Beacon 25 Operation During Period of 2020-06-01 to 2020-09-01**

## Introduction

The following presentation is a summary of the Beacon data from the study period indicated above.

## **Sensor Data**

# **Total Volatile Organic Compounds**

The TVOC values and reliability are summarized below




Figure 1.1 TVOC timeseries data with units of parts-per-million during the study period




Figure 1.2 Reliability of the TVOC sensor during the study period

#### **Light Levels**

The light level values and reliability are summarized below




Figure 2.1 Light level timeseries data in units of lux during the study period




Figure 2.2 Infrared levels during the study period





Figure 2.3 Reliability of the light sensor during the study period

## **Nitrogen Dioxide**

The NO2 values and reliability are summarized below



 $\textbf{Figure 3.1} \ \mathsf{NO2} \ \mathsf{timeseries} \ \mathsf{data} \ \mathsf{with} \ \mathsf{units} \ \mathsf{of} \ \mathsf{parts-per-billion} \ \mathsf{during} \ \mathsf{the} \ \mathsf{study} \ \mathsf{period}$ 




Figure 3.2 Reliability of the NO2 sensor during the study period

## **Carbon Monoxide**

The CO values and reliability are summarized below




Figure 4.1 CO timeseries data with units of parts-per-billion during the study period





Figure 4.2 Reliability of the CO sensor during the study period

## **Temperature**

The temperature values from three various sensors and reliability are summarized below



 $\textbf{Figure 5.1} \ \textbf{Temperature timeseries data in units of Celsius during the study period by the Sensirion SCD30 sensor}$ 




Figure 5.2 Temperature timeseries data in units of Celsius during the study period by the DGS-CO sensor




Figure 5.3 Temperature timeseries data in units of Celsius during the study period by the DGS-NO2 sensor

#### **Relative Humidity**

The RH values from three various sensors and reliability are summarized below




Figure 6.1 Relative humidity timeseries data during the study period by the Sensirion SCD30 sensor




Figure 6.2 Relative humidity timeseries data in units of Celsius during the study period by the DGS-CO sensor




Figure 6.3 Relative humidity timeseries data in units of Celsius during the study period by the DGS-NO2 sensor

#### **Particulate Matter**

The Particulate Matter values (PM1, PM2.5, and PM10) and reliability are summarized below





Figure 7.1 PM1 Timeseries data with units of micrograms per cubic metter during the study period



 $\textbf{Figure 7.2} \ \mathsf{PM2.5} \ \mathsf{Timeseries} \ \mathsf{data} \ \mathsf{with} \ \mathsf{units} \ \mathsf{of} \ \mathsf{micrograms} \ \mathsf{per} \ \mathsf{cubic} \ \mathsf{metter} \ \mathsf{during} \ \mathsf{the} \ \mathsf{study} \ \mathsf{period}$ 




Figure 7.3 PM10 Timeseries data with units of micrograms per cubic metter during the study period




Figure 7.4 Reliability of the PM sensor (using PM2.5 values) during the study period