

Beacon 7 Operation During Period of 2020-06-01 to 2020-09-01

Introduction

The following presentation is a summary of the Beacon data from the study period indicated above.

Sensor Data

Total Volatile Organic Compounds

The TVOC values and reliability are summarized below




Figure 1.1 TVOC timeseries data with units of parts-per-million during the study period




Figure 1.2 Reliability of the TVOC sensor during the study period




Figure 1.3 Heatmap of TVOC measurements during the study period

Light Levels

The light level values and reliability are summarized below




Figure 2.1 Light level timeseries data in units of lux during the study period




Figure 2.2 Infrared levels during the study period




Figure 2.3 Reliability of the light sensor during the study period




Figure 2.4 Heatmap of light measurements during the study period

Nitrogen Dioxide

The NO₂ values and reliability are summarized below




Figure 3.1 NO₂ timeseries data with units of parts-per-billion during the study period




Figure 3.2 Reliability of the NO2 sensor during the study period




Figure 3.3 Heatmap of the NO2 measurements during the study period

Carbon Monoxide

The CO values and reliability are summarized below




Figure 4.1 CO timeseries data with units of parts-per-billion during the study period




Figure 4.2 Reliability of the CO sensor during the study period




Figure 4.2 Heatmap of the CO measurements during the study period

Temperature

The temperature values from three various sensors and reliability are summarized below




Figure 5.1 Temperature timeseries data in units of Celsius during the study period by the Sensirion SCD30 sensor




Figure 5.2 Temperature timeseries data in units of Celsius during the study period by the DGS-CO sensor




Figure 5.3 Temperature timeseries data in units of Celsius during the study period by the DGS-NO2 sensor



Figure 5.4 Temperature heatmap data in units of Celsius during the study period by the Sensirion SCD30 sensor




Figure 5.5 Temperature heatmap data in units of Celsius during the study period by the DGS-CO sensor




Figure 5.6 Temperature heatmap data in units of Celsius during the study period by the DGS-NO2 sensor

Relative Humidity

The RH values from three various sensors and reliability are summarized below




Figure 6.1 Relative humidity timeseries data during the study period by the Sensirion SCD30 sensor




Figure 6.2 Relative humidity timeseries data in units of Celsius during the study period by the DGS-CO sensor




Figure 6.3 Relative humidity timeseries data in units of Celsius during the study period by the DGS-NO2 sensor

Particulate Matter

The Particulate Matter values (PM1, PM2.5, and PM10) and reliability are summarized below




Figure 7.1 PM1 Timeseries data with units of micrograms per cubic meter

Figure 7.1 PM1 heatmap with units of micrograms per cubic meter




Figure 7.2 PM2.5 Timeseries data with units of micrograms per cubic meter




Figure 7.2 PM2.5 heatmap with units of micrograms per cubic meter




Figure 7.2 PM2.5 Timeseries data with units of micrograms per cubic meter




Figure 7.3 PM10 heatmap with units of micrograms per cubic meter




Figure 7.4 Reliability of the PM sensor (using PM2.5 values)