

Solution Sets: Takeaways

by Dataquest Labs, Inc. - All rights reserved © 2020

Concepts

- An inconsistent system has two or more equations that no solution exists when the augmented matrix is in reduced echelon form.
 - Example of a inconsistent system:
- When the determinant is equal to zero, we say the matrix is singular or it contains no inverse.
 - Example of a singular matrix:
 - The formula for the determinant of a $n \times n$ square matrix is:
$$\det(A) = \sum_{j=1}^n a_{1j}C_{1j} = \sum_{j=1}^n a_{2j}C_{2j} = \dots = \sum_{j=1}^n a_{nj}C_{nj}$$
where C_{ij} is the cofactor of element a_{ij} in the matrix A .
 - If we substitute in the values, we get a determinant of zero:
- A nonhomogenous system is a system where the constants vector (b) doesn't contain all zeros.
 - Example of a nonhomogenous system:
- A homogenous system is a system where the constants vector (b) is equal to the zero vector.
 - Example of a homogenous system:
 - A homogenous system always contains the trivial solution: the zero vector.
- For a nonhomogenous system that contains the same number of rows and columns, there are 3 possible solutions:
 - No solution.
 - A single solution.
 - Infinitely many solutions.

- For rectangular (nonsquare, nonhomogenous) systems, there are two possible solutions:
 - No solution.
 - Infinitely many solutions.
- If $Ax = b$ is a linear system, then every vector x which satisfies the system is said to be a solution vector of the linear system. The set of solution vectors of the system is called the solution space of the linear system.
- When the solution is a solution space (and not just a unique set of values), it's common to rewrite it into parametric vector form.
 - Example a vector in parametric vector form:

Resources

- [Consistent and Inconsistent equations](#)
- [Solution Spaces of Homogenous Linear Systems](#)



Takeaways by Dataquest Labs, Inc. - All rights reserved © 2020