

ROS-I Basic Training “Manipulation”

ROS MoveIt! Tutorial: UR5

Instructor: Fraunhofer IPA

April 11, 2018

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 2 |
| 2 | Your URDF in MoveIt! | 3 |
| 2.1 | Introduction to the MoveIt! Setup Assistant | 3 |
| 2.2 | Configure your robot with the MoveIt! Setup Assistant | 3 |
| 3 | MoveIt! Usage | 10 |
| 3.1 | demo.launch | 10 |

1 Introduction

This tutorial explains the basics of how to describe industrial robots in ROS and how to use the created kinematic models. You will learn about the Unified Robot Description Format (URDF). The tutorial will inform about how to create a robot model, how to visualize your robot and begin with easy planning for your model.

- Lines beginning with \$ are terminal commands
- Lines beginning with # indicate the syntax of the commands
- The symbol ↪ represents a line break.

→ **Important!** Make sure you have followed the URDF Tutorial for the UR5.

2 Your URDF in MoveIt!

The generated URDF file can now be used from several ROS tools, e.g. as robot model in the Gazebo Simulation environment, as visualization element in rviz or as a kinematic model for MoveIt!. MoveIt! is the most widely used Open Source software for motion planning, manipulation, 3D perception, kinematic, control and navigation.

It provides an easy-to-use platform for developing advanced robotics applications, evaluating new robot designs and building integrated robotics products.

2.1 Introduction to the MoveIt! Setup Assistant

The MoveIt! Setup Assistant is a powerful graphical tool to configure any robot you want to use with MoveIt!. The main task of the Setup Assistant consists in generating the Semantic Robot Description Format (SRDF), which is used in the ROS node `move_group`.

Check <http://wiki.ros.org/srdf> for further information.

Besides the SRDF, there are a lot of other configuration files generated e.g. for joint limits, kinematics and motion planning.

The only information the tool needs is the Unified Robot Description Format (URDF) of the robot, i.e. the file that you have created recently.

2.2 Configure your robot with the MoveIt! Setup Assistant

To start the Setup Assistant you need the following command:

```
roslaunch moveit_setup_assistant setup_assistant.launch
```

A graphical user interface comparable to figure 1 should appear.




Figure 1: MoveIt! Setup Assistant start screen

- Select the Create New MoveIt! Configuration Package button and browse for the file called `ur_demo_description.urdf.xacro` in `~/moveit_ws/src/moveit_training/urdf/`. This file includes the URDF file you edited in the URDF tutorial. Your window should look like shown in figure 2.
- Click on the Load Files button and after a few seconds the Setup Assistant will present you a model of the robot on the right side of the window.
- Afterwards click on the Self Collision pane selector to generate a matrix for pair of links which are not necessary to be checked for collision every time at planning process. This is because they are either always in collision or never in collision.




Figure 2: Choose mode and select URDF

- Change the Sampling Density to maximum possible
- Select the Regenerate Default Collision Matrix button
- After a few seconds the MoveIt! Setup Assistant will present you the results of the computation. Have a look at figure 3 for reference.




Figure 3: Results for the Default Collision Matrix

- Now add a virtual joint to attach your robot to the world.
 - Select the Virtual Joint pane selector
 - Click on the Add Virtual Joint button
 - Set the joint name to "fixed_joint"
 - Set the child link as "world" and the parent link as "fixed_link"
 - Set the joint type as "fixed"
 - Now save the data and your screen should look like shown in figure 4.




Figure 4: Virtual Joints

- In the next step you will define your planning group for which MoveIt! later on tries to compute a path.
 - Click on the Planning Groups pane selector
 - Click on Add Group
 - Set the Group Name as "arm"
 - Choose `kdl_kinematics_plugin/KDLKinematicsPlugin` as Kinematic Solver.
 - Click on the Add Kin. Chain button and choose “base_link” as Base Link and “ee_link” as Tip Link.




Figure 5: Add Planning Group “arm”

- Click "Save". See the result in figure 5 for reference.
- The Setup Assistant includes the option to add poses. It is helpful to define poses that will be used often in later developing process e.g. a home pose for the robot.
 - Select Robot Poses
 - Click the Add Pose button
 - Choose a name for the pose and move the joints to a position that you like
 - Save the Pose
- Skip the End Effectors and Passive Joints pane selectors.

ROS MoveIt! UR5

Fraunhofer IPA

- Click on "Configuration Files", click "Browse" and select path till "src" inside your workspace and manually name the package "ur5_demo_moveit_config" as shown in figure 6.




Figure 6: Configuration Files

- Click "Generate Package"
- If the process completes successfully you can try out your newly created MoveIt! configuration as described in the section 3.1

3 MoveIt! Usage

This section makes actual use of your newly created MoveIt! Package.

3.1 demo.launch

You can try out your newly created MoveIt! package by launching the following:

```
roslaunch ur5_demo_moveit_config demo.launch
```

RViz should start and the UR5 should be visualized.

- Uncheck: Displays -> Motion Planning -> Planned Path -> Loop Animation
- Select: Motion Planning -> Context -> Planning Library -> RRTConnectkConfigDefault
- Select: Motion Planning -> Planning -> Query -> Select Start State -> Update
- Select: Motion Planning -> Planning -> Query -> Select Goal State -> Update
- Click on the Plan Button in the Commands category
 - You should see the robot moving on the computed path from the Start State presented in blue and silver to the Goal State presented in yellow (figure 7)
- Click on the Execute Button in the Commands category
 - The Start State should now be at the selected Goal State

→ You should get a screen similar to figure 7.




Figure 7: Motion planning in RViz

Another possibility to change the Goal State is to move the interactive marker visualized near to the tip link. After that you are able to use the Plan and Execute commands again.

There is also the possibility to add scene objects to your robotmodel. Change to *Scene Objects* and select the Import File button. You will find a file named table.stl in

`~/moveit_ws/src/tutorial_commons/meshes/`. After you open the file a box appears. Move the box somewhere next to the robot and move the robot from one side to the other (figure 10). Click once the “Publish Scene” button to include the box in the planning environment of the robot.

You will recognize, that the box is avoided because it represents a collision object. See figure 8 for reference.




Figure 8: Insert a scene object to the MoveIt! planning environment