## Stave production monitoring

Ivan Ravasenga, Bogolyubov Institute for Theo. Phys.

06/05/2019

Monitoring from January 2018 to 06/05/2019

Stave meeting

# HS monitoring

**HSs of previous week** 

D-OL-HS-U-019: 0 bad chips D-OL-HS-L-019: 0 bad chips

A-OL-HS-U-019: 0 bad chips


A-OL-HS-L-020: 0 bad chips


B-ML-HS-U-040: 0 bad chips


B-ML-HS-U-039: 0 bad chips

B-ML-HS-L-039: 1 bad chips


**HSs of this week** 















HS - Turin





HS - OL HS - ML















#### HS Yield vs time




Stave monitoring

#### Staves of previous week


T-OL-Stave-034: (U,L)=(0, 0) bad chips D-OL-Stave-018: (U,L)=(0, 0) bad chips A-OL-Stave-017: (U,L)=(2, 0) bad chips B-ML-Stave-038: (U,L)=(0, 0) bad chips

B-ML-Stave-037: (U,L)=(0, 0) bad chips

Staves of this week




Stave - Nikhef Stave - Daresbury




Stave - Frascati


[1+0 dc] 3 (17.6 %)



Stave - Turin





Stave - OL Stave - ML






#### Det. Grade Stave







Det. grade Stave vs time Berkeley Daresbury Turin Nikhef Frascati #Stave 40 35 30 25 20 15 10 5 2728293031323334353637383940414243444546474849505152 1 2 3 Week Comparison to prev. week Berkeley: +0 Nikhef: +0 Daresbury: +0 Frascati: +0

Turin: +0





### Stave yield vs time



```
Production rate (October 2018 - prev. week)**

→ Berkeley: 1.17(all) -- 1.17(DG)

→ Nikhef: 0.48(all) -- 0.48(DG)

→ Daresbury: 0.55(all) -- 0.55(DG)

→ Frascati: 0.59(all) -- 0.59(DG)
```

ightarrow Turin: 0.79(all) -- 0.79(DG) ightarrow Prod. ended

OL: 2.41(all) -- 2.41(DG) ML: 1.17(all) -- 1.17(DG)

\*\*Christmas holiday excluded (2 weeks)

```
Production rate 2019 (month by month)**
                 January
    → Berkeley: 1.00(all) -- 1.00(DG)
     → Nikhef: 0.50(all) -- 0.50(DG)
   → Daresbury: 0.75(all) -- 0.75(DG)
    → Frascati: 1.00(all) -- 1.00(DG)
      → Turin: 0.25(all) -- 0.25(DG)
         OL: 2.50(all) -- 2.50(DG)
         ML: 1.00(all) -- 1.00(DG)
                February
    → Berkeley: 0.80(all) -- 0.80(DG)
     → Nikhef: 0.20(all) -- 0.20(DG)
    → Daresbury: 0.80(all) -- 0.80(DG)
    → Frascati: 0.80(all) -- 0.80(DG)
      → Turin: 0.80(all) -- 0.80(DG)
        OL: 2.60(all) -- 2.60(DG)
         ML: 0.80(all) -- 0.80(DG)
                  March
    → Berkeley: 1.00(all) -- 1.00(DG)
     → Nikhef: 1.00(all) -- 1.00(DG)
   → Daresbury: 0.40(all) -- 0.40(DG)
    → Frascati: 0.60(all) -- 0.60(DG)
      → Turin: 1.00(all) -- 1.00(DG)
        OL: 3.00(all) -- 3.00(DG)
         ML: 1.00(all) -- 1.00(DG)
                  April
    → Berkeley: 1.40(all) -- 1.40(DG)
     → Nikhef: 0.80(all) -- 0.80(DG)
   → Daresbury: 1.00(all) -- 1.00(DG)
    → Frascati: 0.60(all) -- 0.60(DG)
      → Turin: 0.80(all) -- 0.80(DG)
        OL: 3.20(all) -- 3.20(DG)
         ML: 1.40(all) -- 1.40(DG)
```

Stave reception @CERN

Staves qualified in the previous week

A-OL-Stave-015: (U,L)=(0, 0) bad chips A-OL-Stave-013: (U,L)=(0, 2) bad chips


A-OL-Stave-011: (U,L)=(2, 0) bad chips

B-ML-Stave-035: (U,L)=(0, 0) bad chips


B-ML-Stave-034: (U,L)=(0, 0) bad chips


B-ML-Stave-033: (U,L)=(0, 0) bad chips B-ML-Stave-032: (U,L)=(1, 0) bad chips


Staves qualified this week



Det. Grade Stave @CERN







### Det. grade Stave vs time @CERN ML(all) ML(DG) OL(DG) OL(all) #Stave 70 60 50 40 30 20 10 2728293031323334353637383940414243444546474849505152 1 2 3

Qualification rate (December 2018 - prev. week)\*\*

Berkeley: 1.35(all) -- 1.35(DG)

Nikhef: 0.55(all) -- 0.55(DG)

Daresbury: 0.60(all) -- 0.60(DG)

Frascati: 0.65(all) -- 0.65(DG)
Turin: 1.30(all) -- 1.30(DG)

OL: 3.10(all) -- 3.10(DG) ML: 1.35(all) -- 1.35(DG)

\*\*Christmas holiday excluded (2 weeks)

HS without a Stave

HSs (DG) not yet tested as Stave
A-OL-HS-U-009: 2 bad chips
F-OL-HS-L-002: 0 bad chips
F-OL-HS-U-123: 0 bad chips
F-OL-HS-U-022: 0 bad chips
F-OL-HS-U-013: 0 bad chips
F-OL-HS-U-005: 0 bad chips
F-OL-HS-L-024: 0 bad chips
F-OL-HS-L-023: 0 bad chips
F-OL-HS-L-022: 0 bad chips
F-OL-HS-L-013: 1 bad chips
F-OL-HS-L-005: 0 bad chips
D-OL-HS-U-019: 0 bad chips
D-OL-HS-U-008: 0 bad chips
D-OL-HS-L-019: 0 bad chips
D-OL-HS-L-008: 0 bad chips
A-OL-HS-U-019: 0 bad chips
A-OL-HS-L-020: 0 bad chips
A-OL-HS-L-019: 0 bad chips
A-OL-HS-L-013: 0 bad chips
B-ML-HS-U-040: 0 bad chips
B-ML-HS-U-039: 0 bad chips
B-ML-HS-U-014: 0 bad chips
B-ML-HS-L-039: 1 bad chips
B-ML-HS-L-014: 0 bad chips
<u>'</u>

HSs (non-DG) not yet tested as Stave

A-OL-HS-L-004: 14 bad chips -> rework(?)

F-OL-HS-U-002: 8 bad chips -> rework(?)

### Stave not DG

#### **Staves not DG**

A-OL-Stave-001: 
$$(U,L) = (2, 14)$$
 bad chips  
A-OL-Stave-002:  $(U,L) = (7, 49)$  bad chips  
A-OL-Stave-003:  $(U,L) = (98, 98)$  bad chips  
F-OL-Stave-001:  $(U,L) = (43, 14)$  bad chips  
T-OL-Stave-003:  $(U,L) = (6, 2)$  bad chips

T-OL-Stave-002: (U,L) = (7, 1) bad chips

D-OL-Stave-001: (U,L) = (0, 15) bad chips

B-ML-Stave-001: (U,L) = (2, 0) bad chips