Stave production monitoring

Ivan Ravasenga, Politecnico di Torino and I.N.F.N.

01/05/2019


Monitoring from January 2018 to 01/05/2019


Stave meeting

HS monitoring


HSs of previous week F-OL-HS-U-123: 0 bad chips D-OL-HS-L-210: 0 bad chips A-OL-HS-U-018: 0 bad chips B-ML-HS-U-038: 0 bad chips B-ML-HS-U-037: 0 bad chips B-ML-HS-U-036: 0 bad chips B-ML-HS-L-038: 0 bad chips B-ML-HS-L-037: 0 bad chips B-ML-HS-L-036: 0 bad chips **HSs of this week** D-OL-HS-U-019: 0 bad chips B-ML-HS-U-039: 0 bad chips









HS - Frascati





HS - Turin





HS - OL HS - ML















HS Yield vs time



Stave monitoring


Staves of previous week

T-OL-Stave-033: (U,L)=(0, 0) bad chips D-OL-Stave-017: (U,L)=(0, 0) bad chips B-ML-Stave-036: (U,L)=(0, 0) bad chips


B-ML-Stave-035: (U,L)=(0, 0) bad chips B-ML-Stave-032: (U,L)=(0, 0) bad chips


Staves of this week


T-OL-Stave-034: (U,L)=(0, 0) bad chips D-OL-Stave-018: (U,L)=(0, 0) bad chips A-OL-Stave-017: (U,L)=(2, 0) bad chips B-ML-Stave-037: (U,L)=(0, 0) bad chips




Stave - Nikhef














Stave - Turin




Stave - OL Stave - ML




Det. Grade Stave







Det. grade Stave vs time Berkeley Daresbury Turin Nikhef Frascati #Stave 40 35 30 25 20 15 10 5 2728293031323334353637383940414243444546474849505152128 9 10 11 12 13 14 15 16 17 18 Week Comparison to prev. week Berkeley: +1 Nikhef: +1 Daresbury: +1 Frascati: +0

Turin: +1





Stave yield vs time



Production rate (October 2018 - prev. week)**
Berkeley: 1.14(all) -- 1.14(DG)
Nikhef: 0.46(all) -- 0.46(DG)
Daresbury: 0.54(all) -- 0.54(DG)

Frascati: 0.61(all) -- 0.61(DG)
Turin: 0.79(all) -- 0.79(DG)

OL: 2.39(all) -- 2.39(DG) ML: 1.14(all) -- 1.14(DG)


**Christmas holiday excluded (2 weeks)


Stave reception @CERN

Staves qualified in the previous week


T-OL-Stave-032: (U,L)=(0, 0) bad chips T-OL-Stave-031: (U,L)=(1, 0) bad chips T-OL-Stave-030: (U,L)=(0, 0) bad chips F-OL-Stave-020: (U,L)=(0, 0) bad chips F-OL-Stave-016: (U,L)=(0, 0) bad chips


Staves qualified this week






Det. Grade Stave @CERN







Det. grade Stave vs time @CERN ML(all) ML(DG) OL(DG) OL(all) #Stave 70 60 50 40 30 20 10 2728293031323334353637383940414243444546474849505152 1

Qualification rate (December 2018 - prev. week)**

Berkeley: 1.21(all) -- 1.21(DG)

Nikhef: 0.42(all) -- 0.42(DG)

Daresbury: 0.63(all) -- 0.63(DG)

Frascati: 0.68(all) -- 0.68(DG)

Turin: 1.37(all) -- 1.37(DG)

OL: 3.11(all) -- 3.11(DG) ML: 1.21(all) -- 1.21(DG)

**Christmas holiday excluded (2 weeks)

HS without a Stave

HSs (DG) not yet tested as Stave	
A-OL-HS-U-009: 2 bad chips	How from Box and add to the Other
F-OL-HS-L-002: 0 bad chips	HSs (non-DG) not yet tested as Stave
F-OL-HS-U-123: 0 bad chips	
F-OL-HS-U-022: 0 bad chips	
F-OL-HS-U-013: 0 bad chips	
F-OL-HS-U-005: 0 bad chips	
F-OL-HS-L-024: 0 bad chips	
F-OL-HS-L-023: 0 bad chips	
F-OL-HS-L-022: 0 bad chips	
F-OL-HS-L-013: 1 bad chips	
F-OL-HS-L-005: 0 bad chips	
D-OL-HS-U-019: 0 bad chips	
D-OL-HS-U-008: 0 bad chips	
D-OL-HS-L-210: 0 bad chips	A-OL-HS-L-004: 14 bad chips -> rework(?)
D-OL-HS-L-008: 0 bad chips	. , ,
A-OL-HS-U-018: 0 bad chips	
A-OL-HS-L-019: 0 bad chips	
A-OL-HS-L-013: 0 bad chips	
B-ML-HS-U-039: 0 bad chips	
B-ML-HS-U-038: 0 bad chips	F-OL-HS-U-002: 8 bad chips -> rework(?)
B-ML-HS-U-014: 0 bad chips	1 02-110-0-002. 0 bad onips -> 16work(:)
B-ML-HS-L-038: 0 bad chips	
B-ML-HS-L-014: 0 bad chips	

Stave not DG

Staves not DG

A-OL-Stave-001:
$$(U,L) = (2, 14)$$
 bad chips
A-OL-Stave-002: $(U,L) = (7, 49)$ bad chips
A-OL-Stave-003: $(U,L) = (98, 98)$ bad chips
F-OL-Stave-001: $(U,L) = (43, 14)$ bad chips
T-OL-Stave-003: $(U,L) = (6, 2)$ bad chips

T-OL-Stave-002: (U,L) = (7, 1) bad chips

D-OL-Stave-001: (U,L) = (0, 15) bad chips

B-ML-Stave-001: (U,L) = (2, 0) bad chips