Stave production monitoring

Ivan Ravasenga, Bogolyubov Institute for Theo. Phys.

23/05/2019

Monitoring from January 2018 to 23/05/2019

Stave meeting

HS monitoring

HSs of previous week F-OL-HS-U-502: 0 bad chips F-OL-HS-U-025: 0 bad chips F-OL-HS-U-024: 0 bad chips F-OL-HS-L-025: 0 bad chips D-OL-HS-L-020: 0 bad chips A-OL-HS-U-120: 0 bad chips A-OL-HS-L-021: 0 bad chips B-ML-HS-U-043: 0 bad chips B-ML-HS-L-042: 0 bad chips

HSs of this week

F-OL-HS-U-026: 0 bad chips


A-OL-HS-U-021: 0 bad chips B-ML-HS-U-044: 0 bad chips B-ML-HS-L-043: 0 bad chips




97.50 % ok

[>7 dc] 1 (2.5 %)


[1 dc] 5 (12.5 %)











HS - OL HS - ML















HS Yield vs time




Stave monitoring

Staves of previous week


D-OL-Stave-019: (U,L)=(0, 0) bad chips B-ML-Stave-041: (U,L)=(0, 0) bad chips B-ML-Stave-039: (U,L)=(0, 1) bad chips

Staves of this week

B-ML-Stave-042: (U,L)=(0, 0) bad chips




Stave - Nikhef Stave - Daresbury




Stave - Frascati


[1+0 dc] 3 (16.7 %)




Stave - Turin




Stave - OL Stave - ML




Det. Grade Stave







Det. grade Stave vs time Berkeley Daresbury Turin Nikhef Frascati #Stave 45 40 35 30 25 20 15 10 5 2728293031323334353637383940414243444546474849505152 1 2 3 4 5 6 Week Comparison to prev. week Berkeley: +1 Nikhef: +0 Daresbury: +0 Frascati: +0

Turin: +0





Stave yield vs time



```
Production rate (October 2018 - prev. week)**

→ Berkeley: 1.19(all) -- 1.19(DG)

→ Nikhef: 0.48(all) -- 0.48(DG)

→ Daresbury: 0.55(all) -- 0.55(DG)
```

ightarrow Turin: 0.79(all) -- 0.79(DG) ightarrow Prod. ended

 \rightarrow Frascati: 0.58(all) -- 0.58(DG)

OL: 2.41(all) -- 2.41(DG) ML: 1.19(all) -- 1.19(DG)

**Christmas holiday excluded (2 weeks)

```
Production rate 2019 (month by month)**
                 January
    → Berkeley: 1.00(all) -- 1.00(DG)
     → Nikhef: 0.50(all) -- 0.50(DG)
   → Daresbury: 0.75(all) -- 0.75(DG)
    → Frascati: 1.00(all) -- 1.00(DG)
      → Turin: 0.25(all) -- 0.25(DG)
         OL: 2.50(all) -- 2.50(DG)
         ML: 1.00(all) -- 1.00(DG)
                February
    → Berkeley: 0.80(all) -- 0.80(DG)
     → Nikhef: 0.20(all) -- 0.20(DG)
    → Daresbury: 0.80(all) -- 0.80(DG)
    → Frascati: 0.80(all) -- 0.80(DG)
      → Turin: 0.80(all) -- 0.80(DG)
        OL: 2.60(all) -- 2.60(DG)
         ML: 0.80(all) -- 0.80(DG)
                  March
    → Berkeley: 1.00(all) -- 1.00(DG)
     → Nikhef: 1.00(all) -- 1.00(DG)
   → Daresbury: 0.40(all) -- 0.40(DG)
    → Frascati: 0.60(all) -- 0.60(DG)
      → Turin: 1.00(all) -- 1.00(DG)
        OL: 3.00(all) -- 3.00(DG)
         ML: 1.00(all) -- 1.00(DG)
                  April
    → Berkeley: 1.40(all) -- 1.40(DG)
     → Nikhef: 0.80(all) -- 0.80(DG)
   → Daresbury: 1.00(all) -- 1.00(DG)
    → Frascati: 0.60(all) -- 0.60(DG)
      → Turin: 0.80(all) -- 0.80(DG)
        OL: 3.20(all) -- 3.20(DG)
         ML: 1.40(all) -- 1.40(DG)
```


Stave reception @CERN

Staves qualified in the previous week


T-OL-Stave-034: (U,L)=(0, 0) bad chips T-OL-Stave-033: (U,L)=(0, 0) bad chips T-OL-Stave-028: (U,L)=(0, 0) bad chips


Staves qualified this week


D-OL-Stave-017: (U,L)=(0, 0) D-OL-Stave-015: (U,L)=(0, 1)



Det. Grade Stave @CERN







Det. grade Stave vs time @CERN ML(all) ML(DG) OL(DG) OL(all) #Stave 70 60 50 40 30 20 10

Qualification rate (December 2018 - prev. week)**

Berkeley: 1.23(all) -- 1.23(DG)

Nikhef: 0.50(all) -- 0.50(DG)

Daresbury: 0.45(all) -- 0.45(DG)

Frascati: 0.59(all) -- 0.59(DG) Turin: 1.23(all) -- 1.23(DG)

OL: 2.77(all) -- 2.77(DG) ML: 1.23(all) -- 1.23(DG)

**Christmas holiday excluded (2 weeks)

HS without a Stave

HSs (DG) not yet tested as Stave A-OL-HS-U-009: 2 bad chips F-OL-HS-L-002: 0 bad chips F-OL-HS-U-502: 0 bad chips F-OL-HS-U-123: 0 bad chips F-OL-HS-U-026: 0 bad chips F-OL-HS-U-025: 0 bad chips F-OL-HS-U-024: 0 bad chips F-OL-HS-U-022: 0 bad chips F-OL-HS-U-005: 0 bad chips F-OL-HS-L-025: 0 bad chips F-OL-HS-L-024: 0 bad chips F-OL-HS-L-023: 0 bad chips F-OL-HS-L-022: 0 bad chips F-OL-HS-L-005: 0 bad chips D-OL-HS-U-020: 0 bad chips D-OL-HS-L-020: 0 bad chips A-OL-HS-U-120: 0 bad chips A-OL-HS-U-021: 0 bad chips A-OL-HS-U-019: 0 bad chips A-OL-HS-L-021: 0 bad chips A-OL-HS-L-020: 0 bad chips A-OL-HS-L-013: 0 bad chips B-ML-HS-U-044: 0 bad chips B-ML-HS-U-043: 0 bad chips B-ML-HS-U-014: 0 bad chips B-ML-HS-L-043: 0 bad chips B-ML-HS-L-014: 0 bad chips

HSs (non-DG) not yet tested as Stave

A-OL-HS-L-004: 14 bad chips -> rework(?)

F-OL-HS-U-002: 8 bad chips -> rework(?)

Stave not DG

Staves not DG

A-OL-Stave-001:
$$(U,L) = (2, 14)$$
 bad chips
A-OL-Stave-002: $(U,L) = (7, 49)$ bad chips
A-OL-Stave-003: $(U,L) = (98, 98)$ bad chips
F-OL-Stave-001: $(U,L) = (43, 14)$ bad chips
T-OL-Stave-003: $(U,L) = (6, 2)$ bad chips

T-OL-Stave-002: (U,L) = (7, 1) bad chips

D-OL-Stave-001: (U,L) = (0, 15) bad chips

B-ML-Stave-001: (U,L) = (2, 0) bad chips