

```

/** */ package shelley.irish.purchaseOrder.model.purchaseOrder;

import org.eclipse.emf.ecore.EFactory;

/** * * The Factory for the model. * It provides a create method for each non-
abstract class of the model. * * @see shelley.irish.purchaseOrder.model.purchaseOrder.PurchaseOrderPackage
* @generated */ public interface PurchaseOrderFactory extends EFactory { /**
* The singleton instance of the factory. * * * @generated */ PurchaseOrderFactory
eINSTANCE = shelley.irish.purchaseOrder.model.purchaseOrder.impl.PurchaseOrderFactoryImpl
.init();

/**
* Returns a new object of class '<em>Purchase Order</em>'.
* <!-- begin-user-doc -->
* <!-- end-user-doc -->
* @return a new object of class '<em>Purchase Order</em>'.
* @generated
*/
PurchaseOrder createPurchaseOrder();

/**
* Returns a new object of class '<em>Item</em>'.
* <!-- begin-user-doc -->
* <!-- end-user-doc -->
* @return a new object of class '<em>Item</em>'.
* @generated
*/
Item createItem();

/**
* Returns a new object of class '<em>US Address</em>'.
* <!-- begin-user-doc -->
* <!-- end-user-doc -->
* @return a new object of class '<em>US Address</em>'.
* @generated
*/
USAddress createUSAddress();

/**
* Returns the package supported by this factory.
* <!-- begin-user-doc -->
* <!-- end-user-doc -->
* @return the package supported by this factory.
* @generated
*/
PurchaseOrderPackage getPurchaseOrderPackage();
} //PurchaseOrderFactory

```