
## Momentum and Force

	forces an object's momentum.
mor	mentum (in kg m/s) $=$ (in kg) $ imes$ (in m/s).
1	A $50~\mathrm{kg}$ cyclist is travelling at $4~\mathrm{m/s}$ . They speed up to $6~\mathrm{m/s}$ .
	(a) Use the equation to calculate the change in velocity as they speed up.  new velocity (m/s) — old velocity (m/s) = velocity change (m/s)  6 — — = —
	(b) Use the equation to calculate their momentum before they speed up.
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
	(c) Calculate their momentum after they speed up.
	(d) The change in momentum (in kg m/s) is
	(e) What do you get when you multiply the mass by the velocity change? $ \frac{mass(kg)  \times  velocitychange(m/s)}{50}  \times  \boxed{\qquad } = \boxed{\qquad } $
cha	nge in momentum (in kg m/s) $=$ (in kg) $\times$ (in m/s).
2	A 25 kg lamb slows down from $4$ m/s to $1$ m/s.
	(a) Calculate the change in velocity and give its direction.
	(b) Calculate the change of momentum using the equation. momentum change $(kg  m/s) = mass  (kg) \times velocity  change  (m/s)$ $= 25 \times velocity  change  (m/s)$
	(c) What was the lamb's momentum before it slowed down?
	(d) What will the lamb's momentum be after it slowed down?
	Here we the momentum change from the old momentum to get the new momentum. This is because the momentum change is in the direction to the original motion.

- Calculate the change in momentum for: (a) A 1.5 kg melon which speeds up from 2.0 m/s to 4.5 m/s. (b) An 800 kg aeroplane which slows down from 25 m/s to  $10 \, \text{m/s}$ . (c) A 0.15 kg book which hits the floor at 1.2 m/s then stops. Like velocity, momentum has a magnitude (size) and A 0.5 kg basketball falls on the floor at 2.0 m/s and bounces up at the same speed. Before hitting the floor the momentum is  $0.5 \text{ kg} \times 2.0 \text{ m/s} =$ downwards. After bouncing, the momentum is 1.0 kg m/sThe total change of momentum is  $\underline{\phantom{a}} + \underline{\phantom{a}} = \underline{\phantom{a}} \text{ kg m/s } \mathbf{upwards}.$ A 0.60 kg netball hits a wall at 3.5 m/s and bounces in the opposite direction at 2.5 m/s. (a) Calculate the change in momentum as it stops on hitting the wall. (b) Calculate the change in momentum as it speeds up from rest during the rebound. (c) Calculate the total change in momentum. Calculate the change in momentum when a 0.060 kg tennis ball travelling at 35 m/s is struck and then goes the opposite way at 20 m/s. in tells you how much the will **change** each . The A 2 kg trolley is moving at 0.5 m/s. It is then pushed forwards by a 1.5 N force for 2 s. (a) Calculate the momentum before it is pushed. (b) Calculate the change in momentum using the equation momentum change (kg m/s) force (N) time (s) = X X
  - (c) Calculate the momentum after it has been pushed.

- 7 A trolley's momentum changes from 2.5 kg m/s to 1.0 kg m/s in 3.0 s.
  - (a) Write the size and direction of the change in momentum.
  - (b) Calculate the force using the equation



- 8 A  $30\,000$  kg aircraft is moving at 40 m/s. Its engines then provide an extra force of  $30\,000$  N for fifteen seconds.
  - (a) Calculate the momentum of the aircraft before the extra force.
  - (b) Calculate the change in momentum caused by the extra force.
  - (c) Calculate the momentum of the aircraft after the fifteen seconds.
  - (d) Calculate the new speed of the aircraft.
- 9 A 60 kg skateboarder travelling at 2.5 m/s pushes themselves forward with a 25 N force for 1.5 s. Calculate their momentum afterwards.



- 10 A 1200 kg car slows down from 30 m/s to 20 m/s in 15 s.
  - (a) Calculate the size of the change in momentum and state its direction.
  - (b) Calculate the force needed to slow the car down.
  - (c) Calculate the force needed to slow the car down in  $5\,\mathrm{s}$  instead of  $15\,\mathrm{s}$ .
- 11 Write a word equation containing mass, resultant force, time and velocity change.