

Plaice (*Pleuronectes platessa*) in Subarea 4 (North Sea) and Subdivision 20 (Skagerrak)

ICES advice on fishing opportunities

ICES advises that when the MSY approach is applied, catches in 2023 should be no more than 150 705 tonnes.

ICES notes the existence of a precautionary management plan, developed and adopted by one of the relevant management authorities for this stock.

Stock development over time

Fishing pressure on the stock is below F_{MSY} and spawning-stock size is above MSY $B_{trigger}$, B_{pa} , and, B_{lim} .




Figure 1 Plaice in Subarea 4 and Subdivision 20. Summary of the stock assessment. The assumed recruitment value for 2022 is shaded in a lighter colour.

Catch scenarios

Table 1 Plaice in Subarea 4 and Subdivision 20. Values in the forecast and for the interim year.

Variable	Value	Notes
$F_{ages\ 2-6}$ (2022)	0.080	$F_{sq} = F_{ages\ 2-6}$ (2021).
SSB (2023)	977 491	Short-term forecast (STF); tonnes
R_{age1} (2022–2023)	3 952 706	Resampled recruitments from the years 2012–2021 (geometric mean shown); thousands
Total catch (2022)	79 774	STF, using exploitation pattern and $F_{ages\ 2-6}$ in 2021; tonnes
Projected landings (2022)	45 821	STF, assuming average landings ratio by age 2019–2021; tonnes
Projected discards (2022)	33 953	STF, assuming average landings ratio by age 2019–2021; tonnes

Table 2 Plaice in Subarea 4 and Subdivision 20. Annual catch scenarios. All weights are in tonnes.

Basis	Total catch* (2023)	Projected landings * (2023)	Projected discards ** (2023)	F _{total} ages 2–6 ^^ (2023)	F _{projected} landings ages 2–6 (2023)	F _{projected} discards ages 2–3 (2023)	SSB (2024)	% SSB change ***	% TAC change^	% advice change^
ICES advice basis										
MSY approach: F _{MSY}	150 705	89 647	61 058	0.15	0.06	0.09	939 221	–3.90	5.80	5.80
Other scenarios										
F = F _{MSY upper}	178 156	105 971	72 185	0.18	0.08	0.11	916 347	–6.30	25	25
F = F _{MSY lower}	117 767	70 047	47 720	0.12	0.05	0.07	966 970	–1.08	–17.40	–17.40
F = 0	0	0	0	0	0	0	1 065 304	8.90	–100	–100
F _{pa}	178 156	105 971	72 185	0.18	0.08	0.11	916 347	–6.30	25	25
SSB (2024) = B _{jim}	910 260	538 461	371 799	1.53	0.64	0.88	341 003	–65	540	540
SSB (2024) = B _{pa}	730 460	432 732	297 728	1.04	0.44	0.60	473 850	–52	410	410
SSB (2024) = MSY B _{trigger}	730 460	432 732	297 728	1.04	0.44	0.60	473 850	–52	410	410
Rollover advice	142 508	85 173	57 335	0.14	0.06	0.08	945 389	–3.30	0	0
F ₂₀₂₃ = F ₂₀₂₂	81 350	48 410	32 940	0.08	0.03	0.05	997 551	2.10	–43	–43

* “Projected” (marketable) landings and discards are used to describe fish that would be landed and discarded in the absence of the EU landing obligation, based on average discard rate estimates for 2019–2021. Total catch is equal to the sum of “Projected landings” and “Projected discards”. Both projected landing and projected discards refer to Subarea 4 and Subdivision 20, calculated as the projected total stock catch (i.e. total stock catches which includes catches of the subarea 4 and subdivision 20 plaice stock that are taken in Division 7.d) and deducting the catches of the subarea 4 and subdivision 20 plaice stock forecast to be taken in Division 7.d in 2023. The subtracted value (278 t of projected landings and 326 t of projected discards) is estimated based on the plaice catch advice for Division 7.d for 2023.

** Including BMS landings (EU stocks), assuming recent discard rates.

*** SSB 2024 relative to SSB 2023.

^ Total catch in 2023 relative to the advice value 2022 and TAC (142 508 tonnes).

^^ F_{projected} landings and F_{projected} discards do not add up to the F_{total} as they are calculated using different ages.

Basis of the advice

Table 3 Plaice in Subarea 4 and Subdivision 20. The basis of the advice.

Advice basis	MSY approach
Management plan	An EU multiannual management plan (MAP) has been agreed by the EU for this stock (EU, 2018). There is no agreement with Norway and UK regarding this plan, and it is not used as the basis of the advice for this shared stock. ICES was requested by the EC and UK to provide advice based on the MSY approach and to include F _{MSY} ranges in the catch scenarios.

Quality of the assessment

The assessment was updated during a benchmark in early 2022 (ICES, 2022a). A combined BTS and IBTS-Q3 index was applied to replace the two individual survey indices. Age-specific natural mortalities were applied to replace the fixed 0.1 value across all ages. The stock assessment model was changed (Table 5). Reference points were updated (Table 4).

The benchmark updates led to changes in the trajectory of SSB and recruitment of the stock while fishing pressure was scaled down (Figure 2). Changes also included a reduction in the estimated proportion of older fish in the stock (the plus group accounts for 48% of 2020 SSB in 2021 assessment to 17% in the current assessment).




Figure 2 Plaice in Subarea 4 and Subdivision 20. Historical assessment results (final-year recruitment included for each line, corresponding to the forecast recruitment in the interim year). The reference points were revised in 2022 following a benchmark, and only assessment results from the final year should be compared to the reference points indicated.

Issues relevant for the advice

Between 2014 and 2018, the majority of the Dutch beam trawlers have switched to pulse trawls, resulting in reallocation of fishing effort to fishing grounds in the southern part of Division 4.c targeting sole. The discards ratio for plaice has been increasing in the same period (Figure 3), from 40% in 2014 to 51% in 2021. Following the EU decision in February 2019 to revise the technical measures regulations, pulse trawling is prohibited since 30 June 2021.

ICES advice for ple.27.420 is for catches from subarea 4 and subdivision 20. Fish from this stock which migrate out of the stock area and are caught in subdivision 7d have been accounted for in the advice.




Figure 3 Discards–catch ratio of plaice in weight.

Reference points

Table 4 Plaice in Subarea 4 and Subdivision 20. Reference points, values, and their technical basis.

Framework	Reference point	Value	Technical basis	Source
MSY approach	MSY $B_{trigger}$	473 850	B_{pa} ; in tonnes	ICES (2022a)
	F_{MSY}	0.152	Stochastic simulations (EqSim) based on the recruitment period 1957–2020	ICES (2022a)
Precautionary approach	B_{lim}	341 003	B_{loss} , lowest estimated SSB from benchmark assessment, which equals the SSB of year 1996; in tonnes	ICES (2022a)
	B_{pa}	473 850	$B_{lim} \times \exp(1.645 \times \sigma)$, $\sigma = 0.20$; in tonnes	ICES (2022a)
	F_{lim}	0.270	The F that on average leads to B_{lim} from EqSim	ICES (2022a)
	F_{pa}	0.182	$F_{P.05}$ with advice rule (AR): The F that provides a 95% probability for SSB to be above B_{lim}	ICES (2022a)
EU Management plan (MAP)*	MAP MSY $B_{trigger}$	473 850	MSY $B_{trigger}$; in tonnes	ICES (2022a)
	MAP B_{lim}	341 003	B_{lim} ; in tonnes	ICES (2022a)
	MAP F_{MSY}	0.152	F_{MSY}	ICES (2022a)
	MAP target range F_{lower}	0.117–0.152	Consistent with ranges resulting in no more than 5% reduction in long-term yield compared with MSY	ICES (2022a)
	MAP target range F_{upper}	0.152–0.182	Consistent with ranges resulting in no more than 5% reduction in long-term yield compared with MSY	ICES (2022a)

* EU multiannual plan (MAP) for the North Sea (EU, 2018).

Basis of the assessment

Table 5 Plaice in Subarea 4 and Subdivision 20. Basis of the assessment and advice.

ICES stock data category	1 (ICES, 2022c)
Assessment type	Age-based analytical assessment (SAM, Nielsen and Berg, 2014; ICES, 2022b) that uses catches in the model and in the forecast
Input data	Commercial catch, ages, and length frequencies from port and observer and self-sampling. Five survey indices: combined BTS and IBTS Q3 (1996–2021, [B2453], [G2829]), BTS-Isis (1985–1995, [B2453]), SNS (split into two series, SNS1 1970–1999 and SNS2 2000–2021, [B3499]), and IBTS Q1 (2007–2021, [G1022]). Both the BTS+IBTS Q3 and IBTS Q1 survey indices are updated yearly using a Delta-GAM model (Berg <i>et al.</i> , 2014). Natural mortality is age dependent and was estimated using Peterson-Wroblewski method during benchmark and it is time invariant. Maturity-at-age is assumed constant over time.
Discards, BMS landings, and bycatch	Data from the majority of fleets were included in the assessment. In 2021, 75% of the total discards in Subarea 4 were obtained from sampling programmes. For Subdivision 20, 47% of the total discards were obtained from sampling programmes. BMS landings, where reported, are included with discards in the assessment from 2016 onwards.
Indicators	None
Other information	Catch information, landings since 1984, and discards since 2002 for plaice from Subdivision 20 (Skagerrak) are now added to plaice for Subarea 4 (North Sea). Plaice migrate into Division 7.d during quarter 1; 50% of the mature catches in Division 7.d were assigned, therefore, to the North Sea plaice stock during the stock assessment. This stock was last benchmarked in 2022 (ICES, 2022a).
Working groups	Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak (WGNSSK)

History of the advice, catch, and management

Table 6a Plaice in Subarea 4 and Subdivision 20. **North Sea (Subarea 4)**. ICES advice, TAC, and official and ICES estimates of landings and discards. All weights are in tonnes.

Year	ICES advice	Landings corresponding to advice	Catch corresponding to advice [^]	Agreed TAC	Official landings	ICES landings	ICES discards ^{^^}
1987	F < F (84); TAC	120 000		150 000	130 794	153 670	190 524
1988	70% of F (85); TAC	150 000		175 000	138 412	154 475	156 423
1989	Reduce F; buffer SSB	< 175 000		185 000	152 408	169 818	107 793
1990	Status quo F; TAC	171 000		180 000	156 261	156 240	71 225
1991	No increase in F; TAC	169 000		175 000	143 565	148 003	80 935
1992	No long-term gains in increasing F	-*		175 000	123 482	125 190	57 049
1993	No long-term gains in increasing F	170 000 *		175 000	115 278	117 113	35 016
1994	No long-term gains in increasing F	-*		165 000	109 679	110 392	23 785
1995	Significant reduction in F	87 000**		115 000	96 410	98 356	21 828
1996	Reduction in F of 40%	61 000		81 000	80 033	81 673	52 049
1997	Reduction in F of 20%	80 000		91 000***	81 483	83 048	100 145
1998	Fish at F = 0.3	82 000		87 000	70 365	71 534	103 751
1999	Fish at F = 0.3	106 000		102 000	78 617	80 662	70 976
2000	Fish at F = 0.3	95 000		97 000	82 151	81 150	44 311
2001	Fish at F = 0.26	78 000		78 000	79 700	81 847	100 309
2002	F < F _{pa}	< 77 000		77 000	69 705	70 217	54 525
2003	Fish at F = 0.23	60 000		73 000	65 669	66 489	77 838
2004	Recovery plan	-		61 000	61 008	61 436	54 605
2005	Rebuild the SSB above B _{pa} in 2006	35 000		59 000	54 908	55 700	54 169
2006	Rebuild the SSB above B _{pa} in 2007	48 000		57 000	55 933	57 943	61 917
2007	Rebuild the SSB above B _{pa} in 2008	< 32 000		50 000	49 031	49 744	39 511
2008	Rebuild the SSB above B _{pa} in 2009	< 35 000		49 000	47 682	48 875	45 950
2009	Limit total landings to 55 500 t	< 55 500		55 500	n/a	54 973	45 292
2010	Limit total landings to 63 825 t	< 63 800		63 800	50 666	60 674	45 728
2011	See scenarios	< 64 200		73 400	65 923	67 386	40 553
2012	Apply first stage of the management plan	< 84 410		84 400	71 246	73 830	59 068
2013	Apply first stage of the management plan	< 97 070		97 100	78 982	78 905	38 864
2014	Apply first stage of the management plan	< 111 631		111 600	69 179	70 847	51 915
2015	(November update) apply second stage of the management plan	< 128 376	179 301	128 376	74 807	74 963	49 432
2016	Apply second stage of the management plan	-	≤ 216 345	131 714	78 659	81 059	42 063
2017	MSY approach	-	≤ 158 201	129 917	64 352	65 442	37 613
2018	MSY approach	-	≤ 142 481	112 643	49 513	50 783	46 305
2019	MSY approach	-	≤ 142 217	125 435	39 374	39 972	33 397
2020	MSY approach	-	≤ 166 499	146 852	32 110	32 736	35 747
2021	MSY approach (value revised in May 2021)	-	≤ 167 785	143 419	28 708	28 915	34 585
2022	MSY approach	-	≤ 142 508	125 692			
2023	MSY approach		≤ 150 705				

* Catch at *status quo* F.

** Catch at 20% reduction in F.

*** After revision from 77 000 t.

[^] From 2016 onwards, the advice is for the combined North Sea and Skagerrak stock.

^{^^} Since 2016, discards include BMS landings.

n/a = not available.

Table 6b Plaice in Subarea 4 and Subdivision 20. **Skagerrak (Subdivision 20)**. ICES advice, TAC, official and ICES estimates of landings and discards. All weights are in tonnes. Advice until 2012 was provided for Skagerrak and Kattegat separately. Since 2016, the Skagerrak component has been merged with plaice in Subarea 4.

Year	ICES advice	Landings corresponding to advice	Catch corresponding to advice [^]	Agreed TAC	Official landings	ICES landings	ICES discards**
1992	TAC	14 000		11 200	11 823	9554	
1993	Precautionary TAC	-		11 200	11 407	9854	
1994	If required, precautionary TAC	-		11 200	11 334	9551	
1995	If required, precautionary TAC	-		11 200	10 766	9380	
1996	If required, precautionary TAC	-		11 200	10 517	8003	
1997	No advice	-		11 200	10 292	7814	
1998	No increase in F from the present level	11 900		11 200	8431	6449	
1999	No increase in F from the present level	11 000		11 200	8719	7049	
2000	$F < F_{pa}$	11 800		11 200	8826	6989	
2001	$F < F_{pa}$	9400		9400	11 653	9231	
2002	$F < F_{pa}$	8510		6420	8789	7102	574
2003	$F < F_{pa}$	18 400		10 400	9110	7143	1437
2004	$F < F_{pa}$	*		9500	9090	8033	2873
2005	$F < F_{pa}$	< 9500		7600	6764	6099	2081
2006	No increase in F	< 9600		7600	9565	8345	2243
2007	Maintain current TAC	< 9600		8500	8747	7621	2862
2008	No increase in catch	< 9400		9300	8657	8356	1043
2009	Same advice as last year	< 9400		9300	6748	6514	610
2010	Same advice as last year	< 9400		9300	9057	8700	842
2011	Average landings from last three years (2007–2009)	< 8000		7900	8251	8218	1040
2012	Reduce catch	-		7900	7611	7680	846
2013	Increase catch by 7% – protect eastern component		< 8 400	9142	6911	6812	1161
2014	Increase catch by 7% – protect eastern component	< 8972	< 10 196	10 056	9004	9213	1022
2015	Decrease catch (2012–2013) by 13% – protect eastern component	≤ 6287	≤ 7 232	10 056	10 171	9804	676
2016	Apply second stage of the management plan	-	≤ 216 345	11 766	10 883	10 900	1908
2017	MSY approach	-	≤ 158 201	17 639	8467	8775	1353
2018	MSY approach	-	≤ 142 481	15 343	5958	6229	1487
2019	MSY approach	-	≤ 142 217	16 782	4614	8091	316
2020	MSY approach	-	≤ 166 499	19 647	5179	7826	2 363
2021	MSY approach (value revised in May 2021)	-	≤ 167 785	19 188	4286	6775	2628
2022	MSY approach	-	≤ 142 508	16 816			
2023	MSY approach		≤ 150 705				

* The exploitation of this stock should be conducted in the context of mixed fisheries.

** Since 2016, discards include BMS landings.

[^] From 2016 onwards, the advice is for the combined North Sea and Skagerrak stock.

History of the catch and landings

Table 7 Plaice in Subarea 4 and Subdivision 20. Catch distribution by fleet in Subarea 4 and Subdivision 20 in 2021 as estimated by ICES. Weights are in tonnes.

by ICES. Weights are in tonnes.				
Catch	Landings			Discards
72 903	Beam trawl 52%	Otter trawl 33%	Other 15%	37 213
	35 690			

Table 8 Plaice in Subarea 4 and Subdivision 20. History of official commercial catch and landings of plaice in Subarea 4, along with ICES estimates. All weights are in tonnes.

Year	Belgium	Denmark	France	Germany	Netherlands	Norway	Sweden	UK	Others	Landings (official)	Landings (ICES estimates)	BMS landings (official)
1980	7 005	27 057	711	4 319	39 782	15	7	23 032	0	101 928	139 951	
1981	6 346	22 026	586	3 449	40 049	18	3	21 519	0	93 996	139 697	
1982	6 755	24 532	1 046	3 626	41 208	17	6	20 740	0	97 930	154 546	
1983	9 716	18 749	1 185	2 397	51 328	15	22	17 400	0	100 812	144 030	
1984	11 393	22 154	604	2 485	61 478	16	13	16 853	0	114 996	156 149	
1985	9 965	28 236	1 010	2 197	90 950	23	18	15 912	0	148 311	159 838	
1986	7 232	26 332	751	1 809	74 447	21	16	17 294	0	127 902	165 347	
1987	8 554	21 597	1 580	1 794	76 612	12	7	20 638	0	130 794	153 670	
1988	11 527	20 259	1 773	2 566	77 724	21	2	24 497	43	138 412	154 475	
1989	10 939	23 481	2 037	5 341	84 173	321	12	26 104	0	152 408	169 818	
1990	13 940	26 474	1 339	8 747	78 204	1 756	169	25 632	0	156 261	156 240	
1991	14 328	24 356	508	7 926	67 945	560	103	27 839	0	143 565	148 003	
1992	12 006	20 891	537	6 818	51 064	836	53	31 277	0	123 482	125 190	
1993	10 814	16 452	603	6 895	48 552	827	7	31 128	0	115 278	117 113	
1994	7 951	17 056	407	5 697	50 289	524	6	27 749	0	109 679	110 392	
1995	7 093	13 358	442	6 329	44 263	527	3	24 395	0	96 410	98 356	
1996	5 765	11 776	379	4 780	35 419	917	5	20 992	0	80 033	81 673	
1997	5 223	13 940	254	4 159	34 143	1 620	10	22 134	0	81 483	83 048	
1998	5 592	10 087	489	2 773	30 541	965	2	19 915	1	70 365	71 534	
1999	6 160	13 468	624	3 144	37 513	643	4	17 061	0	78 617	80 662	
2000	7 260	13 408	547	4 310	35 030	883	3	20 710	0	82 151	81 150	
2001	6 369	13 797	429	4 739	33 290	1 926	3	19 147	0	79 700	81 847	
2002	4 859	12 552	548	3 927	29 081	1 996	2	16 740	0	69 705	70 217	
2003	4 570	13 742	343	3 800	27 353	1 967	2	13 892	0	65 669	66 489	
2004	4 314	12 123	231	3 649	23 662	1 744	1	15 284	0	61 008	61 436	
2005	3 396	11 385	112	3 379	22 271	1 660	0	12 705	0	54 908	55 700	
2006	3 487	11 907	132	3 599	22 764	1 614	0	12 429	0	55 933	57 943	
2007	3 866	8 128	144	2 643	21 465	1 224	4	11 557	0	49 031	49 744	

Year	Belgium	Denmark	France	Germany	Netherlands	Norway	Sweden	UK	Others	Landings (official)	Landings (ICES estimates)	BMS landings (official)
2008	3 396	8 229	125	3 138	20 312	1 051	20	11 411	0	47 682	48 875	
2009	3 474	n/a	n/a	2 931	29 142	1 116	1	13 143	0	n/a	54 973	
2010	3 699	435	383	3 601	26 689	1 089	5	14 765	0	50 666	60 674	
2011	4 466	11 634	344	3 812	29 272	1 223	3	15 169	0	65 923	67 386	
2012	4 862	12 245	281	3 742	32 201	1 022	5	16 888	0	71 246	73 830	
2013	6 462	13 650	249	4 903	33 537	843	3	19 334	0	78 982	78 905	
2014	7 105	12 004	276	4 203	29 309	577	5	17 370	0	69 179	70 847	
2015	5 522	14 401	223	5 171	32 074	169	7	17 240	0	74 807	74 963	
2016	6 659	16 398	169	4 371	32 227	94	9	18 731	0	78 659	81 059	
2017	5 317	12 518	151	2 526	28 775	67	5	14 993	0	64 352	65 442	5
2018	4 894	9 666	112	2 580	22 586	69	3	9 603	0	49 513	50 783	90
2019	3 912	6 583	61	2 059	19 289	57	3	7 410	0	39 374	39 970	207
2020*	2 560	5 636	25	1 396	16 870	37	5	5 582	0	32 110	32 736	184
2021*	2 898	4 901	9	1 255	14 757	24	4	4 859	0	28 708	28 915	197

n/a = not available.

* preliminary

Table 9 Plaice in Subarea 4 and Subdivision (SD) 20. Historical official landings, along with ICES estimated landings for plaice in Subdivision (SD) 20 for each country participating in the fishery. All weights are in tonnes.

Year	Denmark	Sweden	Germany	Belgium	Norway	Netherlands	Landings (ICES estimates)	Landings (official)	BMS landings (official)
1972	5 095	70			3		5 168		
1973	3 871	80			6		3 957		
1974	3 429	70			5		3 504		
1975	4 888	77			6		4 971		
1976	9 251	51		717	6		10 025		
1977	12 855	142		846	6		13 849		
1978	13 383	94		371	9		13 857		
1979	11 045	67		763	9		11 884		
1980	9 514	71		914	11		10 510	-	
1981	8 115	110		263	13		8 501		
1982	7 789	146		127	11		8 073		
1983	6 828	155		133	14		7 130		
1984	7 560	311		27	22		7 921		
1985	9 646	296		136	18		10 095		
1986	10 645	202		505	26		11 378		
1987	11 327	241		907	27		12 503	15 694	
1988	9 782	281		716	41		10 820	12 858	
1989	5 414	320		230	33		5 997	7 710	
1990	8 729	779		471	69		10 048	12 078	
1991	5 809	472	15	315	68		6 679	8 685	
1992	8 514	381	16	537	106		9 554	11 823	
1993	9 125	287	37	326	79		9 854	11 407	
1994	8 783	315	37	325	91		9 551	11 334	
1995	8 468	337	48	302	224		9 380	10 766	
1996	7 304	260	11		428		8 003	10 517	
1997	7 306	244	14		249		7 814	10 292	
1998	6 132	208	11		98		6 449	8 431	
1999	6 473	233	7		336		7 049	8 719	
2000	6 680	230	5		67		6 989	8 826	
2001	9 045	125			61		9 231	11 653	
2002	6 773	141	3		164	3	7 102	8 789	
2003	5 079	143	8		385	1 484	7 143	9 110	
2004	5 999	545	67		111	1 288	8 033	9 090	
2005	4 684	554	14		9	823	6 099	6 764	
2006	6 563	366	21		352	1 059	8 345	9 565	
2007	5 656	281	21		166	1 503	7 621	8 747	
2008	7 163	220	17		117	775	8 356	8 657	
2009	5 828	92	13		62	506	6 514	6 748	
2010	7 101	127	13		103	1 331	8 700	9 057	
2011	7 746	179	13		230	15	8 218	8 251	
2012	7 338	155	12		136	10	7 680	7 611	
2013	6 326	160	10		138	181	6 812	6 911	
2014	7 484	240	46		48	506	8 324	9 004	
2015	7 808	274	14		69	1 639	9 804	10 171	
2016	8 035	218	14	0	84	2 550	10 900	10 883	
2017	6 864	159	11	0	154	1 588	8 775	8 467	2
2018	4 382	70	7	0	26	1 743	6 229	5 958	19
2019	4 605	40	15	0	9	3 422	8 091	4 614	13
2020	5 099	65	50	0	7	2 605	7 826	5 179*	6
2021	4 224	41	44	0	2	2 464	6 775	4 286*	7

* preliminary

Table 10 Plaice in Subarea 4 and Subdivision 20. History of official commercial landings, along with ICES catches estimates for the stock. All weights are in tonnes.

Year	Total landings 4 + SD 20 (ICES estimates)	Total discards 4 + SD 20 ** (ICES estimates)	Total landings 4 + SD 20 (Official)	Landings 7d *** (ICES estimates)	Discards 7d *** (ICES estimates)
1980	150 461	31 080	101 928	328	
1981	148 198	33 031	93 996	585	
1982	162 619	49 127	97 930	635	
1983	151 160	74 483	100 812	731	
1984	164 070	70 816	114 996	702	
1985	169 933	60 549	148 311	786	
1986	176 725	129 953	127 902	893	
1987	166 173	190 524	146 488	1046	
1988	165 295	156 423	151 270	1258	
1989	175 815	107 793	160 118	1281	
1990	166 288	71 225	168 339	1306	
1991	154 682	80 935	152 250	1116	
1992	134 744	57 049	135 305	860	
1993	126 967	35 016	126 685	655	
1994	119 943	23 785	121 013	826	
1995	107 736	21 828	107 176	718	
1996	89 676	52 049	90 550	741	
1997	90 862	100 145	91 775	867	
1998	77 983	103 751	78 796	716	
1999	87 711	70 976	87 336	814	
2000	88 139	44 311	90 977	1149	
2001	91 078	100 309	91 353	682	
2002	77 319	55 099	78 494	716	
2003	73 632	79 275	74 779	366	
2004	69 469	57 478	70 098	418	
2005	61 799	56 250	61 672	389	
2006	66 288	64 160	65 498	324	16
2007	57 365	42 373	57 778	477	25
2008	57 231	46 993	56 339	451	37
2009	61 487	45 902	n/a	335	43
2010	69 374	46 570	59 723	385	76
2011	75 604	41 593	74 174	275	76
2012	81 510	59 914	78 857	418	225
2013	85 717	40 025	85 893	402	200
2014	80 060	52 937	78 183	496	432
2015	84 767	50 108	84 978	593	348
2016	91 959	43 971	89 542	785	395
2017	74 217	38 966	72 819	711	762
2018	57 012	47 792	55 471	788	446
2019	48 063	36 713	43 988	681	657
2020	40 562	38 110	37 289*	326	223
2021	35 690	37 213	32 994*	241	316

n/a = not available.

* preliminary

** Since 2016, discards include BMS landings.

*** Part of the catches in Division 7.d during spawning migration in the first quarter.

Summary of the assessment

Table 11 Plaice in Subarea 4 and Subdivision 20. Assessment summary. Recruitments are in thousands, weights are in tonnes. Highs and lows refer to 95% confidence intervals.

Year	Recruitment (Age 1)			Spawning-stock biomass			Fishing pressure (Ages 2–6)			Landings *	Discards ***
	R	High	Low	SSB	High	Low	F	High	Low		
1957	1 777 447	2 345 621	1 346 901	807 544	1 091 964	597 206	0.110	0.140	0.086	70 563	7 880
1958	2 574 779	3 364 861	1 970 212	805 719	1 073 076	604 974	0.128	0.161	0.101	73 354	14 837
1959	3 051 492	3 976 239	2 341 812	799 447	1 049 476	608 986	0.145	0.181	0.116	79 300	29 864
1960	2 704 808	3 512 926	2 082 591	824 896	1 063 685	639 713	0.149	0.185	0.120	87 541	29 793
1961	2 913 510	3 772 886	2 249 879	829 414	1 053 586	652 939	0.148	0.183	0.120	85 984	32 490
1962	2 094 935	2 706 940	1 621 297	991 853	1 259 109	781 324	0.160	0.197	0.131	87 472	37 903
1963	2 463 849	3 183 255	1 907 026	895 708	1 119 703	716 523	0.182	0.22	0.150	107 118	41 258
1964	6 266 903	8 163 903	4 810 698	882 605	1 097 211	709 974	0.188	0.23	0.155	110 540	37 031
1965	2 422 182	3 112 906	1 884 723	779 390	948 816	640 218	0.170	0.21	0.140	97 143	43 080
1966	1 901 768	2 439 265	1 482 709	833 998	1 012 695	686 833	0.182	0.22	0.151	101 834	64 718
1967	1 281 557	1 643 582	999 274	957 752	1 156 304	793 294	0.184	0.22	0.154	108 819	54 546
1968	1 314 378	1 677 427	1 029 905	900 101	1 085 134	746 620	0.166	0.197	0.139	111 534	27 987
1969	1 882 310	2 389 191	1 482 967	800 516	961 129	666 743	0.177	0.21	0.151	121 651	21 169
1970	1 739 388	2 196 713	1 377 272	737 568	884 324	615 166	0.23	0.27	0.193	130 342	29 640
1971	1 144 435	1 438 667	910 378	676 348	808 189	566 014	0.21	0.24	0.176	113 944	22 995
1972	1 010 330	1 268 583	804 651	660 542	781 577	558 250	0.22	0.26	0.191	122 843	19 632
1973	3 345 467	4 200 703	2 664 352	543 347	640 048	461 255	0.25	0.29	0.22	130 429	13 354
1974	2 586 583	3 236 391	2 067 245	535 511	619 757	462 716	0.27	0.31	0.23	112 540	44 945
1975	1 836 871	2 297 706	1 468 462	541 835	620 036	473 497	0.31	0.35	0.27	108 536	86 699
1976	1 504 720	1 879 404	1 204 733	559 399	635 526	492 390	0.26	0.29	0.22	113 670	53 247
1977	2 157 308	2 689 748	1 730 265	561 052	632 644	497 561	0.29	0.33	0.25	119 188	57 501
1978	1 930 926	2 404 823	1 550 415	534 593	599 201	476 952	0.28	0.32	0.25	113 984	45 655
1979	1 865 315	2 324 199	1 497 032	511 239	569 344	459 064	0.38	0.43	0.34	145 347	67 935
1980	2 705 160	3 368 465	2 172 471	497 571	556 427	444 940	0.33	0.37	0.29	140 764	31 080
1981	2 130 023	2 648 313	1 713 166	467 552	519 690	420 646	0.33	0.37	0.29	141 233	33 031
1982	4 597 953	5 721 848	3 694 815	450 554	499 076	406 749	0.36	0.40	0.32	156 153	49 127
1983	3 084 917	3 830 144	2 484 688	544 782	600 011	494 638	0.35	0.39	0.31	145 779	74 483
1984	2 924 046	3 628 736	2 356 205	561 149	615 154	511 885	0.36	0.40	0.32	165 772	70 816
1985	3 695 236	4 580 468	2 981 086	598 280	654 676	546 742	0.34	0.38	0.31	171 838	60 549
1986	9 413 689	11 646 524	7 608 927	624 663	679 204	574 502	0.42	0.47	0.38	178 878	129 953
1987	4 262 104	5 269 402	3 447 361	746 710	813 395	685 492	0.46	0.51	0.41	168 759	190 524
1988	4 221 792	5 219 402	3 414 860	647 360	706 025	593 569	0.44	0.49	0.39	168 552	156 423
1989	2 878 911	3 561 246	2 327 312	701 085	770 196	638 175	0.38	0.43	0.34	178 891	107 793
1990	2 543 192	3 143 087	2 057 794	629 992	691 958	573 574	0.36	0.41	0.32	169 453	71 225
1991	2 405 496	2 982 354	1 940 216	580 728	636 886	529 521	0.40	0.45	0.36	157 277	80 935
1992	2 100 116	2 609 017	1 690 479	495 074	544 604	450 049	0.39	0.44	0.35	136 727	57 049
1993	1 348 263	1 672 073	1 087 161	445 227	491 211	403 548	0.36	0.41	0.32	128 506	35 016
1994	1 164 663	1 443 100	939 948	389 446	430 553	352 264	0.36	0.41	0.32	121 925	23 785
1995	2 471 067	3 047 735	2 003 511	370 772	411 643	333 959	0.38	0.43	0.33	109 348	21 828
1996	2 764 040	3 406 398	2 242 814	348 525	387 893	313 152	0.40	0.46	0.35	91 386	52 049
1997	5 114 056	6 296 384	4 153 744	376 501	419 913	337 577	0.46	0.52	0.40	92 958	100 145
1998	2 076 286	2 551 908	1 689 310	420 275	470 817	375 158	0.40	0.46	0.35	79 810	103 751
1999	1 999 642	2 457 289	1 627 228	389 501	439 504	345 187	0.38	0.43	0.32	89 726	70 976
2000	2 459 946	3 015 288	2 006 885	410 554	468 183	360 019	0.30	0.35	0.26	90 754	44 311
2001	1 708 452	2 099 461	1 390 265	460 560	524 215	404 635	0.40	0.46	0.34	92 912	100 309
2002	4 842 997	6 020 186	3 895 996	401 319	461 293	349 143	0.33	0.38	0.28	79 178	55 099
2003	1 817 149	2 260 559	1 460 714	476 195	548 936	413 093	0.31	0.36	0.26	74 722	79 275
2004	3 461 146	4 274 111	2 802 812	465 976	543 374	399 602	0.23	0.27	0.194	70 511	57 478
2005	2 682 394	3 319 412	2 167 625	531 537	621 241	454 785	0.21	0.25	0.176	62 796	56 250
2006	3 160 040	3 925 347	2 543 942	597 793	701 370	509 512	0.180	0.21	0.152	67 143	64 160
2007	4 538 757	5 624 540	3 662 577	624 280	736 214	529 364	0.143	0.170	0.120	58 576	42 373
2008	4 055 831	5 041 072	3 263 148	798 230	943 825	675 094	0.113	0.135	0.094	58 336	46 993
2009	3 987 082	4 958 166	3 206 191	930 373	1 101 139	786 090	0.102	0.123	0.085	62 360	45 902
2010	4 333 843	5 387 384	3 486 330	1 076 306	1 275 053	908 538	0.101	0.121	0.085	70 340	46 570
2011	6 119 852	7 619 383	4 915 436	1 057 917	1 256 028	891 054	0.104	0.125	0.087	76 507	41 593
2012	3 755 868	4 680 589	3 013 840	1 101 077	1 306 817	927 728	0.111	0.133	0.092	82 018	59 914

Year	Recruitment (Age 1)			Spawning-stock biomass			Fishing pressure (Ages 2–6)			Landings *	Discards ***
	R	High	Low	SSB	High	Low	F	High	Low		
2013	4 414 532	5 477 549	3 557 813	1 144 205	1 356 603	965 061	0.104	0.125	0.087	86 222	40 025
2014	5 410 268	6 728 239	4 350 470	1 219 831	1 446 685	1 028 550	0.111	0.133	0.093	80 686	53 011
2015	2 704 338	3 360 267	2 176 446	1 082 277	1 285 848	910 934	0.118	0.142	0.099	85 360	49 225
2016	3 026 454	3 758 059	2 437 275	1 042 356	1 243 427	873 800	0.134	0.161	0.112	92 744	44 251
2017	4 726 987	5 870 235	3 806 390	980 394	1 174 492	818 373	0.125	0.150	0.104	74 928	39 372
2018	2 840 331	3 546 489	2 274 779	825 079	990 700	687 146	0.132	0.159	0.110	57 800	48 000
2019	6 543 052	8 252 857	5 187 479	742 891	893 403	617 736	0.109	0.131	0.091	48 745	37 376
2020	4 155 293	5 339 116	3 233 955	774 884	929 416	646 045	0.095	0.115	0.079	40 888	38 270
2021	3 599 961	5 219 935	2 482 735	834 755	1 004 922	693 403	0.080	0.097	0.065	35 930	37 523
2022	3952706**			930 214	1 133 626	764 258					

* These values include part of the catches in Division 7.d in the first quarter.

** Geometric mean of resampled recruitments from the years 2012–2021.

*** Since 2016, discards include BMS landings.

Sources and references

Aarts, G., and Poos, J. J. 2009. Comprehensive discard reconstruction and abundance estimation using flexible selectivity functions. *ICES Journal of Marine Science*, 66: 763–771. <https://doi.org/10.1093/icesjms/fsp033>.

Berg, C., Nielsen, A., and Christensen, K. 2014. Evaluation of alternative age-based methods for estimating relative abundance from survey data in relation to assessment models. *Fisheries Research*, 151: 91–99. <https://doi.org/10.1016/j.fishres.2013.10.005>.

EU. 2018. Regulation (EU) 2018/973 of the European Parliament and of the Council of 4 July 2018 establishing a multiannual plan for demersal stocks in the North Sea and the fisheries exploiting those stocks, specifying details of the implementation of the landing obligation in the North Sea and repealing Council Regulations (EC) No 676/2007 and (EC) No 1342/2008. *Official Journal of the European Union*, L 179: 1–13. <http://data.europa.eu/eli/reg/2018/973/oj>.

ICES. 2017. Report of the Benchmark Workshop on North Sea Stocks (WKNSEA), 6–10 February 2017, Copenhagen, Denmark. ICES CM 2017/ACOM:34. 673 pp. <https://doi.org/10.17895/ices.pub.5339>.

ICES. 2022a. Benchmark Workshop on North Sea and Celtic Sea Stocks (WKNSSC). ICES Scientific Reports. X:XX. <https://doi.org/10.17895/ices.pub.XXXX>. *In prep.*

ICES. 2022b. Working Group on the Assessment of Demersal Stocks in the North Sea and Skagerrak (WGNSSK). ICES Scientific Reports. 4:43. <http://doi.org/10.17895/ices.pub.19786285>. *In prep.*

ICES. 2022c. Advice on fishing opportunities. *In* Report of the ICES Advisory Committee, 2022. ICES Advice 2022, section 1.1.1. <https://doi.org/10.17895/ices.advice.19928060>.

Nielsen, A. and Berg, C. W. 2014. Estimation of time-varying selectivity in stock assessments using state-space models. *Fisheries Research*, 158: 96–101. <https://doi.org/10.1016/j.fishres.2014.01.014h>.

[Download the stock assessment data and figures.](#)

Recommended citation: ICES. 2022. Plaice (*Pleuronectes platessa*) in Subarea 4 (North Sea) and Subdivision 20 (Skagerrak). *In* Report of the ICES Advisory Committee, 2022. ICES Advice 2022, ple.27.420. <https://doi.org/10.17895/ices.advice.19453586>.