

ISHA SINGH
1BM19CS218
SECTION-CSE-4A

PROGRAM 10:COLLEGE DATABASE

Consider the schema for College Database:

STUDENT(USN, SName, Address, Phone, Gender)
SEMSEC(SSID, Sem, Sec)
CLASS(USN, SSID)
SUBJECT(Subcode, Title, Sem, Credits)
IAMARKS(USN, Subcode, SSID, Test1, Test2, Test3, FinalIA)

Write SQL queries to

- i. List all the student details studying in fourth semester 'C' section.
 - ii. Compute the total number of male and female students in each semester and in each section.
 - iii. Create a view of Test1 marks of student USN '1BI15CS101' in all subjects.
 - iv. Calculate the FinalIA (average of best two test marks) and update the corresponding table for all students.
 - v. Categorize students based on the following criterion:
If FinalIA = 17 to 20 then CAT = 'Outstanding'
If FinalIA = 12 to 16 then CAT = 'Average'
If FinalIA < 12 then CAT = 'Weak'
- Give these details only for 8th semester A, B, and C section students.

CREATE DATABASE COLLEGEDB;
USE COLLEGEDB;

CREATE TABLE STUDENT (
USN VARCHAR (10),
SNAME VARCHAR (25),
ADDRESS VARCHAR (25),
PHONE LONG,
GENDER CHAR (1),
PRIMARY KEY (USN));

CREATE TABLE SEMSEC (
SSID VARCHAR (5),
SEM INT,
SEC CHAR (1),
PRIMARY KEY (SSID));

```
CREATE TABLE CLASS (  
  USN VARCHAR (10),  
  SSID VARCHAR (5),  
  PRIMARY KEY (USN, SSID),  
  FOREIGN KEY (USN) REFERENCES STUDENT (USN),  
  FOREIGN KEY (SSID) REFERENCES SEMSEC (SSID));
```

```
CREATE TABLE SUBJECT (  
  SUBCODE VARCHAR (8),  
  TITLE VARCHAR (20),  
  SEM INT,  
  CREDITS INT,  
  PRIMARY KEY (SUBCODE));
```

```
CREATE TABLE IAMARKS (  
  USN VARCHAR (10),  
  SUBCODE VARCHAR (8),  
  SSID VARCHAR (5),  
  TEST1 INT,  
  TEST2 INT,  
  TEST3 INT,  
  FINALIA INT,  
  PRIMARY KEY (USN, SUBCODE, SSID),  
  FOREIGN KEY (USN) REFERENCES STUDENT (USN),  
  FOREIGN KEY (SUBCODE) REFERENCES SUBJECT (SUBCODE),  
  FOREIGN KEY (SSID) REFERENCES SEMSEC (SSID));
```

```
INSERT INTO STUDENT VALUES ('1RN13CS020','AKSHAY','BELAGAVI', 8877881122,'M');  
INSERT INTO STUDENT VALUES ('1RN13CS062','SANDHYA','BENGALURU', 7722829912,'F');  
INSERT INTO STUDENT VALUES ('1RN13CS091','TEESHA','BENGALURU', 7712312312,'F');  
INSERT INTO STUDENT VALUES ('1RN13CS066','SUPRIYA','MANGALURU', 8877881122,'F');  
INSERT INTO STUDENT VALUES ('1RN14CS010','ABHAY','BENGALURU', 9900211201,'M');  
INSERT INTO STUDENT VALUES ('1RN14CS032','BHASKAR','BENGALURU', 9923211099,'M');  
INSERT INTO STUDENT VALUES ('1RN14CS025','ASMI','BENGALURU', 7894737377,'F');  
INSERT INTO STUDENT VALUES ('1RN15CS011','AJAY','TUMKUR', 9845091341,'M');
```

```
INSERT INTO STUDENT VALUES ('1RN15CS029','CHITRA','DAVANGERE', 7696772121,'F');  
INSERT INTO STUDENT VALUES ('1RN15CS045','JEEVA','BELLARY', 9944850121,'M');  
INSERT INTO STUDENT VALUES ('1RN15CS091','SANTOSH','MANGALURU', 8812332201,'M');  
INSERT INTO STUDENT VALUES ('1RN16CS045','ISMAIL','KALBURGI', 9900232201,'M');  
INSERT INTO STUDENT VALUES ('1RN16CS088','SAMEERA','SHIMOGA', 9905542212,'F');  
INSERT INTO STUDENT VALUES ('1RN16CS122','VINAYAKA','CHIKAMAGALUR', 8800880011,'M');
```

INSERT INTO SEMSEC VALUES ('CSE8A', 8, 'A');
INSERT INTO SEMSEC VALUES ('CSE8B', 8, 'B');
INSERT INTO SEMSEC VALUES ('CSE8C', 8, 'C');
INSERT INTO SEMSEC VALUES ('CSE7A', 7, 'A');
INSERT INTO SEMSEC VALUES ('CSE7B', 7, 'B');
INSERT INTO SEMSEC VALUES ('CSE7C', 7, 'C');
INSERT INTO SEMSEC VALUES ('CSE6A', 6, 'A');
INSERT INTO SEMSEC VALUES ('CSE6B', 6, 'B');
INSERT INTO SEMSEC VALUES ('CSE6C', 6, 'C');
INSERT INTO SEMSEC VALUES ('CSE5A', 5, 'A');
INSERT INTO SEMSEC VALUES ('CSE5B', 5, 'B');
INSERT INTO SEMSEC VALUES ('CSE5C', 5, 'C');
INSERT INTO SEMSEC VALUES ('CSE4A', 4, 'A');
INSERT INTO SEMSEC VALUES ('CSE4B', 4, 'B');
INSERT INTO SEMSEC VALUES ('CSE4C', 4, 'C');
INSERT INTO SEMSEC VALUES ('CSE3A', 3, 'A');
INSERT INTO SEMSEC VALUES ('CSE3B', 3, 'B');
INSERT INTO SEMSEC VALUES ('CSE3C', 3, 'C');
INSERT INTO SEMSEC VALUES ('CSE2A', 2, 'A');
INSERT INTO SEMSEC VALUES ('CSE2B', 2, 'B');
INSERT INTO SEMSEC VALUES ('CSE2C', 2, 'C');
INSERT INTO SEMSEC VALUES ('CSE1A', 1, 'A');
INSERT INTO SEMSEC VALUES ('CSE1B', 1, 'B');
INSERT INTO SEMSEC VALUES ('CSE1C', 1, 'C');

INSERT INTO CLASS VALUES ('1RN13CS020', 'CSE8A');
INSERT INTO CLASS VALUES ('1RN13CS062', 'CSE8A');
INSERT INTO CLASS VALUES ('1RN13CS066', 'CSE8B');
INSERT INTO CLASS VALUES ('1RN13CS091', 'CSE8C');
INSERT INTO CLASS VALUES ('1RN14CS010', 'CSE7A');
INSERT INTO CLASS VALUES ('1RN14CS025', 'CSE7A');
INSERT INTO CLASS VALUES ('1RN14CS032', 'CSE7A');
INSERT INTO CLASS VALUES ('1RN15CS011', 'CSE4A');
INSERT INTO CLASS VALUES ('1RN15CS029', 'CSE4A');
INSERT INTO CLASS VALUES ('1RN15CS045', 'CSE4B');
INSERT INTO CLASS VALUES ('1RN15CS091', 'CSE4C');
INSERT INTO CLASS VALUES ('1RN16CS045', 'CSE3A');
INSERT INTO CLASS VALUES ('1RN16CS088', 'CSE3B');
INSERT INTO CLASS VALUES ('1RN16CS122', 'CSE3C');

```

INSERT INTO SUBJECT VALUES ('10CS81','ACA', 8, 4);
INSERT INTO SUBJECT VALUES ('10CS82','SSM', 8, 4);
INSERT INTO SUBJECT VALUES ('10CS83','NM', 8, 4);
INSERT INTO SUBJECT VALUES ('10CS84','CC', 8, 4);
INSERT INTO SUBJECT VALUES ('10CS85','PW', 8, 4);
INSERT INTO SUBJECT VALUES ('10CS71','OOAD', 7, 4);
INSERT INTO SUBJECT VALUES ('10CS72','ECS', 7, 4);
INSERT INTO SUBJECT VALUES ('10CS73','PTW', 7, 4);
INSERT INTO SUBJECT VALUES ('10CS74','DWDM', 7, 4);
INSERT INTO SUBJECT VALUES ('10CS75','JAVA', 7, 4);
INSERT INTO SUBJECT VALUES ('10CS76','SAN', 7, 4);
INSERT INTO SUBJECT VALUES ('15CS51', 'ME', 5, 4);
INSERT INTO SUBJECT VALUES ('15CS52','CN', 5, 4);
INSERT INTO SUBJECT VALUES ('15CS53','DBMS', 5, 4);
INSERT INTO SUBJECT VALUES ('15CS54','ATC', 5, 4);
INSERT INTO SUBJECT VALUES ('15CS55','JAVA', 5, 3);
INSERT INTO SUBJECT VALUES ('15CS56','AI', 5, 3);
INSERT INTO SUBJECT VALUES ('15CS41','M4', 4, 4);
INSERT INTO SUBJECT VALUES ('15CS42','SE', 4, 4);
INSERT INTO SUBJECT VALUES ('15CS43','DAA', 4, 4);
INSERT INTO SUBJECT VALUES ('15CS44','MPMC', 4, 4);
INSERT INTO SUBJECT VALUES ('15CS45','OOC', 4, 3);
INSERT INTO SUBJECT VALUES ('15CS46','DC', 4, 3);
INSERT INTO SUBJECT VALUES ('15CS31','M3', 3, 4);
INSERT INTO SUBJECT VALUES ('15CS32','ADE', 3, 4);
INSERT INTO SUBJECT VALUES ('15CS33','DSA', 3, 4);
INSERT INTO SUBJECT VALUES ('15CS34','CO', 3, 4);
INSERT INTO SUBJECT VALUES ('15CS35','USP', 3, 3);
INSERT INTO SUBJECT VALUES ('15CS36','DMS', 3, 3);

```

```

INSERT INTO IAMARKS (USN, SUBCODE, SSID, TEST1, TEST2, TEST3) VALUES
('1RN13CS091','10CS81','CSE8C', 15, 16, 18);
INSERT INTO IAMARKS (USN, SUBCODE, SSID, TEST1, TEST2, TEST3) VALUES
('1RN13CS091','10CS82','CSE8C', 12, 19, 14);
INSERT INTO IAMARKS (USN, SUBCODE, SSID, TEST1, TEST2, TEST3) VALUES
('1RN13CS091','10CS83','CSE8C', 19, 15, 20);
INSERT INTO IAMARKS (USN, SUBCODE, SSID, TEST1, TEST2, TEST3) VALUES
('1RN13CS091','10CS84','CSE8C', 20, 16, 19);
INSERT INTO IAMARKS (USN, SUBCODE, SSID, TEST1, TEST2, TEST3) VALUES
('1RN13CS091','10CS85','CSE8C', 15, 15, 12);

```

select * from student;

Result Grid					
		Filter Rows:		Edit:	
	USN	SNAME	ADDRESS	PHONE	GENDER
▶	1RN13CS020	AKSHAY	BELAGAVI	8877881122	M
	1RN13CS062	SANDHYA	BENGALURU	7722829912	F
	1RN13CS066	SUPRIYA	MANGALURU	8877881122	F
	1RN13CS091	TEESHA	BENGALURU	7712312312	F
	1RN14CS010	ABHAY	BENGALURU	9900211201	M
	1RN14CS025	ASMI	BENGALURU	7894737377	F
	1RN14CS032	BHASKAR	BENGALURU	9923211099	M
	1RN15CS011	AJAY	TUMKUR	9845091341	M
	1RN15CS029	CHITRA	DAVANGERE	7696772121	F
	1RN15CS045	JEEVA	BELLARY	9944850121	M
	1RN15CS091	SANTOSH	MANGALURU	8812332201	M
	1RN16CS045	ISMAIL	KALBURGI	9900232201	M
	1RN16CS088	SAMEERA	SHIMOGA	9905542212	F
	1RN16CS122	VINAYAKA	CHIKAMAG...	8800880011	M
*	NULL	NULL	NULL	NULL	NULL

student 2 ×

select * from semsec;

	SSID	SEM	SEC
▶	CSE1A	1	A
	CSE1B	1	B
	CSE1C	1	C
	CSE2A	2	A
	CSE2B	2	B
	CSE2C	2	C
	CSE3A	3	A
	CSE3B	3	B
	CSE3C	3	C
	CSE4A	4	A
	CSE4B	4	B
	CSE4C	4	C
	CSE5A	5	A
	CSE5B	5	B
	CSE5C	5	C
	CSE6A	6	A
	CSE6B	6	B
	CSE6C	6	C

semsec 3 x

select * from class;

Result Grid			Filter Rows:
	USN	SSID	
▶	1RN16CS045	CSE3A	
	1RN16CS088	CSE3B	
	1RN16CS122	CSE3C	
	1RN15CS011	CSE4A	
	1RN15CS029	CSE4A	
	1RN15CS045	CSE4B	
	1RN15CS091	CSE4C	
	1RN14CS010	CSE7A	
	1RN14CS025	CSE7A	
	1RN14CS032	CSE7A	
	1RN13CS020	CSE8A	
	1RN13CS062	CSE8A	
	1RN13CS066	CSE8B	
	1RN13CS091	CSE8C	
•	NULL	NULL	

class 4 x

Result Grid		Filter Rows:		
	SUBCODE	TITLE	SEM	CREDITS
▶	10CS71	OOAD	7	4
	10CS72	ECS	7	4
	10CS73	PTW	7	4
	10CS74	DWDM	7	4
	10CS75	JAVA	7	4
	10CS76	SAN	7	4
	10CS81	ACA	8	4
	10CS82	SSM	8	4
	10CS83	NM	8	4
	10CS84	CC	8	4
	10CS85	PW	8	4
	15CS31	M3	3	4
	15CS32	ADE	3	4
	15CS33	DSA	3	4
	15CS34	CO	3	4
	15CS35	USP	3	3
	15CS36	DMC	3	3

[illegible]

1. List all the student details studying in fourth semester 'C' section.

```
select s.*,sm.sem,sm.sec
from student s,semsec sm,class c
where sm.ssid=c.ssid and s.usn=c.usn and sm.sem=4 and sm.sec="C";
```

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

	USN	SNAME	ADDRESS	PHONE	GENDER	SEM	SEC
▶	1RN15CS091	SANTOSH	MANGALURU	8812332201	M	4	C

Result 7 ×

2. Compute the total number of male and female students in each semester and in each section. */

```
select sm.sem,sm.sec,s.gender,count(s.gender)
from student s,semsec sm,class c
where sm.ssid=c.ssid and s.usn=c.usn and s.gender="M"
group by sm.sem,sm.sec
UNION
select sm.sem,sm.sec,s.gender,count(s.gender)
from student s,semsec sm,class c
where sm.ssid=c.ssid and s.usn=c.usn and s.gender="F"
group by sm.sem,sm.sec;
```


Result Grid				
Filter Rows:				
	SEM	SEC	GENDER	COUNT
▶	3	A	M	1
	3	B	F	1
	3	C	M	1
	4	A	F	1
	4	A	M	1
	4	B	M	1
	4	C	M	1
	7	A	F	1
	7	A	M	2
	8	A	F	1
	8	A	M	1
	8	B	F	1
	8	C	F	1

Result 8 ×

/*3. Create a view of Test1 marks of student USN '1BI15CS101' in all subjects. */
 create view Marks (subcode,test1_marks) as
 select s.subcode,m.test1
 from iamarks m,subject s
 where m.subcode=s.subcode and m.usn="1RN13CS091";

select * from Marks;

Result Grid		
Filter Rows:		
	TEST1	SUBCODE
▶	15	10CS81
	12	10CS82
	19	10CS83
	20	10CS84
	15	10CS85

STU_TEST1_MARKS_VIEW 9 ×

/*5. Categorize students based on the following criterion:
 If FinalIA = 17 to 20 then CAT = 'Outstanding'
 If FinalIA = 12 to 16 then CAT = 'Average'
 If FinalIA < 12 then CAT = 'Weak'

Give these details only for 8th semester A, B, and C section students. */

```
SELECT S.USN,S.SNAME,S.ADDRESS,S.PHONE,S.GENDER,
(CASE
WHEN IA.FINALIA BETWEEN 17 AND 20 THEN 'OUTSTANDING'
WHEN IA.FINALIA BETWEEN 12 AND 16 THEN 'AVERAGE'
ELSE 'WEAK'
END) AS CAT
FROM STUDENT S, SEMSEC SS, IAMARKS IA, SUBJECT SUB
WHERE S.USN = IA.USN AND
SS.SSID = IA.SSID AND
SUB.SUBCODE = IA.SUBCODE AND
SUB.SEM = 8;
```

Result Grid						
		Filter Rows:		Export:	Wrap Cell Content:	
	USN	SNAME	ADDRESS	PHONE	GENDER	CAT
►	1RN13CS091	TEESHA	BENGALURU	7712312312	F	WEAK
	1RN13CS091	TEESHA	BENGALURU	7712312312	F	WEAK
	1RN13CS091	TEESHA	BENGALURU	7712312312	F	WEAK
	1RN13CS091	TEESHA	BENGALURU	7712312312	F	WEAK
	1RN13CS091	TEESHA	BENGALURU	7712312312	F	WEAK

Result 10 x