Branch Table

	branch_name		branch_city assets	
		SBI_Chamrajpet	Bangalore	50000
		SBI_Jantarmantar	Delhi	20000
ı	•	SBI_ParlimentRoad	Delhi	10000
		SBI_ResidencyRoad	Bangalore	10000
		SBI_ShivajiRoad	Bombay	20000
		_		

Loan Table

	loan_number	branch_name	amount
⊳	1	SBI_Chamrajpet	1000
	2	SBI_ResidencyRoad	2000
	3	SBI_shivajiRoad	3000
	4	SBI_ParlimentRoad	4000
	5	SBI_Jantarmantar	5000

Bank Account Table

	accno	branch_name	balance
\triangleright	1	SBI_Chamrajpet	2000
	2	SBI_ResidencyRoad	5000
	3	SBI_ShivajiRoad	6000
	4	SBI_ParlimentRoad	9000
	5	SBI_Jantarmantar	8000
	6	SBI_ShivajiRoad	4000
	8	SBI_ResidencyRoad	4000
	9	SBI_ParlimentRoad	3000
	10	SBI_ResidencyRoad	5000
	11	SBI_Jantarmantar	2000

Customer Table

	customer_name	customer_street	customer_city
Þ	Avinash	Bull_Temple_Road	Bangalore
	Dinesh	Bannergatta_Road	Bangalore
	Mohan	NationalCollege_Road	Bangalore
	Nikil	Akbar_Road	Delhi
	Ravi	Prithviraj_Road	Delhi


Depositor Table

	customer_name	accno
Þ	Avinash	1
	Dinesh	2
	Nikil	4
	Ravi	5
	Avinash	8
	Nikil	9
	Dinesh	10
	Nikil	11

Find all the customers who have at least two accounts at the *Main* branch (ex. SBI_ResidencyRoad).

	customer_name
۰	Dinesh

Find all the customers who have an account at *all* the branches located in a specific city (Ex. Delhi)



Demonstrate how you delete all account tuples at every branch located in a specific city (Ex. Bombay).

	accno	branch_name	balance
⊳	1	SBI_Chamrajpet	2000
	2	SBI_ResidencyRoad	5000
	4	SBI_ParlimentRoad	9000
	5	SBI_Jantarmantar	8000
	8	SBI_ResidencyRoad	4000
	9	SBI_ParlimentRoad	3000
	10	SBI_ResidencyRoad	5000
	11	SBI_Jantarmantar	2000
	NUUL	POTENTIAL DE LA CONTRACTOR DE LA CONTRAC	NUMBER