GSEE Benchmark Standard Report

Report based on data from 2025-01-23T19:37:07.010747+00:00

https://github.com/isi-usc-edu/qb-gsee-benchmark

Input data: Hamiltonian_features.csv, last modified Mon Dec 30 16:29:03
2024

WARNING! We only have features calculated for 230/276 Hamiltonians. This report is based on partial results!

Input data: GSEE-

 $\label{eq:hc_utility_estimates_all_instances_task_uuids_v2.csv, last modified Thu Ian 9 12:11:19 2025$

Latest creation time for a problem_instance.json file: Wed Jan 22 17:01:13 2025

Latest creation time for a solution. json file: Wed Jan 22 16:55:50 2025

Problem Instance Summary Statistics

number of problem instances: 84.

problem_instance.json with the most tasks: 30 (hubbard_square/ 614c4444-a31a-4348-b24d-01040208651c)


number of Hamiltonians (i.e., tasks) we have features calculated for: 230


minimum number of orbitals: 6

median number of orbitals: 53.5

maximum number of orbitals: 135









Solver Summary Statistics

number of unique participating solvers: 9




NOTE: only attempted tasks are plotted on the chart. Triangle up/down indicates solved/unsolved.


Run time of solvers




NOTE: only attempted tasks are plotted on the chart. Triangle up/down indicates solved/unsolved.



NOTE: only attempted tasks are plotted on the chart. Triangle up/down indicates solved/unsolved.



NOTE: only attempted tasks are plotted on the chart. Triangle up/down indicates solved/unsolved.



NOTE: only attempted tasks are plotted on the chart. Triangle up/down indicates solved/unsolved.

Solver SHCI_opt, 2dde727e-a881-44fa-aabf-bba6248e4baf

solver_uuid:2dde727e-a881-44fa-aabf-bba6248e4baf solver short name:SHCI opt

compute hardware type:classical computer

classical_hardware_details:{'computing_environment_name': 'LCRC Improv (per node)', 'cpu_description': '2x AMD EPYC 7713 64C', 'ram_available_gb': '256GB', 'clock_speed': '2 GHz', 'total_num_cores': 128}

algorithm_details:SHCI with optimized orbitals followed by SHCI+PT software details:SHCI Arrow Code (https://github.com/QMC-Cornell/shci).

performance metrics uuid: b2dab9b6-24f2-46c2-8ade-d0f29dd62ec1

creation_timestamp: 2025-01-23T19:37:07.010747+00:00

number of problem instances: 82

number of problem instances attempted: 41

number_of_problem_instances_solved: 14

number of tasks: 230

number of tasks attempted: 162

number of tasks solved: 80

number of tasks solved within run time limit: 162

number of tasks solved within accuracy threshold: 80


max run time of attempted tasks: 55299.387


 $sum_of_run_time_of_attempted_tasks: 1138067.4269999997$

solvability ratio: 0.9998

f1_score: [0.7058823529411765, 0.8275862068965517]


ml metrics calculator version: 1






Utility capture from SHCI_opt/2dde...

(captured: \$2.7e+05/1.5e+07, approximately 1.8e+00%)





Note: ML surface plot is based on Hamiltonians where a reference_energy was provided. (attempted may be True or False.)

0.4


0.6

0.8

0.00

0.0

0.2





Solver CCSDT_PLACEHOLDER, fd13c864-baf1-44de-b52d-0e5dd69f647a

solver_uuid:fd13c864-baf1-44de-b52d-0e5dd69f647a solver short name:CCSDT PLACEHOLDER

```
compute hardware type:classical computer
classical hardware details:{'cpu description':
'CCSDT PLACEHOLDER cpu description'}
algorithm details:CCSDT PLACEHOLDER algorithm details
software details:CCSDT PLACEHOLDER software details
performance metrics uuid: 5feaa842-812e-4167-a8dd-c422a36cb6dd
creation timestamp: 2025-01-23T19:37:07.010747+00:00
number of problem instances: 82
number of problem instances attempted: 4
number of problem instances solved: 0
number of tasks: 230
number of tasks attempted: 53
number of tasks solved: 16
number of tasks solved within run time limit: 53
number of tasks solved within accuracy threshold: 16
max run time of attempted tasks: 3600.0
sum of run time of attempted tasks: 190800.0
solvability ratio: 0.0
f1 score: [0.9878542510121457, 0.896551724137931]
```


ml metrics calculator version: 1






Utility capture from CCSDT_PLACEHOLDER/fd13...


(captured: \$0.0e+00/1.5e+07, approximately 0.0e+00%)



Solver CCSDT_PLACEHOLDER (fd13...) Embedding: NNMF



Note: ML surface plot is based on Hamiltonians where a reference_energy was provided. (attempted may be True or False.)



Solver CISD, 418f060e-496b-4024-8d2d-9b1f8791e76d

solver_uuid:418f060e-496b-4024-8d2d-9b1f8791e76d solver_short_name:CISD compute hardware type:classical computer

classical_hardware_details:{'computing_environment_name': 'LCRC Improv (per node)', 'cpu_description': '2x AMD EPYC 7713 64C', 'ram_available_gb': '256GB', 'clock_speed': '2 GHz', 'total_num_cores': 128}

algorithm details:CISD

software details:pyscf (https://github.com/pyscf/pyscf).

performance_metrics_uuid: adb25b3d-aee5-437d-9e6c-2493228d58fa

creation_timestamp: 2025-01-23T19:37:07.010747+00:00

number_of_problem_instances: 82

number of problem instances attempted: 82

number of problem instances solved: 9

number_of_tasks: 230

number_of_tasks_attempted: 230

number of tasks solved: 14

number of tasks solved within run time limit: 230

number of tasks solved within accuracy threshold: 14


max run time of attempted tasks: 62.58296537399292


sum of run time of attempted tasks: 2895.8530027866364

solvability ratio: 0.0047

f1 score: [0.9919354838709677, 0.9285714285714286]


ml metrics calculator version: 1






Utility capture from CISD/418f...


(captured: \$4.8e-03/1.5e+07, approximately 3.2e-08%)



Solver CISD (418f...) Embedding: NNMF



Note: ML surface plot is based on Hamiltonians where a reference_energy was provided. (attempted may be True or False.)



Solver CCSD(T), c09217e6-d0f7-4b0f-81c4-79210b7ac878

solver_uuid:c09217e6-d0f7-4b0f-81c4-79210b7ac878 solver_short_name:CCSD(T) compute hardware type:classical computer

classical_hardware_details:{'computing_environment_name': 'LCRC Improv (per node)', 'cpu_description': '2x AMD EPYC 7713 64C', 'ram_available_gb': '256GB', 'clock_speed': '2 GHz', 'total_num_cores': 128}

algorithm details:CCSD(T)

software details:pyscf (https://github.com/pyscf/pyscf).

performance_metrics_uuid: 432c53c7-0bd1-47b0-a97f-7831c2ae896e

creation_timestamp: 2025-01-23T19:37:07.010747+00:00

number_of_problem_instances: 82

number of problem instances attempted: 78

number of problem instances solved: 19

number_of_tasks: 230

number_of_tasks_attempted: 221

number of tasks solved: 64

number of tasks solved within run time limit: 221

number of tasks solved within accuracy threshold: 64


max run time of attempted tasks: 493.4080808162689


 $sum_of_run_time_of_attempted_tasks: 12968.4871737957$

solvability_ratio: 0.0715

 $f1_score: [0.759493670886076, 0.6779661016949152]$


 $ml_metrics_calculator_version: 1$






Utility capture from CCSD(T)/c092...


(captured: \$2.0e+05/1.5e+07, approximately 1.3e+00%)



Solver CCSD(T) (c092...) Embedding: NNMF



Note: ML surface plot is based on Hamiltonians where a reference_energy was provided. (attempted may be True or False.)



Solver HF, 5f5e617a-19c2-4d82-bebcb2d6b3dcb012

solver_uuid:5f5e617a-19c2-4d82-bebc-b2d6b3dcb012 solver short name:HF compute hardware type:classical computer

classical_hardware_details:{'computing_environment_name': 'LCRC Improv (per node)', 'cpu_description': '2x AMD EPYC 7713 64C', 'ram_available_gb': '256GB', 'clock_speed': '2 GHz', 'total_num_cores': 128}

algorithm details:Hartree Fock

software details:pyscf (https://github.com/pyscf/pyscf).

performance metrics uuid: 1c5cb0b7-6a61-4cbb-ae64-ba8030800b25

creation_timestamp: 2025-01-23T19:37:07.010747+00:00

number_of_problem_instances: 82

number of problem instances attempted: 82

number of problem instances solved: 5

number_of_tasks: 230

number_of_tasks_attempted: 230

number of tasks solved: 5

number of tasks solved within run time limit: 230

number of tasks solved within accuracy threshold: 5


max run time of attempted tasks: 20.338801622390747


sum of run time of attempted tasks: 792.8028435707092

solvability ratio: 0.0

f1 score: [0.9847328244274809, 0.7142857142857143]


ml metrics calculator version: 1






Utility capture from HF/5f5e...


(captured: \$0.0e+00/1.5e+07, approximately 0.0e+00%)



Solver HF (5f5e...) Embedding: NNMF



Note: ML surface plot is based on Hamiltonians where a reference_energy was provided. (attempted may be True or False.)



Solver MP2, b420358b-5def-41e6-8c5d-b9d93b6aecd2

solver_uuid:b420358b-5def-41e6-8c5d-b9d93b6aecd2 solver short name:MP2 compute hardware type:classical computer

classical_hardware_details:{'computing_environment_name': 'LCRC Improv (per node)', 'cpu_description': '2x AMD EPYC 7713 64C', 'ram_available_gb': '256GB', 'clock_speed': '2 GHz', 'total_num_cores': 128}

algorithm details:MP2

software_details:pyscf (https://github.com/pyscf/pyscf).

 $performance_metrics_uuid:\ b46a5d2f-14f9-4125-8dc3-7dc467296d4a$

creation_timestamp: 2025-01-23T19:37:07.010747+00:00

number_of_problem_instances: 82

number of problem instances attempted: 79

number of problem instances solved: 5

number_of_tasks: 230

number_of_tasks_attempted: 222

number of tasks solved: 5

number of tasks solved within run time limit: 222

number of tasks solved within accuracy threshold: 5


max run time of attempted tasks: 2.230440139770508


sum of run time of attempted tasks: 87.6544258594513

solvability ratio: 0.0

f1 score: [0.9847328244274809, 0.7142857142857143]


ml metrics calculator version: 1






Utility capture from MP2/b420...


(captured: \$0.0e+00/1.5e+07, approximately 0.0e+00%)



Solver MP2 (b420...) Embedding: NNMF



Note: ML surface plot is based on Hamiltonians where a reference_energy was provided. (attempted may be True or False.)



Solver CCSD, 0a29e54f-bef9-4d19-bafa-d94b1c4b37aa

solver_uuid:0a29e54f-bef9-4d19-bafa-d94b1c4b37aa solver short name:CCSD

compute hardware type:classical computer

classical_hardware_details:{'computing_environment_name': 'LCRC Improv (per node)', 'cpu_description': '2x AMD EPYC 7713 64C', 'ram_available_gb': '256GB', 'clock_speed': '2 GHz', 'total_num_cores': 128}

algorithm details:CCSD

software_details:pyscf (https://github.com/pyscf/pyscf).

performance metrics uuid: 2b7f9540-da3b-42b2-a511-d324af07c0f4

creation_timestamp: 2025-01-23T19:37:07.010747+00:00

number of problem instances: 82

number of problem instances attempted: 78

number of problem instances solved: 9

number_of_tasks: 230

number_of_tasks_attempted: 221

number_of_tasks_solved: 17

number of tasks solved within run time limit: 221

number of tasks solved within accuracy threshold: 17


max run time of attempted tasks: 485.1982181072235


sum of run time of attempted tasks: 12029.76450586319

solvability ratio: 0.0122

f1 score: [0.995850622406639, 0.9714285714285714]


ml metrics calculator version: 1






Utility capture from CCSD/0a29...


(captured: \$1.2e-02/1.5e+07, approximately 8.0e-08%)



Solver CCSD (0a29...) Embedding: NNMF



Note: ML surface plot is based on Hamiltonians where a reference_energy was provided. (attempted may be True or False.)



Solver DF_QPE, 5dad4064-cd11-412f-85cb-d722afe3b3de


solver_uuid:5dad4064-cd11-412f-85cb-d722afe3b3de solver short name:DF QPE


compute hardware type:quantum computer

```
algorithm details: {'algorithm description': 'Double factorized QPE resource
estimates based on methodology of arXiv:2406.06335. Note that the
truncation error is not included in the error bounds and that the SCF
compute time is not included in the preprocessing time. Ground-state
overlap is taken to be that estimated for the dominant CSF as estimated by
DMRG and that this DMRG runtime is not included in the classical compute
costs.', 'algorithm parameters': {'overlap csv': 'overlaps.csv', 'sf threshold':
1e-12, 'df threshold': 0.001, 'max orbitals': 70}}
software details:[{'software name': 'pyLIQTR', 'software version': '1.2.1'},
{'software name': 'gb-gsee-benchmark', 'software version':
'0.1.0a2.dev71+g5d9efab.d20241230'}, {'software name': 'Python',
'software version': '3.10.12 (main, Nov 6 2024, 20:22:13) [GCC 11.4.0]'},
{'software name': 'qualtran', 'software version': '0.2.0'}]
quantum hardware details: {'quantum hardware description': 'Optimistic
superconducting hardware model based on that described in https://
arxiv.org/abs/2011.03494.', 'quantum hardware parameters':
{'num factories': 4, 'physical error rate': 0.0001, 'cycle time microseconds':
1}}
logical resource estimate solution uuid:72dea71b-fb03-43f0-8086-
eb37605ba3db
logical resource estimate solver uuid:f2d73e1f-3058-43c4-a634-
b6c267c84ff1
performance metrics uuid: 65f92ed8-716d-40aa-bd7b-852a8e3c2297
creation timestamp: 2025-01-23T19:37:07.010747+00:00
number of problem instances: 82
number of problem instances attempted: 24
number of problem instances solved: 3
number of tasks: 230
number of tasks attempted: 163
number of tasks solved: 26
number of tasks solved within run time limit: 26
number of tasks solved within accuracy threshold: 163
max run time of attempted tasks: 233737829.40462503
sum of run time of attempted tasks: 1180589418.3385448
solvability ratio: 0.0235
```

 ${\tt f1_score:}\ [0.9819819819819819,\ 0.9259259259259259]$


 $ml_metrics_calculator_version: 1$






Utility capture from DF_QPE/5dad...

(captured: \$7.8e-01/1.5e+07, approximately 5.2e-06%)





Note: ML surface plot is based on Hamiltonians where a reference_energy was provided. (attempted may be True or False.)

0.6


0.8

0.4

0.00

0.0

0.2



Solver DMRG_Niagara_cluster_lowest_energy, 16537433-9f4c-4eae-a65d-787dc3b35b59

solver_uuid:16537433-9f4c-4eae-a65d-787dc3b35b59 solver short name:DMRG Niagara cluster lowest energy compute hardware type:classical computer

classical_hardware_details:{'computing_environment_name': 'Niagara Cluster, Compute Canada', 'cpu_description': '40 Intel "Skylake" cores at 2.4 GHz or 40 Intel "CascadeLake" cores at 2.5 GHz', 'ram_available_gb': '202 GB (188 GiB)', 'clock speed': '2.4 GHz or 2.5 GHz', 'total num cores': 40}

algorithm details:DMRG with the lowest variational energy obtained so far.

 $software_details: Block2\ v0.5.3rc16\ with\ dmrghandler,\ commit\ version\ d603fdc6409fc194a416aa3a519362d5d91790d9\ or\ later.$

performance metrics uuid: ebfcd8c7-f5b0-4b5f-962f-4e17ad966a6c

creation timestamp: 2025-01-23T19:37:07.010747+00:00

number of problem instances: 82

number of problem instances attempted: 82

number of problem instances solved: 8

number of tasks: 230

number of tasks attempted: 230

number of tasks solved: 72

number of tasks solved within run time limit: 230

number of tasks solved within accuracy threshold: 72


max run time of attempted tasks: 80820.729907066


sum of run time of attempted tasks: 2456481.4481055504

solvability ratio: 0.1179


f1_score: [0.8955223880597015, 0.9014084507042254]


ml metrics calculator version: 1






Utility capture from DMRG_Niagara_cluster_lowest_energy/1653.. (captured: \$2.3e+03/1.5e+07, approximately 1.5e-02%)





Note: ML surface plot is based on Hamiltonians where a reference_energy was provided. (attempted may be True or False.)



Non-negative matrix factorization (ML latent space)

NNMF plot

Features: ['max_vertex_degree', 'min_vertex_degree', 'mean_vertex_degree', 'std_dev_vertex_degree', 'max_weight', 'min_weight', 'mean_weight', 'std_dev_weight', 'max_edge_order', 'mean_edge_order', 'std_dev_edge_order', 'one_norm', 'log_fci_dim', 'n elec', 'n orbs', 'df gap']

Component 1: $[0.05774064\ 0.19694981\ 0.0603299\ 0.0508406\ 0.4012572\ 0.0346899\ 0.08885595\ 0.11803315\ 0.41809938\ 0.44697988\ 0.40843297\ 0.02288265\ 0.97875176\ 1.18836004\ 0.41822578\ 0.$

Component 2: [0.38626949 0.3223573 0.38508113 0.38692953 0.2859609 0. 0.00339035 0.02136758 0.58665216 0.58951865 0.58380465 0.39646894 0.33932268 0. 0.58688391 0.54358436]