ISO Geodetic Registry

Item class Transformation

NAD83(Original) to NAD83(CSRS) v2 [SKv1]

Item status VALID
Identifier 794

Information source Title FAQ: What are some of the transformation

methods for Canada?

Author Esri Canada
Publisher Esri, Redlands, CA
Publication date 2016-05-05

Issue identification Article ID: 000011846

Issue identification Article ID: 000011846

Other citation details http://downloads2.esri.com/
support/TechArticles/Grid-

based Transformation Methods for Canada3.pdf

(accessed 2021-11-26)

Information source Title Desktop Applications: NTv2

Author Canadian Geodetic Survey

Publisher Canadian Geodetic Survey, Surveyor General

Branch, Earth Sciences Sector, Natural Resources Canada, Government of Canada

Publication date 2017-02-28

Other citation details Webpage. https://webapp.geod.nrcan.gc.ca/geod/

tools-outils/applications.php?locale=en (accessed

N4 (accessed 2021-11-26)

Information source Title Grid shift files

Author Saskatchewan Information Services Corporation

(ISC)

Publisher Saskatchewan Information Services Corporation

(ISC), Geomatics Distribution Centre, Regina,

Saskatchewan

Publication date 2017-03-28

Other citation details Webpage. https://www.isc.ca/MapsandPhotos/

GISData/Pages/Shift.aspx (accessed 2021-11-26)

Information source Title Coordinate Transformations

Author Canadian Geodetic Survey

Publisher Canadian Geodetic Survey, Natural Resources

Canada, Ottawa, ON, Canada

Revision date 2021-06-23

Other citation details Webpage. https://webapp.geod.nrcan.gc.ca/geod/

data-donnees/transformations.php (accessed

2021-06-23)

Data source ISO Geodetic Registry

Remarks Grid tranformation in NTv2 format adopted for use in Saskatchewan.

Operation version SKv1

Scope Spatial referencing

Operation accuracy 0.1 m

Source CRS NAD 83 (1986) - LatLon Target CRS NAD83(CSRS) v2 - LatLon

Operation method NTv2

Extent

Description Canada - Saskatchewan.

Geographic Bounding Box West-bound longitude -110.0

| North-bound latitude | 60.0 |
|----------------------|---------|
| East-bound longitude | -101.34 |
| South-bound latitude | 49.0 |

Operation parameter values

| Latitude and Longitude difference file | SK83-98.GSB | |
|--|-------------|--|
|--|-------------|--|

ISO Geodetic Registry

Item class OperationMethod

Name NTv2
Item status VALID
Identifier 95

Alias National Transformation version 2 grid shift

Data source ISO Geodetic Registry

Remarks National Transformation version 2 grid shift file interpolation. Geodetic

transformation operating on a grid of 2D geographic coordinate

differences by bi-linear interpolation. Assumes longitudes to be positive

west.

Operation parameters

Latitude and Longitude difference file