

# ISO Geodetic Registry

<i>Item class</i>	Transformation	
<i>Name</i>	<b>ITRF91 to ITRF92 [IERS v1]</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	490	
<i>Information source</i>	<i>Title</i>	IERS Conventions (2010)
	<i>Author</i>	G. Petit, B.J. Luzum (eds)
	<i>Publisher</i>	Verlag des Bundesamts für Kartographie und Geodäsie
	<i>Publication date</i>	2010
	<i>Edition date</i>	
	<i>Series/Journal name</i>	IERS Technical Notes
	<i>Issue identification</i>	36.0
<i>Information source</i>	<i>Other citation details</i>	ISSN: 1019-4568
	<i>Title</i>	ITRF 92 and its associated velocity field
	<i>Author</i>	C. Boucher, Z. Altamimi, L. Duhem
	<i>Publisher</i>	Central Bureau of IERS - Observatoire de Paris, 61 avenue de l'Observatoire, 75014 Paris, France
	<i>Publication date</i>	1993-10-01
	<i>Edition date</i>	
	<i>Series/Journal name</i>	IERS Technical Notes
<i>Data source</i>	<i>Issue identification</i>	15.0
	<i>ISO Geodetic Registry</i>	
<i>Remarks</i>	No rates of change were estimated for the transformation parameters.	
<i>Operation version</i>	IERS v1	
<i>Scope</i>	Spatial referencing	
<i>Operation accuracy</i>	0.005 m	
<i>Source CRS</i>	ITRF91 - XYZ	
<i>Target CRS</i>	ITRF92 - XYZ	
<i>Operation method</i>	Position Vector Transformation (geocentric Cartesian domain)	

## Extent

<i>Description</i>	<b>World.</b>	
<i>Geographic Bounding Box</i>	<i>West-bound longitude</i>	-180.0
	<i>North-bound latitude</i>	90.0
	<i>East-bound longitude</i>	180.0
	<i>South-bound latitude</i>	-90.0

## Operation parameter values

<i>X-axis translation</i>	-1.1 centimetre
<i>Y-axis translation</i>	-1.4 centimetre
<i>Z-axis translation</i>	0.6 centimetre
<i>X-axis rotation</i>	0.0 milliarc-second
<i>Y-axis rotation</i>	0.0 milliarc-second
<i>Z-axis rotation</i>	0.0 milliarc-second
<i>Scale difference</i>	-1.4 parts per billion

# ISO Geodetic Registry

<i>Item class</i>	OperationMethod
<i>Name</i>	<b>Position Vector Transformation (geocentric Cartesian domain)</b>
<i>Item status</i>	VALID
<i>Identifier</i>	88
<i>Alias</i>	7-Parameter Transformation
<i>Alias</i>	Bursa-Wolf Transformation
<i>Alias</i>	Position Vector Transformation
<i>Alias</i>	Helmert Transformation
<i>Data source</i>	ISO Geodetic Registry
<i>Remarks</i>	This method is a specific case of the Molodensky-Badekas (PV) method in which the evaluation point is the geocentre with coordinate values of zero. Note the analogy with the Coordinate Frame Transformation method but beware of the differences!
<i>Formula</i>	Geomatics Guidance Note No 7, part 2: Coordinate Conversions and Transformations including Formulas

## Operation parameters

<i>X-axis translation</i>
<i>Y-axis translation</i>
<i>Z-axis translation</i>
<i>X-axis rotation</i>
<i>Y-axis rotation</i>
<i>Z-axis rotation</i>
<i>Scale difference</i>