

# ISO Geodetic Registry

Item class	GeodeticCRS		
Name	SIRGAS-CON SIR14P01 - LatLonEHt		
Item status	VALID		
Identifier	203		
Alias	SIRGAS		
Alias	SIRGAS-CON		
Alias	SIR14P01		
Alias	SIRGAS Multi-Year Solution 2014		
Alias	Geocentric Reference System for the Americas		
Alias	Sistema de Referencia Geocentrico para las Americas		
Information source	Title	SIRGAS Regional Network Associate Analysis Center, Technical Report 2014	
	Author	L. Sanchez	
	Publisher	International GNSS Service	
	Publication date	2015	
	Series/Journal name	International GNSS Service Technical Report 2014	
Information source	Page	101-110	
	Title	Sistema de Referencia Geocentrico para las Americas (SIRGAS)	
	Author	Sistema de Referencia Geocéntrico para las Américas (SIRGAS)	
	Publisher	Sistema de Referencia Geocéntrico para las Américas (SIRGAS)	
	Publication date	2018	
Information source	Other citation details	Website	
	Title	The 2009 Horizontal Velocity Field for South America and the Caribbean	
	Author	H. Drewes, O. Heidbach	
	Publisher	Springer Berlin Heidelberg	
	Publication date	2012	
	Series/Journal name	International Association of Geodesy Symposia	
	Issue identification	136.0	
	Page	657-664	
	Other citation details	In Kenyon S., Pacino M., Marti U. (eds) Geodesy for Planet Earth. International Association of Geodesy Symposia, Vol 136. Springer, Berlin, Heidelberg	
Data source	ISO Geodetic Registry		
Scope	Spatial referencing		
Datum	SIRGAS Continuously Operating Network SIR14P01		
Coordinate System	Ellipsoidal 3D CS. Axes: latitude, longitude, ellipsoidal height. Orientations: north, east, up. UoM: degree, degree, metre.		

## Extent

<i>Description</i>	<b>South America - onshore and offshore. Central America - onshore and offshore. Mexico - onshore and offshore.</b>	
<i>Geographic Bounding Box</i>	<i>West-bound longitude</i>	-122.19
	<i>North-bound latitude</i>	32.72
	<i>East-bound longitude</i>	-25.28

*South-bound latitude*

-59.87

# ISO Geodetic Registry

<i>Item class</i>	GeodeticDatum
<i>Name</i>	<b>SIRGAS Continuously Operating Network SIR14P01</b>
<i>Item status</i>	VALID
<i>Identifier</i>	189
<i>Alias</i>	SIRGAS
<i>Alias</i>	SIRGAS-CON
<i>Alias</i>	SIR14P01
<i>Alias</i>	SIRGAS Multi-Year Solution 2014
<i>Alias</i>	Geocentric Reference System for the Americas
<i>Alias</i>	Sistema de Referencia Geocentrico para las Americas
<i>Information source</i>	<p><i>Title</i> The 2009 Horizontal Velocity Field for South America and the Caribbean</p> <p><i>Author</i> H. Drewes, O. Heidbach</p> <p><i>Publisher</i> Springer Berlin Heidelberg</p> <p><i>Publication date</i> 2012</p> <p><i>Series/Journal name</i> International Association of Geodesy Symposia</p> <p><i>Issue identification</i> 136.0</p> <p><i>Page</i> 657-664</p> <p><i>Other citation details</i> In Kenyon S., Pacino M., Marti U. (eds) Geodesy for Planet Earth. International Association of Geodesy Symposia, Vol 136. Springer, Berlin, Heidelberg</p>
<i>Information source</i>	<p><i>Title</i> Sistema de Referencia Geocentrico para las Americas (SIRGAS)</p> <p><i>Author</i> Sistema de Referencia Geocéntrico para las Américas (SIRGAS)</p> <p><i>Publisher</i> Sistema de Referencia Geocéntrico para las Américas (SIRGAS)</p> <p><i>Publication date</i> 2018</p> <p><i>Other citation details</i> Website</p>
<i>Information source</i>	<p><i>Title</i> SIRGAS Regional Network Associate Analysis Center, Technical Report 2014</p> <p><i>Author</i> L. Sanchez</p> <p><i>Publisher</i> International GNSS Service</p> <p><i>Publication date</i> 2015</p> <p><i>Series/Journal name</i> International GNSS Service Technical Report 2014</p> <p><i>Page</i> 101-110</p>
<i>Data source</i>	ISO Geodetic Registry
<i>Remarks</i>	Replaces SIR13P01. Replaced by SIR15P01.
<i>Anchor definition</i>	Realized by a frame of 242 continuously operating stations using GPS and GLONASS observations from April 2010 to July 2014 and aligned to IGB08 at epoch 2013.0. Weekly normal equations from April 2010 to April 2011 were reprocessed using the second reprocessing campaign products (IG2) of the International GNSS Service and absolute phase centre calibrations referring to the IGS08 reference frame. Velocity model VEMOS2009 used to propagate coordinates from an arbitrary epoch to the 2013.0 reference epoch.
<i>Release date</i>	2014
<i>Coordinate Reference Epoch</i>	2013.0
<i>Scope</i>	Spatial referencing
<i>Ellipsoid</i>	GRS 1980

Prime Meridian	Greenwich
----------------	-----------

## Extent

Description	<b>South America - onshore and offshore. Central America - onshore and offshore. Mexico - onshore and offshore.</b>		
Geographic Bounding Box	West-bound longitude	-122.19	
	North-bound latitude	32.72	
	East-bound longitude	-25.28	
	South-bound latitude	-59.87	

# ISO Geodetic Registry

<i>Item class</i>	Ellipsoid														
<i>Name</i>	<b>GRS 1980</b>														
<i>Item status</i>	VALID														
<i>Identifier</i>	27														
<i>Alias</i>	Geodetic Reference System 1980														
<i>Alias</i>	GRS1980														
<i>Alias</i>	IAG GRS80														
<i>Alias</i>	International 1979														
<i>Alias</i>	GRS80														
<i>Information source</i>	<table> <tr> <td><i>Title</i></td><td>Geodetic Reference System 1980</td></tr> <tr> <td><i>Author</i></td><td>H. Moritz</td></tr> <tr> <td><i>Publisher</i></td><td>Springer International Publishing</td></tr> <tr> <td><i>Publication date</i></td><td>2003-03</td></tr> <tr> <td><i>Series/Journal name</i></td><td>Journal of Geodesy</td></tr> <tr> <td><i>Issue identification</i></td><td>Volume 74, No. 1</td></tr> <tr> <td><i>Page</i></td><td>128–162</td></tr> </table>	<i>Title</i>	Geodetic Reference System 1980	<i>Author</i>	H. Moritz	<i>Publisher</i>	Springer International Publishing	<i>Publication date</i>	2003-03	<i>Series/Journal name</i>	Journal of Geodesy	<i>Issue identification</i>	Volume 74, No. 1	<i>Page</i>	128–162
<i>Title</i>	Geodetic Reference System 1980														
<i>Author</i>	H. Moritz														
<i>Publisher</i>	Springer International Publishing														
<i>Publication date</i>	2003-03														
<i>Series/Journal name</i>	Journal of Geodesy														
<i>Issue identification</i>	Volume 74, No. 1														
<i>Page</i>	128–162														
<i>Information source</i>	<table> <tr> <td><i>Title</i></td><td>Geodetic Reference System 1980</td></tr> <tr> <td><i>Author</i></td><td>H. Moritz</td></tr> <tr> <td><i>Publisher</i></td><td>International Association of Geodesy</td></tr> <tr> <td><i>Publication date</i></td><td>1984</td></tr> <tr> <td><i>Series/Journal name</i></td><td>Bulletin Geodesique</td></tr> <tr> <td><i>Issue identification</i></td><td>Volume 58, No. 3</td></tr> <tr> <td><i>Page</i></td><td>395-405</td></tr> </table>	<i>Title</i>	Geodetic Reference System 1980	<i>Author</i>	H. Moritz	<i>Publisher</i>	International Association of Geodesy	<i>Publication date</i>	1984	<i>Series/Journal name</i>	Bulletin Geodesique	<i>Issue identification</i>	Volume 58, No. 3	<i>Page</i>	395-405
<i>Title</i>	Geodetic Reference System 1980														
<i>Author</i>	H. Moritz														
<i>Publisher</i>	International Association of Geodesy														
<i>Publication date</i>	1984														
<i>Series/Journal name</i>	Bulletin Geodesique														
<i>Issue identification</i>	Volume 58, No. 3														
<i>Page</i>	395-405														
<i>Data source</i>	ISO Geodetic Registry														
<i>Remarks</i>	Adopted by IUGG 1979 Canberra. Inverse flattening is derived from geocentric gravitational constant $GM = 3986005e8 \text{ m}^3/\text{s}^2$ , dynamic form factor $J_2 = 108263e-8$ and Earth's angular velocity = $7292115e-11 \text{ rad/s}$ .														
<i>Semi-major axis</i>	6378137.0 m														
<i>Inverse flattening</i>	298.257222101 m														

# ISO Geodetic Registry

<i>Item class</i>	PrimeMeridian	
<i>Name</i>	<b>Greenwich</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	25	
<i>Alias</i>	Zero meridian	
<i>Information source</i>	<i>Title</i>	Why the Greenwich meridian moved
	<i>Author</i>	S. Malys, J.H. Seago, N.K. Pavlis, P.K. Seidelmann, G.H. Kaplan
	<i>Publisher</i>	Springer International Publishing
	<i>Publication date</i>	2015-12
	<i>Series/Journal name</i>	Journal of Geodesy
	<i>Issue identification</i>	Volume 89, No. 12
	<i>Page</i>	1263–1272
<i>Information source</i>	<i>Title</i>	IERS Conventions (2010)
	<i>Author</i>	G. Petit, B.J. Luzum (eds)
	<i>Publisher</i>	Verlag des Bundesamts fur Kartographie und Geodasie
	<i>Publication date</i>	2010
	<i>Edition date</i>	
	<i>Series/Journal name</i>	IERS Technical Notes
	<i>Issue identification</i>	36.0
<i>Data source</i>	<i>Other citation details</i>	ISSN: 1019-4568
	ISO Geodetic Registry	
<i>Greenwich longitude</i>	0.0 °	

# ISO Geodetic Registry

<i>Item class</i>	EllipsoidalCS	
<i>Name</i>	<b>Ellipsoidal 3D CS. Axes: latitude, longitude, ellipsoidal height. Orientations: north, east, up. UoM: degree, degree, metre.</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	46	
<i>Information source</i>	<i>Title</i>	ISO 19111 Geographical information - Spatial referencing by coordinates
	<i>Author</i>	International Organization for Standardization (ISO)
	<i>Publisher</i>	International Organization for Standardization (ISO)
	<i>Publication date</i>	2007-07-01
	<i>Edition</i>	Second Edition
	<i>Series/Journal name</i>	International Standard
	<i>Issue identification</i>	ISO 19111:2007
<i>Data source</i>	ISO Geodetic Registry	
<i>Remarks</i>	Used in geographic 3D coordinate reference systems. Horizontal coordinates referenced to this CS are in degrees. Any degree representation (e.g. DMSH, decimal, etc.) may be used but that used must be declared for the user.	

## Axes

<i>Item class</i>	CoordinateSystemAxis	
<i>Name</i>	<b>Geodetic latitude</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	38	
<i>Information source</i>	<i>Title</i>	ISO 19111 Geographical information - Spatial referencing by coordinates
	<i>Author</i>	International Organization for Standardization (ISO)
	<i>Publisher</i>	International Organization for Standardization (ISO)
	<i>Publication date</i>	2007-07-01
	<i>Edition</i>	Second Edition
	<i>Series/Journal name</i>	International Standard
	<i>Issue identification</i>	ISO 19111:2007
<i>Data source</i>	ISO Geodetic Registry	
<i>Remarks</i>	Used in geographic 2D and geographic 3D coordinate reference systems.	
<i>Abbreviation</i>	Lat	
<i>Direction</i>	north	
<i>Unit</i>	degree (supplier to define representation)	

  

<i>Item class</i>	CoordinateSystemAxis	
<i>Name</i>	<b>Geodetic longitude</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	34	
<i>Information source</i>	<i>Title</i>	ISO 19111 Geographical information - Spatial referencing by coordinates
	<i>Author</i>	International Organization for Standardization (ISO)

	<i>Publisher</i>	International Organization for Standardization (ISO)
	<i>Publication date</i>	2007-07-01
	<i>Edition</i>	Second Edition
	<i>Series/Journal name</i>	International Standard
	<i>Issue identification</i>	ISO 19111:2007
<i>Data source</i>	ISO Geodetic Registry	
<i>Remarks</i>	Used in geographic 2D and geographic 3D coordinate reference systems.	
<i>Abbreviation</i>	Lon	
<i>Direction</i>	east	
<i>Unit</i>	degree (supplier to define representation)	

  

<i>Item class</i>	CoordinateSystemAxis	
<i>Name</i>	<b>Ellipsoidal height</b>	
<i>Item status</i>	VALID	
<i>Identifier</i>	36	
<i>Information source</i>	<i>Title</i>	ISO 19111 Geographical information - Spatial referencing by coordinates
	<i>Author</i>	International Organization for Standardization (ISO)
	<i>Publisher</i>	International Organization for Standardization (ISO)
	<i>Publication date</i>	2007-07-01
	<i>Edition</i>	Second Edition
	<i>Series/Journal name</i>	International Standard
	<i>Issue identification</i>	ISO 19111:2007
	ISO Geodetic Registry	
<i>Data source</i>	ISO Geodetic Registry	
<i>Remarks</i>	Used only as part of an ellipsoidal 3D coordinate system in a geographic 3D coordinate reference system, never on its own.	
<i>Abbreviation</i>	h	
<i>Direction</i>	up	
<i>Unit</i>	metre	