


Assignment 3

Date :


Code	ITM 524	Title	Management Science	
-	-	Questions		Weighting 5%
Student's Number			Student's Name	

1. (20pts) For each network shown below, find the shortest path. Assume the numbers on the arcs are the actual distances between the nodes, and report both path and its total distance.

(a) First network



(b) Second network



a)

O A : 4	O B : 6	A D : 4+7=11	A D : 4+7=11
B : 6	C : 5	B D : 5+5=10	E D : 9+1=10
C : 5	A B : 4+1=5	E E : 5+4=9	T D : 9+8=17
	D : 4+1=5	C E : 5+5=10	

O-A

Diagram showing paths from O to A (O-A), O to B (O-B), O to C (O-C), O to E (O-E), A to D (A-D), B to D (B-D), C to D (C-D), B to E (B-E), C to E (C-E), E to D (E-D), E to T (E-T), and D to T (D-T).

Diagram showing paths from O to T: O-A-B-E-D-T and O-A-B-E-T.

Total cost (O-T) : 16

O-A-B-E-D-T


Assignment 3

Date :



Code	ITM 524	Title	Management Science	
-	-	Questions	Weighting	5%
Student's Number			Student's Name	

1. (20pts) For each network shown below, find the shortest path. Assume the numbers on the arcs are the actual distances between the nodes, and report both path and its total distance.

(a) First network



(b) Second network



$$O \left| \begin{array}{l} A : 4 \\ C : 6 \\ B : 3 \end{array} \right.$$

$$O \left| \begin{array}{l} A : 4 \\ C : 6 \\ B : 3 \end{array} \right. \quad B \left| \begin{array}{l} C : 6 \\ E : 3+4 = 7 \end{array} \right.$$

$$\begin{array}{l|l} O & C : 6 \\ \hline A & D : 4+3 = 7 \\ \hline C & E : 4+5 = 9 \\ \hline B & C : 3+4 = 7 \\ \hline E & B : 3+6 = 9 \end{array}$$

$$\begin{array}{l|l} O & C : 6 \\ \hline A & D : 4+3 = 7 \\ \hline C & F : 6+2 = 8 \\ \hline B & C : 3+4 = 7 \\ \hline E & B : 3+6 = 9 \end{array} \quad \begin{array}{l|l} A & D : 4+3 = 7 \\ \hline C & D : 6+2 = 8 \\ \hline F & E : 6+2 = 8 \\ \hline E & B : 6+5 = 11 \\ \hline B & E : 3+6 = 9 \end{array}$$

$$\begin{array}{l|l} D & G : 7+4 = 11 \\ \hline F & F : 7+2 = 9 \\ \hline C & F : 6+2 = 8 \\ \hline E & E : 6+5 = 11 \\ \hline B & E : 3+6 = 9 \end{array}$$

$$\begin{array}{l|l} D & G : 7+4 = 11 \\ \hline F & G : 8+2 = 10 \\ \hline H & H : 8+5 = 13 \\ \hline E & E : 8+1 = 9 \\ \hline B & E : 3+6 = 9 \end{array}$$

$$\begin{array}{l|l} D & G : 7+4 = 11 \\ \hline F & G : 8+2 = 10 \\ \hline H & H : 8+5 = 13 \\ \hline E & H : 9+2 = 11 \\ \hline I & I : 9+5 = 14 \end{array}$$

$$\begin{array}{l|l} G & H : 10+2 = 12 \\ \hline I & I : 10+7 = 17 \\ \hline F & H : 8+5 = 13 \\ \hline E & H : 9+2 = 11 \\ \hline I & I : 9+5 = 14 \end{array}$$

$$\begin{array}{l|l} G & H : 10+7 = 17 \\ \hline H & H : 11+8 = 19 \\ \hline I & I : 11+7 = 18 \\ \hline E & E : 9+5 = 14 \end{array}$$

$$\begin{array}{l|l} G & I : 10+7 = 17 \\ \hline H & I : 11+8 = 19 \\ \hline I & I : 14+4 = 18 \end{array}$$

Total cost: 17

path: O-C-F-G-T

Assignment 3

Date :

Code	ITM 524	Title	Management Science		
-	-	Questions		Weighting	5%
Student's Number			Student's Name		

2. (20pts) A university plans to connect eight campus buildings in the same area with fiber-optic lines so that every building can reach every other (directly or indirectly). The distance (miles) between each pair of buildings is:


		Distance between pairs of buildings							
		1	2	3	4	5	6	7	8
Bldg	1	-	1.3	2.1	0.9	0.7	1.8	2.0	1.5
	2	1.3	-	0.9	1.8	1.2	2.6	2.3	1.1
	3	2.1	0.9	-	2.6	1.7	2.5	1.9	1.0
	4	0.9	1.8	2.6	-	0.7	1.6	1.5	0.9
	5	0.7	1.2	1.7	0.7	-	0.9	1.1	0.8
	6	1.8	2.6	2.5	1.6	0.9	-	0.6	1.0
	7	2.0	2.3	1.9	1.5	1.1	0.6	-	0.5
	8	1.5	1.1	1.0	0.9	0.8	1.0	0.5	-

Management wants to decide which building pairs should be directly linked so that all buildings are connected while the total length of fiber is minimized.

(a) Explain why this problem can be modeled as a minimum spanning tree problem on a network. minimizing length of fiber. all building(node) can reach others .

(b) Solve the problem (identify the links to build and the minimum total length).

Suppose start from building 1.



total length: 5.2


Assignment 3

Date :

Code	ITM 524	Title	Management Science	
-	-	Questions		Weighting 5%
Student's Number			Student's Name	

3. (20pts) For the network shown below, apply the augmenting path algorithm to determine the maximum flow from the source to the sink. The capacity of each arc (i,j) is given by the number closest to node i along the arc.

Report the sequence of augmenting paths used, the final flow on each arc, and the value of the maximum flow.



$$\textcircled{1} - \textcircled{3} - \textcircled{5} - \textcircled{7} \Rightarrow \text{residual : } 1$$

$$\textcircled{1} - \textcircled{2} - \textcircled{5} - \textcircled{7} \Rightarrow 3$$

$$\textcircled{1} - \textcircled{3} - \textcircled{6} - \textcircled{7} \Rightarrow 3$$

$$\textcircled{1} - \textcircled{4} - \textcircled{6} - \textcircled{7} \Rightarrow 1$$

$$\textcircled{1} - \textcircled{2} - \textcircled{5} - \textcircled{3} - \textcircled{4} - \textcircled{6} - \textcircled{7} \Rightarrow 1$$

$$\text{max flow} = 9$$

Assignment 3

Date :

Code	ITM 524	Title	Management Science		
-	-	Questions		Weighting	5%
Student's Number			Student's Name		

4. (20pts) A company will produce the same product at two factories and then ship it to two warehouses.

Factory 1 has a dedicated rail link to Warehouse 1 only (no upper limit).

Factory 2 has a dedicated rail link to Warehouse 2 only (no upper limit).


In addition, third-party truckers can move up to 50 units from each factory to a distribution center (DC), and from the DC up to 50 units to each warehouse.

From	To	Unit shipping cost			Output	
		Distribution center	Warehouse			
			1	2		
Factory 1		3	7	-	80	
Factory 2		4	-	9	70	
Distribution center			2	4		
Allocation (demand)			60	90		

Task. Formulate a minimum-cost flow network for this problem:

- Identify the nodes and their supplies/demands (Factories 1–2 supply 80 and 70. Warehouses 1–2 demands 60 and 90; DC is a transshipment node).
- List the arcs with their per-unit costs and capacities (factory → DC arcs have capacity 50 each; DC→warehouse arcs have capacity 50 each; rail arcs F1→W1 and F2→W2 have no upper bound).

Represent the model either by a diagram or by an explicit arc list in the form ($i \rightarrow j$: cost, capacity).



$$\begin{aligned}
 \min Z = & 7\lambda_{F_1W_1} + 3\lambda_{F_1DC} + 4\lambda_{F_2DC} + 9\lambda_{F_2W_2} + 2\lambda_{DCW_1} + 4\lambda_{DCW_2}, \\
 \lambda_{F_1W_1} + \lambda_{F_1DC} &= 80 \\
 \lambda_{F_2DC} + \lambda_{F_2W_2} &= 70 \\
 -\lambda_{F_1W_1} - \lambda_{DCW_1} &= -60 \\
 -\lambda_{F_2W_2} - \lambda_{DCW_2} &= -90 \\
 \lambda_{F_1DC} + \lambda_{F_2DC} - \lambda_{DCW_1} - \lambda_{DCW_2} &= 0 \\
 \lambda_{F_1DC}, \lambda_{DCW_1} &\leq 50
 \end{aligned}$$


Assignment 3

Date :

Code	ITM 524	Title	Management Science		
-	-	Questions		Weighting	5%
Student's Number			Student's Name		

5. (20pts) Consider the minimum cost flow network shown below.

- Each node displays its net supply/demands value b_i .
- Each arc is labeled with its unit cost c_{ij} .
- The capacity u_{ij} is specified between nodes C and D.



- (a) Construct an initial basic feasible solution using the spanning tree whose basic arcs are $A \rightarrow B, C \rightarrow E, D \rightarrow E$, and $C \rightarrow A$ (a reverse arc). Among the nonbasic arcs, $C \rightarrow B$ is also a reverse arc.

Draw the resulting network (including b_i , c_{ij} , and u_{ij}) in the same format as the one provided (except use dashed lines to draw the nonbasic arcs). For each basic arc, write the flow value in parentheses next to the arc.

- (b) Use the optimality test to confirm that this initial basic feasible solution is optimal and that multiple optimal solutions exist. Perform one iteration of the network simplex method to obtain the another optimal basic feasible solution, and then use these results to identify the other optimal solutions that are not basic feasible solutions.

- (c) Now, consider the following basic feasible solution.

Basic Arc	Flow	Nonbasic Arc
$A \rightarrow D$	20	$A \rightarrow B$
$B \rightarrow C$	10	$A \rightarrow C$
$C \rightarrow E$	10	$B \rightarrow D$
$D \rightarrow E$	20	





Starting from this basis, carry out one iteration of the network simplex method.

Assignment 3

Date :


Code	ITM 524	Title	Management Science	
-	-	Questions	Weighting	5%
Student's Number			Student's Name	


Identify the entering basic arc, the leaving basic arc, and the next basic feasible solution. Do not proceed beyond this iteration.



$$\theta = \min [\infty, \infty, 30, 5] = 5$$

leaving BV = λ_{CA} .





$$\lambda_{AC} = 0, \Delta Z = 60 + 30 - 40 - 50 = 0$$

$$\lambda_{AB} = 0, \Delta Z = 20 + 30 + 30 - 40 - 50 = -0$$

$$\lambda_{BD} = 0, \Delta Z = 50 + 40 - 30 - 30 = 30$$

entering basic arc = $A \rightarrow B$

$$\lambda_{AB} = 0 \leq \infty$$

$$\lambda_{BC} = 10 + 0 \leq 25 \Rightarrow 0 \leq 15$$

$$\lambda_{CE} = 10 + 0 \leq \infty$$

$$\lambda_{DE} = 20 - 0 \geq 0 \Rightarrow 0 \leq 20$$

$$\lambda_{AD} = 20 - 0 \geq 0 \Rightarrow 0 \leq 20.$$

$\theta = 15$. leaving basic arc = $B \rightarrow C$

