

1. Write a program to display the size of the different data type like char, int & float.

Answer -

Input -

```
#include <stdio.h>

void main()
{
    int a;
    float b;
    char ch;
    printf("SIZE OF INTEGER: %d", sizeof(a));
    printf("\nSIZE OF FLOAT: %d", sizeof(b));
    printf("\nSIZE OF CHAR: %d", sizeof(ch));

}
```

Output -

SIZE OF INTEGER: 4

SIZE OF FLOAT: 4

SIZE OF CHAR: 1

2. Write a program to accept marks of three subject & find there average.

Answer -

Input -

```
#include<stdio.h>

//find the average of three marks//

int main()
{
    int x, y, z;
    float avg;
```

```
printf("Enter Three Numbers : \n");  
scanf("%d %d %d",&x, &y, &z);  
  
avg=(x+y+z)/3.0;  
printf("Average of Three Numbers is : %f",avg);  
}
```

OUTPUT -

Enter Three Numbers :

1

2

3

Average of Three Numebers is : 2.000000

3. Write a program to calculate the area of the circle, taking radius as input from the user.

Answer -

INPUT -

```
#include<stdio.h>  
  
int main() {  
    //find the area of circle//  
    int x;  
    printf("Type the radius of the Circle- ");  
    scanf("%d", &x);  
  
    float area;  
    area =3.14 * x;  
    printf("The area of the circle is %f", area);  
    return 0;  
}
```

OUTPUT-

Type the radius of the Circle- 23

The area of the circle is 72.220001

4. Write a program to find the volume of the sphere, taking radius as input from keyboard.

Answer -

INPUT -

```
#include<stdio.h>
```

```
int main() {
```

```
//find the volume of sphere//
```

```
int x;
```

```
printf("Type the radius of the sphere- ");
```

```
scanf("%d", &x);
```

```
float volume;
```

```
volume = 4.1866 * x * x * x;
```

```
printf("The area of the sphere is %f", volume);
```

```
    return 0;
```

```
}
```

OUTPUT -

Type the radius of the sphere- 123

The area of the sphere is 7790706.000000

5. Write a program to calculate the simple interest taking P,R,T as input from keyboard.

Answer -

INPUT -

```
#include<stdio.h>
```

```
int main() {
```

```
//find the simple interest//
```

```
int x;
```

```
printf("Type the principle- ");
```

```
scanf("%d", &x);
```

```
int y;
```

```
printf("Type the rate of interest- ");
```

```
scanf("%d", &y);
```

```
int z;
```

```
printf("Type the time- ");
```

```
scanf("%d", &z);
```

```
float value;
```

```
value = x*y*z*0.01;
```

```
printf("The simple interest is %f", value);
```

```
    return 0;
```

```
}
```

OUTPUT-

Type the principle- 23

Type the rate of interest- 34

Type the time- 12

The simple interest is 93.839996

6. Write a program to covert kilometer to meter, taking kilometer as input.

Answer –

INPUT-

```
#include<stdio.h>
```

```
int main() {
```

```
//convert kilometer to meter//
```

```
int x;
```

```
printf("Type the value in km- ");
```

```
scanf("%d", &x);
```

```
float m;
```

```
m = x * 0.01;
```

```
printf("The value in metre is %f", m);
```

```
    return 0;
```

```
}
```

OUTPUT -

Type the value in km- 235

The value in metre is 2.350000

7. Write a program to covert meter to kilometer, taking meter as input.

Answer -

INPUT -

```
#include<stdio.h>
```

```
//metre to km
```

```
int main()
```

```
{
```

```
    int kilometre, meter, rem;
```

```
    printf("Enter the meters\n");
```

```
    scanf("%d", &meter);
```

```
    kilometre = (meter / 1000);
```

```
    rem = meter%1000;
```

```
    printf("The length in Kilometres is %d Kilometres and %d meters", kilometre, rem);
```

```
    return 0;
```

```
}
```

OUTPUT -

Enter the meters

2314

The length in Kilometres is 2 Kilometres and 314 meters

8. Write a program to swap two integers using third variable.

Answer -

INPUT -

```
//Swap 2 integers using third variable
#include<stdio.h>

void main(){
    int a,b,c;
    printf("Enter the first number: ");
    scanf("%d",&a);
    printf("Enter the second number: ");
    scanf("%d",&b);

    c=a;
    a=b;
    b=c;

    printf("After Swapping first number: ");
    printf("%d",a);
    printf("\nAfter Swapping second number: ");
    printf("%d",b);
}
```

OUTPUT -

Enter the first number: 2

Enter the second number: 4

After Swapping first number: 4

After Swapping second number: 2

9. Write a program to swap two intergers without using third variable.

Answer -

INPUT -

//Swapping two numbers without using third variable

```
#include <stdio.h>
```

```
void main() {
```

```
    int a, b;
```

```
    printf("Enter a: ");
```

```
    scanf("%d", &a);
```

```
    printf("Enter b: ");
```

```
    scanf("%d", &b);
```

```
    a = a - b;
```

```
    b = a + b;
```

```
    a = b - a;
```

```
    printf("After swapping, a = %d\n", a);
```

```
    printf("After swapping,b=%d",b);
```

```
}
```

OUTPUT -

Enter a: 2

Enter b: 3

After swapping, a = 3

After swapping,b=2

10. Write a program to convert C to F.

Answer -

INPUT -

```
//Convert Celsius to Farheneit
#include<stdio.h>

void main(){
    float c,result;
    printf("Enter temperature in celsius: ");
    scanf("%f",&c);
    result=((c*9)/5)+32;
    printf("The temperature in farheneit is : ");
    printf("%f",result);
}
```

OUTPUT -

Enter temperature in celsius: 45

The temperature in farheneit is : 113.000000

11. Write a program to perform all airthmatic operations over two integers.

Answer -

INPUT -

```
#include<stdio.h>
```

```
int main() {
```

```
//find the all the arithmetic operations using only 2 integer//
```

```
int x,y;
```

```
printf("Type the first integer - ");
```

```
scanf("%d", &x);
```

```
printf("Type the second integer - ");
```

```
scanf("%d", &y);
```

```
{float a;
```

```
a = x + y ;
```

```
printf("Addition - %f\n", a);}
```

```
{float b;
```

```
b = x - y ;
```

```
printf("Substraction - %f\n", b);}
```

```
{float c;
```

```
c = x * y ;  
printf("Multiplication - %f\n", c);}
```

```
{float d;  
d = x/y ;  
printf("Division - %f\n", d);}
```

```
{float e;  
e = x%y ;  
printf("Remainder - %f\n", e);}
```

```
    return 0;  
}
```

OUTPUT -

Type the first integer - 4

Type the second integer - 5

Addition - 9.000000

Substraction - -1.000000

Multiplication - 20.000000

Division - 0.000000

Remainder - 4.000000