
Codility_


CodeCheck Report: trainingC78PUW-6XN

Test Name:

Check out Codility training tasks

Summary Timeline 💩 Al Assistant Transcript





Tasks Details

1. CyclicRotation
Rotate an array to the rightTask ScoreCorrectnessPerformanceby a given number of steps.87%Not assessed

Task description

An array A consisting of N integers is given. Rotation of the array means that each element is shifted right by one index, and the last element of the array is moved to the first place. For example, the rotation of array A = [3, 8, 9, 7, 6] is [6, 3, 8, 9, 7] (elements are shifted right by one index and 6 is moved to the first place).

The goal is to rotate array A K times; that is, each element of A will be shifted to the right K times.

Write a function:

class Solution { public int[] solution(int[] A,
int K): }

that, given an array A consisting of N integers and an integer K, returns the array A rotated K times.

For example, given

$$A = [3, 8, 9, 7, 6]$$

 $K = 3$

Solution

Programming language used: Java 8

Total time used: 20 minutes

Effective time used: 20 minutes

Notes: not defined yet

Task timeline

the function should return [9, 7, 6, 3, 8]. Three rotations were made:

For another example, given

$$A = [0, 0, 0]$$

 $K = 1$

the function should return [0, 0, 0]

Given

$$A = [1, 2, 3, 4]$$

 $K = 4$

the function should return [1, 2, 3, 4]

Assume that:

- N and K are integers within the range [0..100];
- each element of array A is an integer within the range [-1,000..1,000].

In your solution, focus on **correctness**. The performance of your solution will not be the focus of the assessment.

Copyright 2009–2024 by Codility Limited. All Rights Reserved. Unauthorized copying, publication or disclosure prohibited.

```
Code: 09:51:39 UTC, java,
                                     show code in pop-up
final, score: 87
     // you can also use imports, for example:
     // import java.util.*;
 2
 3
 4
     // you can write to stdout for debugging purposes,
     // System.out.println("this is a debug message");
 6
7
     class Solution {
8
         public int[] solution(int[] A, int K) {
9
             int n = A.length;
10
             K = K%n;
             if(n==0 || K==0)
11
                 return A;
12
13
              int rotate[] = new int[n];
14
              for(int i =0;i<n ;i++){</pre>
15
                  rotate[(i+K)%n]=A[i];
16
             }
17
             return rotate;
18
         }
19
     }
```

Analysis summary

The following issues have been detected: runtime errors.

For example, for the input ([], 0) the solution terminated unexpectedly.

Analysis

expa	nd all E	ample tests
•	example	√ OK
	first example test	
	example2	✓ OK
	second example test	
\blacktriangleright	example3	✓ OK
	third example test	
ехра	nd all Cor	ectness tests
•	extreme_empty	x RUNTIME ERROR
	empty array	tested program
		terminated with exit code
		1
\blacktriangleright	single	✓ OK
	one element, 0 <= K <= 5	
\blacktriangleright	double	✓ OK
	two elements, K <= N	
>	small1	√ OK
	small functional tests, K <	V
	small2	√ OK
	small functional tests, K >	N
>	small_random_all_rd	ations VOK
	small random sequence,	l rotations, N
	= 15	

•	medium_random medium random sequence, N = 100	✓ OK
•	maximal maximal N and K	✓ OK