Import Libraries

```
from sklearn.datasets import load_iris
import pandas as pd
import numpy as np
```

Load Dataset

```
dataset = load_iris()
```

Summarize Dataset

```
print(dataset.data)
print(dataset.target)
print(dataset.data.shape)
    [5.1 2.5 3. 1.1]
    [5.7 2.8 4.1 1.3]
    [6.3 3.3 6. 2.5]
    [5.8 2.7 5.1 1.9]
    [7.1 3. 5.9 2.1]
    [6.3 2.9 5.6 1.8]
    [6.5 3. 5.8 2.2]
    [7.6 3. 6.6 2.1]
    [4.9 2.5 4.5 1.7]
    [7.3 2.9 6.3 1.8]
    [6.7 2.5 5.8 1.8]
    [7.2 3.6 6.1 2.5]
    [6.5 3.2 5.1 2. ]
    [6.4 2.7 5.3 1.9]
    [6.8 3. 5.5 2.1]
    [5.7 2.5 5. 2.]
    [5.8 2.8 5.1 2.4]
    [6.4 3.2 5.3 2.3]
    [6.5 3. 5.5 1.8]
    [7.7 3.8 6.7 2.2]
    7.7 2.6 6.9 2.3]
    [6. 2.2 5. 1.5]
    [6.9 3.2 5.7 2.3]
    [5.6 2.8 4.9 2. ]
    [7.7 2.8 6.7 2. ]
    [6.3 2.7 4.9 1.8]
    [6.7 3.3 5.7 2.1]
    [7.2 3.2 6. 1.8]
    [6.2 2.8 4.8 1.8]
    [6.1 3. 4.9 1.8]
    [6.4 2.8 5.6 2.1]
    [7.2 3. 5.8 1.6]
    [7.4 2.8 6.1 1.9]
    [7.9 3.8 6.4 2. ]
    [6.4 2.8 5.6 2.2]
    [6.3 2.8 5.1 1.5]
    [6.1 2.6 5.6 1.4]
    [7.7 3. 6.1 2.3]
    [6.3 3.4 5.6 2.4]
    [6.4 3.1 5.5 1.8]
    [6. 3. 4.8 1.8]
    [6.9 3.1 5.4 2.1]
    [6.7 3.1 5.6 2.4]
    [6.9 3.1 5.1 2.3]
    [5.8 2.7 5.1 1.9]
    [6.8 3.2 5.9 2.3]
    [6.7 3.3 5.7 2.5]
    [6.7 3. 5.2 2.3]
    [6.3 2.5 5. 1.9]
    [6.5 3. 5.2 2.]
    [6.2 3.4 5.4 2.3]
    [5.9 3. 5.1 1.8]]
    2 2]
    (150, 4)
```

Segragate Dataset into X & Y

```
X = pd.DataFrame(dataset.data, columns=dataset.feature_names)
X
```

| | sepal length (cm) | sepal width (cm) | petal length (cm) | petal width (cm) |
|-----|-------------------|------------------|-------------------|------------------|
| 0 | 5.1 | 3.5 | 1.4 | 0.2 |
| 1 | 4.9 | 3.0 | 1.4 | 0.2 |
| 2 | 4.7 | 3.2 | 1.3 | 0.2 |
| 3 | 4.6 | 3.1 | 1.5 | 0.2 |
| 4 | 5.0 | 3.6 | 1.4 | 0.2 |
| ••• | | | | |
| 145 | 6.7 | 3.0 | 5.2 | 2.3 |
| 146 | 6.3 | 2.5 | 5.0 | 1.9 |
| 147 | 6.5 | 3.0 | 5.2 | 2.0 |
| 148 | 6.2 | 3.4 | 5.4 | 2.3 |
| 149 | 5.9 | 3.0 | 5.1 | 1.8 |
| | | | | |

150 rows × 4 columns

Splitting Dataset into Train & Test


```
from sklearn.model_selection import train_test_split
X_train, X_test, y_train, y_test = train_test_split(X, Y, test_size = 0.25, random_state = 0)
print(X_train.shape)
print(X_test.shape)

(112, 4)
    (38, 4)
```

Finding Best Maximum Depth Value

```
accuracy = []
from \ sklearn.tree \ import \ Decision Tree Classifier
from sklearn.metrics import accuracy_score
import matplotlib.pyplot as plt
for i in range(1,10):
  model = DecisionTreeClassifier(max_depth=i, random_state=0)
 model.fit(X_train, y_train)
 pred = model.predict(X_test)
 score = accuracy_score(y_test, pred)
 accuracy.append(score)
plt.figure(figsize=(12, 6))
\verb|plt.plot(range(1, 10), accuracy, color='red', linestyle='dashed', marker='o', \\
         markerfacecolor='blue', markersize=10)
plt.title('Finding best Max_Depth')
plt.xlabel('pred')
plt.ylabel('score')
```

C→



Training

```
from sklearn.tree import DecisionTreeClassifier
model = DecisionTreeClassifier(criterion='entropy', max_depth=3, random_state=0)
model.fit(X_train, y_train)
```

```
DecisionTreeClassifier
DecisionTreeClassifier(criterion='entropy', max_depth=3, random_state=0)
```

Prediction

```
y_pred = model.predict(X_test)
print(np.concatenate((y_pred.reshape(len(y_pred), 1), y_test.reshape(len(y_test), 1)), 1))
```

- [[2 2] [1 1]
- [0 0]
- [2 2] [0 0]
- [2 2]
- [0 0]
- [1 1]
- [1 1] [1 1]
- [2 2]
- [1 1]
- [1 1] [1 1]
- [1 1]
- [0 0] [1 1]
- [1 1]
- [0 0] [0 0]
- [2 2]
- [1 1] [0 0]
- [0 0]
- [2 2]
- [0 0] [0 0]
- [1 1]
- [1 1]
- [0 0] [2 2]
- [1 1]

- [2 2] [2 2]
- [1 1]
- [0 0] [2 1]]

Accuracy Score

```
from sklearn.metrics import accuracy_score
print("Accuracy of the Model: {0}%".format(accuracy_score(y_test, y_pred)*100))
```

Accuracy of the Model: 97.36842105263158%



✓ 0s completed at 11:23 AM

• ×