```
/**
 * Ofile init.c
 * Obrief Perform initialization and start handler tasks
 * Copyright (C) 2017 Ethan Wells
 * This program is free software: you can redistribute it and/or modify it
 * under the terms of the GNU General Public License as published by the Free
 * Software Foundation, either version 3 of the License, or(at your option) any
 * later version.
 * This program is distributed in the hope that it will be useful, but WITHOUT
 * ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS
 * FOR A PARTICULAR PURPOSE. See the GNU General Public License for more
 * details.
 * You should have received a copy of the GNU General Public License along
 * with this program. If not, see <a href="https://www.gnu.org/licenses/">https://www.gnu.org/licenses/</a>
#include "../include/robot.h"
static inline float lMogoRecalc(int p) {
        return p * 1.1;
} /* lMogoRecalc */
static inline float lineRecalc(int v) {
        return (float)(v > 16);
} /* lineRecalc */
void initializeIO() {
        watchdogInit();
} /* initializeIO */
 * Notify both through the terminal and an lcd
 * Oparam buffer the text to display
 */
void notice(const char *buffer) {
        #ifdef DEBUG_MODE
                print(buffer);
        #endif /* ifdef DEBUG_MODE */
        lcdSetText(uart1, 2, buffer);
        delay(5);
} /* notice */
```

```
void init() {
        // LCD initialization
        lcdInit(uart1);
        lcdSetBacklight(uart1, true);
        #ifdef DEBUG_MODE
               print("\nInitializing... ");
        #endif /* ifdef DEBUG_MODE */
        lcdSetText(uart1, 1, "Initializing...");
        // Set up the analog sensors
        gyro = newGyro(1, true, 200);
        gyro.child = new(Sensor);
        *gyro.child = newGyro(2, true, 195);
       notice("gyroscopes, ");
        Sensor *mogoAngle = new(Sensor);
        *mogoAngle
                     = newAnalog(3, true);
        mogoAngle->child = new(Sensor);
        *mogoAngle->child = newAnalog(4, true);
        notice("mobile goal angle, ");
        Sensor *liftPot = new(Sensor);
        *liftPot = newAnalog(5, false);
        sensorRefresh(liftPot);
        liftPot->zero = liftPot->value;
       notice("lift pot, ");
        for (int i = 0; i < 3; i++) {
                               = newAnalog(i + 6, false);
               line[i]
               line[i].inverted = true;
               line[i].recalc = &lineRecalc;
       notice("line sensors");
        // Set up the digital sensors
        Sensor *driveCoder[2] = { new(Sensor), new(Sensor) };
        *driveCoder[0] = newQuad(4, 5, true);
        notice("left drive quad, ");
        *driveCoder[1] = newQuad(8, 9, true);
        notice("right drive quad, ");
        liftLimit[0] = newDigital(12, true);
        liftLimit[1] = newDigital(11, true);
       notice("lift limit switches, ");
        sonic = new(Sensor);
        *sonic = newSonic(6, 7);
        notice("ultrasonic, ");
```

```
// The IMEs
if (imeInitializeAll() < 1) {</pre>
        print("\n\nexiting program...\n\n");
        exit(0);
}
Sensor *manipS = new(Sensor);
*manipS = newIME(0, false);
sensorReset(manipS);
// Initialize and set up all of the motors, servos, etc
// intake motor
intake = motorCreate(3, true);
notice("intake motor, ");
// intake manipulater motor
manip = motorCreate(4, true);
manip.child = new(Motor);
*manip.child = motorCreate(8, false);
manip.sensor = manipS;
// lift motors
lift
                          = motorCreate(5, true); // bottom left
lift.child
                          = new(Motor);
                          = motorCreate(6, false); // top left
*lift.child
lift.child->child
                         = new(Motor);
*lift.child->child
                         = motorCreate(7, false); // bottom right
lift.sensor
                          = liftPot;
notice("lift motors, ");
// mobile goal intake motors
mogo
                    = motorCreate(1, false); // left
mogo.recalc
                    = &lMogoRecalc;
mogo.deadband
                    = 6;
                    = new(Motor);
mogo.child
                    = motorCreate(10, true); // right
*mogo.child
mogo.child->deadband = 6;
mogo.sensor
                     = mogoAngle;
notice("mobile goal motors, ");
// left drive motors
drive[0] = motorCreate(2, true);
drive[0].sensor = driveCoder[0];
// right drive motors
```