





lincoln-weather.R — my-r-project

New Open Save Copy

< > Search

R 4.4.2 my-r-project

lincoln-weather.R

lincoln-weather.R > ...

```
1 # library
2 library(ggribes)
3 library(ggplot2)
4 library(viridis)
5
6 lincoln_weather <- ggribes::lincoln_weather
7
8 # Plot
9 ggplot(
10   lincoln_weather,
11   aes(x = `Mean Temperature [F]`, y = `Month`, fill = ..x..)
12 ) +
13   geom_density_ridges_gradient(scale = 3, rel_min_height = 0.01) +
14   scale_fill_viridis(name = "Temp. [F]", option = "C") +
15   labs(title = "Temperatures in Lincoln NE in 2016") +
16   theme_ridges()
17
```

EXPLORER SESSION CONNECTIONS

MY-R-PROJECT

lincoln-weather.R

CONSOLE TERMINAL PROBLEMS OUTPUT PORTS DEBUG CONSOLE

~/my-r-project

```
> ??ggribes::theme_ridges
> |
```

OUTLINE

TIMELINE

Ln 17, Col 1 Spaces: 2 UTF-8 LF {} R

lincoln-weather.R — my-r-project

New Open Save Copy

< > Search

R 4.4.2 my-r-project

lincoln-weather.R

lincoln-weather.R > ...

```
1 # library
2 library(ggribes)
3 library(ggplot2)
4 library(viridis)
5
6 lincoln_weather <- ggribes::lincoln_weather
7
8 # Plot
9 ggplot(
10   lincoln_weather,
11   aes(x = `Mean Temperature [F]`, y = `Month`, fill = ..x..)
12 ) +
13   geom_density_ridges_gradient(scale = 3, rel_min_height = 0.01) +
14   scale_fill_viridis(name = "Temp. [F]", option = "C") +
15   labs(title = "Temperatures in Lincoln NE in 2016") +
16   theme_ridges()
17
```

EXPLORER SESSION CONNECTIONS

MY-R-PROJECT

lincoln-weather.R

CONSOLE TERMINAL PROBLEMS OUTPUT PORTS DEBUG CONSOLE

~/my-r-project

```
> ??ggribes::theme_ridges
> |
```

> OUTLINE

> TIMELINE

Ln 17, Col 1 Spaces: 2 UTF-8 LF {} R

Join the Discussion