







lincoln-weather.R — data-analysis-scripts

New Open

Search

R 4.4.2 data-analysis-scripts

lincoln-weather.R

lincoln-weather.R > ...

```
1 # library
2 library(ggribges)
3 library(ggplot2)
4 library(viridis)
5
6 lincoln_weather <- ggribges::lincoln_weather
7
8 # Plot
9 ggplot(lincoln_weather, aes(x = 'Mean Temperature [F]', y = 'Month', fill = ..x..)) +
10   geom_density_ridges_gradient(scale = 3, rel_min_height = 0.01) +
11   scale_fill_viridis(name = "Temp. [F]", option = "C") +
12   labs(title = 'Temperatures in Lincoln NE in 2016') +
13   theme_ridges()
14
```

CONSOLE

~ /py/data-analysis-scripts

R 4.4.2 started.

R version 4.4.2 (2024-10-31) -- "Pile of Leaves"

Copyright (C) 2024 The R Foundation for Statistical Computing

Platform: aarch64-apple-darwin20

R is free software and comes with ABSOLUTELY NO WARRANTY.

You are welcome to redistribute it under certain conditions.

Type 'license()' or 'licence()' for distribution details.

R is a collaborative project with many contributors.

Type 'contributors()' for more information and

'citation()' on how to cite R or R packages in publications.

SESSION

CONNECTIONS

HELP

VIEWER

VARIABLES

R 4.4.2

DATA

lincoln_weather [366 rows x 24 columns] <tbl_df>

PLOTS

Temp. [F]

75

50

25

0

Temperatures in Lincoln NE in 2016

Month

January

February

March

April

May

June

July

August

September

October

November

December

Mean Temperature [F]

0 25 50 75 100

Ln 14, Col 1

Spaces: 2

UTF-8

LF

R