

Untitled-1 — my-r-project

New

Open

<>

Search

Start Session

my-r-project

EXPLORER

MY-R-PROJECT

Untitled-1

SESSION

CONNECTIONS

HELP

VIEWER

VARIABLES

PLOTS

CONSOLE

TERMINAL

PROBLEMS

OUTPUT

PORTS

DEBUG CONSOLE

There is no session running. Use [Start Session](#) to start one.

Ln 1, Col 1

Spaces: 4

UTF-8

LF

{ } R





Untitled-1 — my-r-project

New

Open

Search

R 4.4.2

my-r-project

Untitled-1

1

SESSION

CONNECTIONS

HELP

VIEWER

VARIABLES

R 4.4.2

No variables have been created.

CONSOLE

TERMINAL

PROBLEMS

OUTPUT

PORTS

DEBUG CONSOLE

~/my-r-project

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

> |

OUTLINE

TIMELINE

Ln 1, Col 1

Spaces: 4

UTF-8

LF

{ } R



NewOpenSave

lincoln-weather.R

lincoln-weather.R > ...

```
1 # library
2 library(ggribes)
3 library(ggplot2)
4 library(viridis)
5
6 lincoln_weather <- ggribes::lincoln_weather
7
8 # Plot
9 ggplot(
10   lincoln_weather,
11   aes(x = `Mean Temperature [F]`, y = `Month`
12 ) +
13   geom_density_ridges_gradient(scale = 3, rel_min_height = 0.01) +
14   scale_fill_viridis(name = "Temp. [F]", option = "D") +
15   labs(title = "Temperatures in Lincoln NE in 2016") +
16   theme_ridges()
17
```

Accounts: Manage Trusted Extensions For Account
Accounts: Manage Trusted MCP Servers For Account
Add Cell Tag
Add Cursor Above
Add Cursor Below
Add Cursors to Bottom
Add Cursors to Line Ends
Add Cursors to Top
Add Data Breakpoint at Address
Add Function Breakpoint
Add Line Comment
Add Selection to Next Find Match
Add Selection to Previous Find Match
Add XHR/fetch Breakpoint

⌘ ⌘ ⬆
⌘ ⌘ ⬇
⚙️
⬆ ⌘ |
⌘ K ⌘ C
⌘ D

R 4.4.2my-r-project

SESSIONCONNECTIONSHELPVIEWER

VARIABLES

R 4.4.2filter

DATA

> lincoln_weather [366 rows x 24 columns] <tbl_df>

PLOTS

← → Save Fit Auto

Month

January
February
March
April
May
June
July
August
September
October
November
December

Temperatures in Lincoln NE in 2016

Temp. [F]

75
50
25
0

0 25 50 75 100

Mean Temperature [F]

Temperatures in Lincoln NE in 2016

Temp. [F]

75
50
25
0

0 25 50 75 100

Mean Temperature [F]

CONSOLETERMINALPROBLEMSOUTPUTPORTSDEBUG CONSOLE


~/my-r-project

> ggplot(
+ lincoln_weather,
+ aes(x = `Mean Temperature [F]`, y = `Month`, fill = ..x..)
+) +
+ geom_density_ridges_gradient(scale = 3, rel_min_height = 0.01) +
+ scale_fill_viridis(name = "Temp. [F]", option = "D") +
+ labs(title = "Temperatures in Lincoln NE in 2016") +
+ theme_ridges()
Picking joint bandwidth of 3.37
>

Ln 14, Col 57Spaces: 2UTF-8LF{} R

>|

File: Clear Recently Opened...

recently used 

Preferences: Color Theme

 K  T

Developer: Reload Window

Python: Create Environment...

Preferences: Open User Settings (JSON)

Preferences: Open User Settings


Search: Clear Search History

Quarto: New Document

Session: Focus on Variables View

 K V

View: Show Changes

 ⌘ M

Workspaces: New Folder from Git...

R: New R File

 ⌘ N

Quarto: Create Project

Welcome: Open Walkthrough...

Create New Terminal (With Profile)

SESSION

✓ VARIABLES

R 4.4.2