# SHOUTING PINWALL: A simple pinwall-app by team CENTRAL PERK

Ivo Maag Hanyang University Seoul, Republic of Korea maagivo1@students.zhaw.ch

Jing Yang Dept. of Computer Science Dept. of Information Systems Hanyang University Seoul, Republic of Korea alumpof@hanyang.ac.kr

Daeyoung Jung Dept. of Information Systems Dept. of Information Systems Hanyang University Seoul, Republic of Korea dyjungs@gmail.com

Eonwoo Yoo Hanyang University Seoul, Republic of Korea dbdjsdn123@naver.com

Abstract—Online Bulletin Board for friends, bringing the idea of Analogue bulletin board to your mobile devices. This project is to create an Android app that uses Amazon Web Services (AWS) as a backend. It displays a pin wall where everyone can post a text. AWS will store the text in capital letters. The main purpose of this project is to learn how to use AWS and how to run software on it, how to build an Android App with backend and how to plan, document and organize a project in a team. On SHOUTING PINWALL, users can post their messages in CAPS in form of virtual post-it memo (with a character limit), on a virtual bulletin board that can only be shared with his or her friends. Through this, friends can share their stories easily. This basic app has a lot of potential for further development in case we have leftover time. For example, encryption or different media types.

Index Terms—SHOUTING PINWALL, Android, AWS

Role	Name	Task Description
User		То
Customer		
Software Developer		
Development Manager		

#### I. Introduction

Social Media has already become a huge part of our lives and the ways we can connect to each other are so broad that we often feel things have gotten too complicated. So, we decided that we want to bring back simplicity and intuitiveness to the way we communicate. Related SW or Services: Twitter, Instagram, Facebook, etc.

# II. REQUIREMENTS

### A. Functional requirements

- 1) As a user, I want to be able to see what other users posted.
- 2) As a user, I want to be able post a text on the pinwall.
- 3) As a user, I want to see an error message when sending.
- 4) As a user, I want to see the same content, no matter which device I use.

- 5) As a user I want to be able to load the newest messages.
- 6) As a user I want to be sure my posts are saved, even if I lost my phone.
- 7) As a user I want feedback after posting to ensure it was successful.
- 8) As a user, I want to start the voting phase to clear every content on the board if I click the 'reset' button.
- 9) As a user, when the voting phase for 'reset' starts I want to receive notification asking if I agree to reset the board.
- 10) As a user, I want to receive a notification when the board is successfully cleared.
- 11) As a user, I want to choose the color of the memo I am going to post.
- 12) As a user, I want to delete the post I have uploaded when I want to.
- 13) As a user, I want to set a time limit on the post I upload. When the limit expires, the post is automatically deleted.
- 14) As a developer, I want to add further functionalities if necessary.
- 15) As a developer, I want tests to ensure the functionality is still provided after I changed the software.

# B. Non-functional requirements

- 1) **Performance**: Posts should be saved and loaded within half a second after initializing the process.
- 2) Scalability: The app should be able to handle up to 100 users wile staying in the set performance threshold.
- 3) **Responsiveness**: The app should adapt to screen sizes from 4-7 inches.

- 4) **Usability**: The functionality should be self-explanatory and not require any instruction to use it.
- 5) **Reliability**: The app should confirm visually if a task was done successfully.
- 6) **Security**: No security measures are planned at this point. Encryption is due to further development.
- 7) **Availability**: The app should be available 90% of the time, since this application is not critical.
- 8) Adoption to slow/no networks: The app should display cached data if there is no connection.

#### III. DEVELOPMENT ENVIRONMENT

## A. App development

1) IDE: Android Studio

We decided to use Android Studio for development, because it's the official development tool from google and it's the only way to program native Android apps. Also all the official Documentation is made for Android Studio.

## 2) Programming language: Kotlin / Java

Kotlin is the new preferred programming language from Google. Most of the official documentation is in Kotlin. The programming language feels more modern to us than java. It compiles to Java bitecode and can even be mixed with java code in case we will need that. It gives us the opportunity to get more experience on a programming language that will most likely be very relevant in the future.

3) **Development OS**: Ubuntu / Windows / MacOS Android Studio is officially supported for all three mentioned operating systems. We actually have all of those in use and work together cross-platform. So far this didn't cause any problems. We use MacOS 10.15, Windows 10 and Ubuntu 20.04.

## B. Backend

1) AWS: Amazon Web Services lambda

We see it as an opportunity to learn how to use a cloud environment. Our plan is to use AWS lambda for our backend. This way we don't have to worry about a physical hardware infrastructure and are still able to provide a server based service.

#### C. Collaboration

- 1) **Github**: Version Control and Collaboration of code. We use Sublime Merge as a Github desktop client.
- 2) Kakao Talk: Messenger to communicate among us.
- 3) **Overleaf**: It's a cloud based Latex-editor, so we can work together on the same document simultaneously.

#### D. Cost Estimation

## Software

- 1) Android Studio: Free
- 2) Kakao Talk: Free
- 3) Overleaf student subscription: 8 USD / Month
- 4) AWS: 100 credits free, which should be enough for our project.

#### Hardware

1) Our personal computers: Around 5'000'000 Won. But we need them anyways for school, so we do not calculate them in.

#### Working hours

1) Around five 8-hour working days per person. So around 20 working days in total. At a hypothetical 60'000 krw/hour total would be 9.6 Million Won.

**Total** The total would be 9.6 Million + 3 \* 9k (Overleaf \* 4 Months) = **9.627 Million Won** At this price we would probably not be very competitive in the market.

## IV. SPECIFICATIONS

## A. View Posts

As a user, I want to be able to see what other users posted

```
if Access Main Pinwall {
    show Uploaded Post in Time order
    if No Post exist yet {
        print "There's nothing here
        yet! Add something new!"
    }
}
```

# B. Add Posts

As a user, I want to be able post a text on the pinwall.

#### C. View Newest Post

As a user I want to be able to load the newest messages.

```
if Log-in
    print Latest 5 posts from top
        down
```

#### D. Save Post

As a user I want to be sure my posts are saved, even if I lost my phone.

```
if Register a message on the bulletin
    board.
    Store in cloud service.

if ID/PW matches.
    it can keep the contents of the
```

#### E. Feedback after posting

As a user I want feedback after posting to ensure it was successful.

post intact.

```
if The user writes on the post.
   if successfully registered.
      print ("Successfully
          registered with bulletin
          board.")

else
   print ("Failed to register with
        bulletin board.")
```

### F. Reset the bulletin board

As a user, I want to start the voting phase to clear every content on the board if I click the 'reset' button

#### G. Agree to Reset

As a user, when the voting phase for 'reset' starts I want to receive notification asking if I agree to reset the board.

```
if Click the reset button
  print( "Do you agree to reset the
      bulletin board? (Y/N) " )
  then Receive input from the user
  which Y or N.
```

# H. Notification for Reset successfully

As a user, I want to receive a notification when the board is successfully cleared.

```
Click reset button to receive input from user which Y or N.

if User Input is Y
ClearBoard() // Delete all content from the bulletin board.
print ("Bulletin board reset successful.")

if User Input is N
print ("Bulletin board reset fail ")
```

## I. Choose Color of Memos

As a user, I want to choose the color of the memo I am going to post.

## J. Delete Posts

As a user, I want to delete the post I have uploaded when I want to.

## K. Set a Time Limit

As a user, I want to set a time limit on the post I upload. When the limit expires, the post is automatically deleted.

# L. Add Further Functionalities

As a developer, I want to add further functionalities if necessary.

```
if developer wants to add further
  functionalities
    AddFurtherFunctionalities()
    TesttheFunctionality()
    if the functionality doesn't
        successfully added{
    print("Rewrite the code,
            something wrong with the
        functionality."
    }
    else
    exit TestFunctionality()
```

#### M. Tests

As a developer, I want tests to ensure the functionality is still provided after I changed the software.

This can be done by unit tests. However, based on experience testing the UI doesn't make a lot of sence, so we should focus on functionality tests such as the following example that is thesting the validity of an e-mail address.

```
if software changed
    TesttheFunctionality()
    if the functionality doesn't
        provided
        print("Something wrong
             with the functionality
             Rewrite the code!")
    else
        exit TesttheFunctionality
             ()
```

# N. Performance

Posts should be saved and loaded within half a second after initializing the process.

Cached content should be displayed first, so if the connection is slow it doesn't wait for connection until it displays something. To display the list itself in under half a second should not be a problem.

```
loadCachedData()
updateView()
loadFromNetwork()
updateView()
```

## O. Scalability

The app should be able to handle up to 100users wile staying in the set performance threshold.

This should not be a problem on the frontend but maybe on the backend. Using AWS for our backend should solve this problem already since we can add resources if needed. If we get to the limit, we could assist by loading only the necessary data, for example only newly added post and not the whole list.

```
loadNewPosts(int postNr) {
    for post in posts {
        if post.nr >= postNr {
            sendPost()
        }
    }
```

# P. Responsiveness

The app should adapt to screen sizes from 4-7 inches.

This can be achieved with constraint-layouts in Android Studio which allows to place items in relation to each other.

# Q. Usability

The functionality should be self-explanatory and not require any instruction to use it.

This can be achieved by naming buttons in a way that makes sense and place them in a natural way. Following Android guidelines also helps, because users are also used to the gestures from other apps. Also getting user feedback can help to achieve this.

## R. Reliability

The app should confirm visually if a task was done successfully

The best way to do this is probably not with pop-ups, but by displaying some kind of loading animation and updating the view after completion.

```
postContent() --> asynchronous
displayLoading()
callback --> updateView()
```

#### S. Security

No security measures are planned at this point. Encryption is due to further development.

We decided because security is not the simplest thing to implement and would be beyond the scope of this project. But in a real-life productive application, specially if it involves personal data, proper encryption is a must.

# T. Avialability

The app should be available 90% of the time, since this application is not critical.

No implementation necessary. Uptime can be calculated as follows:

```
Time of running service / Total aimed
  operation time.
```

#### U. Adoption to slow/no networks

The app should display cached data if there is no connection.

Also minimize network traffic can be helpful. The following article explains well how to achieve this in an android app. https://developer.android.com/training/efficient-downloads/redundant\_redundant

```
loadContent() {
    checkIfLoadingIsNecessary()
    if yes {
        loadFromNetwork()
    } else {
        loadCache()
    }
    updateView()
}
```