工程编号 <u>K043-2015-4</u> 孔 号 <u>ZFC1</u> 孔 深 <u>20.0m</u> 探头编号 <u>911</u> 测试日期 <u>0</u>

锥头面积 15cm2 标定系数 112kPa

| 深度 比贯入阻力 深度 比贯入阻力 深度 比贯入阻力 深度 比贯入阻力 (m) Ps(MPa) (m) Ps(MPa) 深度 (m) Ps(MPa) 深度 (m) Ps(MPa) 深度 (m) Ps(MPa) 比贯入阻力 Ps(MPa) (m) P | 深度 (m) | 比贯入阻力 Ps(MPa) |
|--|-----------|------------------|
| 0.2 1.46 5.2 0.47 10.2 0.52 15.2 0.64 0.3 3.36 5.3 0.44 10.3 0.50 15.3 0.70 0.4 4.30 5.4 0.40 10.4 0.48 15.4 0.69 0.5 3.73 5.5 0.38 10.5 0.49 15.5 0.66 | | |
| 0.3 3.36 5.3 0.44 10.3 0.50 15.3 0.70 0.4 4.30 5.4 0.40 10.4 0.48 15.4 0.69 0.5 3.73 5.5 0.38 10.5 0.49 15.5 0.66 | | |
| 0.3 3.36 5.3 0.44 10.3 0.50 15.3 0.70 0.4 4.30 5.4 0.40 10.4 0.48 15.4 0.69 0.5 3.73 5.5 0.38 10.5 0.49 15.5 0.66 | | |
| 0.5 3.73 5.5 0.38 10.5 0.49 15.5 0.66 | | |
| | | |
| | | |
| U.U 2.71 U.U U.S/ 10.0 U.SS 15.0 U.0/ | | |
| 0.7 1.96 5.7 0.34 10.7 0.57 15.7 0.67 | | |
| 0.8 1.21 5.8 0.33 10.8 0.56 15.8 0.71 | | |
| 0.9 1.33 5.9 0.35 10.9 0.51 15.9 0.73 | | |
| 1.0 1.06 6.0 0.38 11.0 0.52 16.0 0.70 | | |
| 1.1 1.00 6.1 0.40 11.1 0.51 16.1 0.72 | | |
| 1.2 0.71 6.2 0.40 11.2 0.54 16.2 0.76 | | |
| 1.3 | | |
| 1.4 | | |
| 1.5 0.56 6.5 0.36 11.5 0.53 16.5 0.73 | | |
| 1.6 0.95 6.6 0.41 11.6 0.49 16.6 0.73 | | |
| 1.7 0.98 6.7 0.36 11.7 0.50 16.7 0.74 | | |
| 1.8 0.93 6.8 0.42 11.8 0.51 16.8 0.72 | | |
| 1.9 | | |
| 2.0 1.26 7.0 0.60 12.0 0.52 17.0 0.82 | | |
| | | |
| | | |
| 2.2 1.30 7.2 0.47 12.2 0.57 17.2 0.76 | | |
| 2.3 0.65 7.3 0.46 12.3 0.61 17.3 0.79 | | |
| 2.4 0.61 7.4 0.38 12.4 0.65 17.4 0.81 | | |
| 2.5 0.82 7.5 0.39 12.5 0.62 17.5 0.80 | | |
| 2.6 1.28 7.6 0.35 12.6 0.57 17.6 0.79 2.7 1.27 0.56 1.27 0.56 1.27 0.36 | | |
| 2.7 1.51 7.7 0.56 12.7 0.56 17.7 0.86 | | |
| 2.8 1.20 7.8 0.58 12.8 0.58 17.8 0.81 | | |
| 2.9 1.25 7.9 0.43 12.9 0.59 17.9 0.78 | | |
| 3.0 1.17 8.0 0.51 13.0 0.60 18.0 0.78 | | |
| 3.1 1.12 8.1 0.52 13.1 0.61 18.1 0.83 | | |
| 3.2 1.01 8.2 0.39 13.2 0.62 18.2 0.80 | | |
| 3.3 0.90 8.3 0.41 13.3 0.60 18.3 0.81 | | |
| 3.4 0.79 8.4 0.44 13.4 0.59 18.4 0.85 | | |
| 3.5 0.84 8.5 0.42 13.5 0.61 18.5 0.82 | | |
| 3.6 0.82 8.6 0.48 13.6 0.68 18.6 0.80 | | |
| 3.7 0.85 8.7 0.49 13.7 0.72 18.7 0.81 | | |
| 3.8 0.76 8.8 0.47 13.8 0.65 18.8 0.94 | | |
| 3.9 0.71 8.9 0.45 13.9 0.61 18.9 1.09 | | |
| 4.0 0.66 9.0 0.51 14.0 0.63 19.0 1.03 | | |
| 4.1 0.64 9.1 0.53 14.1 0.62 19.1 0.88 | | |
| 4.2 0.62 9.2 0.56 14.2 0.62 19.2 0.90 | | |
| 4.3 0.67 9.3 0.52 14.3 0.67 19.3 0.96 | | |
| 4.4 0.61 9.4 0.48 14.4 0.71 19.4 1.53 | | |
| 4.5 0.59 9.5 0.47 14.5 0.70 19.5 3.35 | | |
| 4.6 0.62 9.6 0.50 14.6 0.66 19.6 2.84 | | |
| 4.7 0.61 9.7 0.50 14.7 0.73 19.7 2.89 | | |
| 4.8 0.56 9.8 0.51 14.8 0.80 19.8 4.58 | | |
| 4.9 0.49 9.9 0.49 14.9 0.75 19.9 7.62 | | |
| 5.0 0.46 10.0 0.53 15.0 0.68 20.0 10.58 | | |

工程编号 <u>K043-2015-4</u> 孔 号 <u>ZFC2</u> 孔 深 <u>20.0m</u> 探头编号 <u>911</u> 测试日期 <u>0</u>

| (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
|-----|------------------|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| 0.1 | 0.56 | 5.1 | 0.30 | 10.1 | 0.48 | 15.1 | 0.66 | | |
| 0.2 | 2.53 | 5.2 | 0.33 | 10.2 | 0.47 | 15.2 | 0.68 | | |
| 0.3 | 6.09 | 5.3 | 0.35 | 10.3 | 0.50 | 15.3 | 0.69 | | |
| 0.4 | 6.42 | 5.4 | 0.36 | 10.4 | 0.52 | 15.4 | 0.64 | | |
| 0.5 | 6.10 | 5.5 | 0.35 | 10.5 | 0.51 | 15.5 | 0.67 | | |
| 0.6 | 3.18 | 5.6 | 0.35 | 10.6 | 0.53 | 15.6 | 0.70 | | |
| 0.7 | 2.77 | 5.7 | 0.38 | 10.7 | 0.57 | 15.7 | 0.66 | | |
| 0.8 | 1.34 | 5.8 | 0.35 | 10.8 | 0.56 | 15.8 | 0.67 | | |
| 0.9 | 0.76 | 5.9 | 0.36 | 10.9 | 0.59 | 15.9 | 0.69 | | |
| 1.0 | 1.20 | 6.0 | 0.40 | 11.0 | 0.61 | 16.0 | 0.70 | | |
| 1.1 | 1.14 | 6.1 | 0.40 | 11.1 | 0.54 | 16.1 | 0.68 | | |
| 1.2 | 0.81 | 6.2 | 0.40 | 11.2 | 0.56 | 16.2 | 0.66 | | |
| 1.3 | 0.69 | 6.3 | 0.43 | 11.3 | 0.52 | 16.3 | 0.67 | | |
| 1.4 | 0.93 | 6.4 | 0.40 | 11.4 | 0.50 | 16.4 | 0.68 | | |
| 1.5 | 0.52 | 6.5 | 0.40 | 11.5 | 0.50 | 16.5 | 0.67 | | |
| 1.6 | 0.43 | 6.6 | 0.46 | 11.6 | 0.51 | 16.6 | 0.69 | | |
| 1.7 | 0.48 | 6.7 | 0.49 | 11.7 | 0.53 | 16.7 | 0.81 | | |
| 1.8 | 1.08 | 6.8 | 0.42 | 11.8 | 0.54 | 16.8 | 0.70 | | |
| 1.9 | 1.28 | 6.9 | 0.53 | 11.9 | 0.53 | 16.9 | 0.79 | | |
| 2.0 | 1.20 | 7.0 | 0.56 | 12.0 | 0.55 | 17.0 | 0.74 | | |
| 2.1 | 1.08 | 7.1 | 0.44 | 12.1 | 0.56 | 17.1 | 0.71 | | |
| 2.2 | 0.96 | 7.2 | 0.38 | 12.2 | 0.55 | 17.2 | 0.73 | | |
| 2.3 | 0.86 | 7.3 | 0.39 | 12.3 | 0.54 | 17.3 | 0.75 | | |
| 2.4 | 0.97 | 7.4 | 0.38 | 12.4 | 0.53 | 17.4 | 0.82 | | |
| 2.5 | 0.84 | 7.5 | 0.33 | 12.5 | 0.56 | 17.5 | 0.76 | | |
| 2.6 | 0.93 | 7.6 | 0.35 | 12.6 | 0.58 | 17.6 | 0.75 | | |
| 2.7 | 0.80 | 7.7 | 0.45 | 12.7 | 0.60 | 17.7 | 0.73 | | |
| 2.8 | 0.74 | 7.8 | 0.42 | 12.8 | 0.63 | 17.8 | 0.79 | | |
| 2.9 | 0.67 | 7.9 | 0.41 | 12.9 | 0.61 | 17.9 | 0.79 | | |
| 3.0 | 0.64 | 8.0 | 0.43 | 13.0 | 0.57 | 18.0 | 0.79 | | |
| 3.1 | 0.55 | 8.1 | 0.41 | 13.1 | 0.56 | 18.1 | 0.76 | | |
| 3.2 | 0.48 | 8.2 | 0.39 | 13.2 | 0.58 | 18.2 | 0.77 | | |
| 3.3 | 0.49 | 8.3 | 0.41 | 13.3 | 0.60 | 18.3 | 0.83 | | |
| 3.4 | 0.48 | 8.4 | 0.43 | 13.4 | 0.59 | 18.4 | 0.83 | | |
| 3.5 | 0.50 | 8.5 | 0.44 | 13.5 | 0.62 | 18.5 | 0.86 | | |
| 3.6 | 0.55 | 8.6 | 0.40 | 13.6 | 0.63 | 18.6 | 1.12 | | |
| 3.7 | 0.59 | 8.7 | 0.41 | 13.7 | 0.67 | 18.7 | 1.00 | | |
| 3.8 | 0.63 | 8.8 | 0.43 | 13.8 | 0.65 | 18.8 | 0.84 | | |
| 3.9 | 0.54 | 8.9 | 0.44 | 13.9 | 0.61 | 18.9 | 0.82 | | |
| 4.0 | 0.51 | 9.0 | 0.56 | 14.0 | 0.60 | 19.0 | 1.04 | | |
| 4.1 | 0.53 | 9.1 | 0.62 | 14.1 | 0.62 | 19.1 | 0.93 | | |
| 4.2 | 0.53 | 9.2 | 0.60 | 14.2 | 0.59 | 19.2 | 0.89 | | |
| 4.3 | 0.46 | 9.3 | 0.54 | 14.3 | 0.60 | 19.3 | 2.95 | | |
| 4.4 | 0.43 | 9.4 | 0.48 | 14.4 | 0.61 | 19.4 | 5.53 | | |
| 4.5 | 0.39 | 9.5 | 0.49 | 14.5 | 0.62 | 19.5 | 6.24 | | |
| 4.6 | 0.40 | 9.6 | 0.53 | 14.6 | 0.66 | 19.6 | 4.51 | | |
| 4.7 | 0.41 | 9.7 | 0.51 | 14.7 | 0.64 | 19.7 | 4.26 | | |
| 4.8 | 0.33 | 9.8 | 0.50 | 14.8 | 0.62 | 19.8 | 6.31 | | |
| 4.9 | 0.34 | 9.9 | 0.58 | 14.9 | 0.63 | 19.9 | 7.56 | | |
| 5.0 | 0.32 | 10.0 | 0.55 | 15.0 | 0.68 | 20.0 | 10.09 | | |

工程编号 <u>K043-2015-4</u> 孔 号 <u>ZFC3</u> 孔 深 <u>20.0m</u> 探头编号 <u>911</u> 测试日期 <u>0</u>

锥头面积 15cm2 标定系数 112kPa

| 一一一 | 1001112 | 10. VE 20. XX | | | | | | | |
|-----------|------------------|---------------|------------------|----------------|------------------|-----------|------------------|-----------|------------------|
| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
| 0.1 | 1.56 | 5.1 | 0.37 | 10.1 | 0.50 | 15.1 | 0.72 | | |
| 0.2 | 1.36 | 5.2 | 0.42 | 10.2 | 0.49 | 15.2 | 0.74 | | |
| 0.3 | 1.12 | 5.3 | 0.41 | 10.3 | 0.51 | 15.3 | 0.81 | | |
| 0.4 | 1.05 | 5.4 | 0.53 | 10.4 0.50 15.4 | | 15.4 | 0.90 | | |
| 0.5 | 0.67 | 5.5 | 0.67 | 10.5 | 0.52 | 15.5 | 0.73 | | |
| 0.6 | 0.59 | 5.6 | 0.61 | 10.6 | 0.52 | 15.6 | 0.77 | | |
| 0.7 | 0.56 | 5.7 | 0.42 | 10.7 | 0.56 | 15.7 | 0.75 | | |
| 0.8 | 0.72 | 5.8 | 0.48 | 10.8 | 0.57 | 15.8 | 0.71 | | |
| 0.9 | 1.15 | 5.9 | 0.45 | 10.9 | 0.53 | 15.9 | 0.68 | | |
| 1.0 | 1.86 | 6.0 | 0.36 | 11.0 | 0.54 | 16.0 | 0.69 | | |
| 1.1 | 1.52 | 6.1 | 0.35 | 11.1 | 0.52 | 16.1 | 0.70 | | |
| 1.2 | 1.03 | 6.2 | 0.39 | 11.2 | 0.56 | 16.2 | 0.72 | | |
| 1.3 | 1.21 | 6.3 | 0.42 | 11.3 | 0.55 | 16.3 | 0.76 | | |
| 1.4 | 1.35 | 6.4 | 0.40 | 11.4 | 0.56 | 16.4 | 0.73 | | |
| 1.5 | 1.16 | 6.5 | 0.41 | 11.5 | 0.55 | 16.5 | 0.81 | | |
| 1.6 | 0.91 | 6.6 | 0.43 | 11.6 | 0.58 | 16.6 | 0.78 | | |
| 1.7 | 0.97 | 6.7 | 0.42 | 11.7 | 0.62 | 16.7 | 0.76 | | |
| 1.8 | 0.93 | 6.8 | 0.40 | 11.8 | 0.60 | 16.8 | 0.72 | | |
| 1.9 | 0.86 | 6.9 | 0.38 | 11.9 | 0.59 | 16.9 | 0.74 | | |
| 2.0 | 0.80 | 7.0 | 0.37 | 12.0 | 0.57 | 17.0 | 0.93 | | |
| 2.1 | 0.69 | 7.1 | 0.41 | 12.1 | 0.60 | 17.1 | 0.79 | | |
| 2.2 | 0.72 | 7.2 | 0.39 | 12.2 | 0.63 | 17.2 | 1.24 | | |
| 2.3 | 0.76 | 7.3 | 0.43 | 12.3 | 0.68 | 17.3 | 1.68 | | |
| 2.4 | 0.65 | 7.4 | 0.44 | 12.4 | 0.72 | 17.4 | 6.53 | | |
| 2.5 | 0.60 | 7.5 | 0.58 | 12.5 | 0.76 | 17.5 | 10.25 | | |
| 2.6 | 0.58 | 7.6 | 0.62 | 12.6 | 0.67 | 17.6 | 10.79 | | |
| 2.7 | 0.61 | 7.7 | 0.53 | 12.7 | 0.62 | 17.7 | 9.43 | | |
| 2.8 | 0.62 | 7.8 | 0.47 | 12.8 | 0.65 | 17.8 | 8.86 | | |
| 2.9 | 0.55 | 7.9 | 0.45 | 12.9 | 0.63 | 17.9 | 11.25 | | |
| 3.0 | 0.49 | 8.0 | 0.50 | 13.0 | 0.64 | 18.0 | 13.51 | | |
| 3.1 | 0.51 | 8.1 | 0.42 | 13.1 | 0.66 | 18.1 | 12.47 | | |
| 3.2 | 0.50 | 8.2 | 0.39 | 13.2 | 0.61 | 18.2 | 13.06 | | |
| 3.3 | 0.48 | 8.3 | 0.40 | 13.3 | 0.68 | 18.3 | 13.86 | | |
| 3.4 | 0.44 | 8.4 | 0.41 | 13.4 | 0.72 | 18.4 | 11.02 | | |
| 3.5 | 0.53 | 8.5 | 0.44 | 13.5 | 0.70 | 18.5 | 7.62 | | |
| 3.6 | 0.61 | 8.6 | 0.46 | 13.6 | 0.66 | 18.6 | 3.02 | | |
| 3.7 | 0.60 | 8.7 | 0.48 | 13.7 | 0.65 | 18.7 | 1.15 | | |
| 3.8 | 0.55 | 8.8 | 0.47 | 13.8 | 0.69 | 18.8 | 1.26 | | |
| 3.9 | 0.49 | 8.9 | 0.46 | 13.9 | 0.68 | 18.9 | 0.86 | | |
| 4.0 | 0.46 | 9.0 | 0.49 | 14.0 | 0.71 | 19.0 | 2.05 | | |
| 4.1 | 0.42 | 9.1 | 0.52 | 14.1 | 0.73 | 19.1 | 1.31 | | |
| 4.2 | 0.38 | 9.2 | 0.50 | 14.2 | 0.78 | 19.2 | 0.86 | | |
| 4.3 | 0.40 | 9.3 | 0.48 | 14.3 | 1.52 | 19.3 | 0.79 | | |
| 4.4 | 0.43 | 9.4 | 0.47 | 14.4 | 1.12 | 19.4 | 0.81 | | |
| 4.5 | 0.46 | 9.5 | 0.53 | 14.5 | 2.01 | 19.5 | 0.85 | | |
| 4.6 | 0.52 | 9.6 | 0.57 | 14.6 | 1.33 | 19.6 | 0.92 | | |
| 4.7 | 0.50 | 9.7 | 0.61 | 14.7 | 0.85 | 19.7 | 1.22 | | |
| 4.8 | 0.41 | 9.8 | 0.56 | 14.8 | 0.76 | 19.8 | 1.05 | | |
| 4.9 | 0.36 | 9.9 | 0.52 | 14.9 | 0.71 | 19.9 | 0.88 | | |
| 5.0 | 0.38 | 10.0 | 0.53 | 15.0 | 0.69 | 20.0 | 0.83 | | |
| 河 法 | | | 有 核 | | | | | | |

工程编号 K043-2015-4 孔 号 ZFC4 ___ 孔 深 _20.0m ___ 探头编号 _911 ___ 测试日期 _0 ____

锥头面积 15cm2 标定系数 112kPa

| 深度 (m) | 比贯入阻力 Ps(MPa) |
|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| 0.1 | 0.56 | 5.1 | 0.40 | 10.1 | 0.52 | 15.1 | 0.68 | | |
| 0.2 | 0.78 | 5.2 | 0.38 | 10.2 | 0.59 | 15.2 | 0.67 | | |
| 0.3 | 1.43 | 5.3 | 0.36 | 10.3 | 0.64 | 15.3 | 0.68 | | |
| 0.4 | 1.26 | 5.4 | 0.39 | 10.4 | 0.61 | 15.4 | 0.69 | | |
| 0.5 | 0.95 | 5.5 | 0.38 | 10.5 | 0.62 | 15.5 | 0.72 | | |
| 0.6 | 0.90 | 5.6 | 0.39 | 10.6 | 0.60 | 15.6 | 0.86 | | |
| 0.7 | 0.67 | 5.7 | 0.41 | 10.7 | 0.56 | 15.7 | 0.91 | | |
| 0.8 | 0.78 | 5.8 | 0.42 | 10.8 | 0.57 | 15.8 | 0.90 | | |
| 0.9 | 2.02 | 5.9 | 0.42 | 10.9 | 0.54 | 15.9 | 0.74 | | |
| 1.0 | 1.43 | 6.0 | 0.55 | 11.0 | 0.56 | 16.0 | 0.75 | | |
| 1.1 | 1.05 | 6.1 | 0.60 | 11.1 | 0.53 | 16.1 | 0.69 | | |
| 1.2 | 1.16 | 6.2 | 0.61 | 11.2 | 0.55 | 16.2 | 0.68 | | |
| 1.3 | 1.27 | 6.3 | 0.43 | 11.3 | 0.58 | 16.3 | 0.72 | | |
| 1.4 | 1.43 | 6.4 | 0.38 | 11.4 | 0.56 | 16.4 | 0.73 | | |
| 1.5 | 1.18 | 6.5 | 0.41 | 11.5 | 0.55 | 16.5 | 0.70 | | |
| 1.6 | 1.00 | 6.6 | 0.42 | 11.6 | 0.59 | 16.6 | 0.71 | | |
| 1.7 | 0.92 | 6.7 | 0.44 | 11.7 | 0.61 | 16.7 | 0.75 | | |
| 1.8 | 0.88 | 6.8 | 0.51 | 11.8 | 0.61 | 16.8 | 0.78 | | |
| 1.9 | 0.91 | 6.9 | 0.53 | 11.9 | 0.57 | 16.9 | 0.93 | | |
| 2.0 | 0.96 | 7.0 | 0.48 | 12.0 | 0.55 | 17.0 | 1.68 | | |
| 2.1 | 0.93 | 7.1 | 0.50 | 12.1 | 0.58 | 17.1 | 4.95 | | |
| 2.2 | 0.79 | 7.2 | 0.57 | 12.2 | 0.60 | 17.2 | 5.35 | | |
| 2.3 | 0.70 | 7.3 | 0.76 | 12.3 | 0.59 | 17.3 | 8.86 | | |
| 2.4 | 0.68 | 7.4 | 0.62 | 12.4 | 0.58 | 17.4 | 10.24 | | |
| 2.5 | 0.62 | 7.5 | 0.43 | 12.5 | 0.94 | 17.5 | 10.56 | | |
| 2.6 | 0.51 | 7.6 | 0.40 | 12.6 | 0.70 | 17.6 | 9.24 | | |
| 2.7 | 0.43 | 7.7 | 0.41 | 12.7 | 0.63 | 17.7 | 11.75 | | |
| 2.8 | 0.42 | 7.8 | 0.40 | 12.8 | 0.65 | 17.8 | 14.62 | | |
| 2.9 | 0.51 | 7.9 | 0.42 | 12.9 | 0.61 | 17.9 | 13.02 | | |
| 3.0 | 0.67 | 8.0 | 0.46 | 13.0 | 0.60 | 18.0 | 12.68 | | |
| 3.1 | 0.60 | 8.1 | 0.44 | 13.1 | 0.62 | 18.1 | 14.13 | | |
| 3.2 | 0.55 | 8.2 | 0.43 | 13.2 | 0.66 | 18.2 | 13.52 | | |
| 3.3 | 0.52 | 8.3 | 0.45 | 13.3 | 0.65 | 18.3 | 9.68 | | |
| 3.4 | 0.48 | 8.4 | 0.51 | 13.4 | 0.62 | 18.4 | 6.02 | | |
| 3.5 | 0.50 | 8.5 | 0.49 | 13.5 | 0.68 | 18.5 | 8.43 | | |
| 3.6 | 0.53 | 8.6 | 0.52 | 13.6 | 0.72 | 18.6 | 4.20 | | |
| 3.7 | 0.49 | 8.7 | 0.56 | 13.7 | 0.76 | 18.7 | 2.02 | | |
| 3.8 | 0.48 | 8.8 | 0.60 | 13.8 | 0.77 | 18.8 | 0.96 | | |
| 3.9 | 0.45 | 8.9 | 0.54 | 13.9 | 0.69 | 18.9 | 0.91 | | |
| 4.0 | 0.40 | 9.0 | 0.49 | 14.0 | 0.70 | 19.0 | 0.86 | | |
| 4.1 | 0.38 | 9.1 | 0.48 | 14.1 | 0.65 | 19.1 | 2.51 | | |
| 4.2 | 0.36 | 9.2 | 0.52 | 14.2 | 0.63 | 19.2 | 1.13 | | |
| 4.3 | 0.36 | 9.3 | 0.53 | 14.3 | 1.62 | 19.3 | 0.85 | | |
| 4.4 | 0.40 | 9.4 | 0.55 | 14.4 | 2.12 | 19.4 | 0.79 | | |
| 4.5 | 0.39 | 9.5 | 0.51 | 14.5 | 1.25 | 19.5 | 0.83 | | |
| 4.6 | 0.37 | 9.6 | 0.56 | 14.6 | 0.73 | 19.6 | 0.99 | | |
| 4.7 | 0.42 | 9.7 | 0.57 | 14.7 | 0.81 | 19.7 | 1.21 | | |
| 4.8 | 0.44 | 9.8 | 0.55 | 14.8 | 0.76 | 19.8 | 0.88 | | |
| 4.9 | 0.51 | 9.9 | 0.50 | 14.9 | 0.70 | 19.9 | 0.92 | | |
| 5.0 | 0.46 | 10.0 | 0.48 | 15.0 | 0.66 | 20.0 | 0.90 | | |

工程编号 K043-2015-4 孔 号 ZFC5 ___ 孔 深 _55.0m ___ 探头编号 _911 ___ 测试日期 _0 ____

| 深度 | 比贯入阻力 | | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 |
|----------------|--------------|------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) |
| 0.1 | 0.56 | 5.1 | 0.40 | 10.1 | 0.60 | 15.1 | 1.37 | 20.1 | 4.35 |
| 0.2 | 0.60 | 5.2 | 0.41 | 10.2 | 0.55 | 15.2 | 0.92 | 20.2 | 2.63 |
| 0.3 | 1.08 | 5.3 | 0.36 | 10.3 | 0.54 | 15.3 | 0.82 | 20.3 | 0.92 |
| 0.4 | 1.79 | 5.4 | 0.37 | 10.4 | 0.55 | 15.4 | 1.19 | 20.4 | 0.71 |
| 0.5 | 1.66 | 5.5 | 0.54 | 10.5 | 0.52 | 15.5 | 0.88 | 20.5 | 0.77 |
| 0.6 | 1.51 | 5.6 | 0.50 | 10.6 | 0.51 | 15.6 | 0.67 | 20.6 | 0.78 |
| 0.7 | 1.74 | 5.7 | 0.49 | 10.7 | 0.52 | 15.7 | 0.69 | 20.7 | 0.77 |
| 0.8 | 1.44 | 5.8 | 0.33 | 10.8 | 0.55 | 15.8 | 0.69 | 20.8 | 0.79 |
| 0.9 | 1.43 | 5.9 | 0.53 | 10.9 | 0.53 | 15.9 | 0.77 | 20.9 | 0.81 |
| 1.0 | 1.27 | 6.0 | 0.44 | 11.0 | 0.63 | 16.0 | 0.77 | 21.0 | 0.81 |
| 1.1 | 1.09 | 6.1 | 0.41 | 11.1 | 0.71 | 16.1 | 0.70 | 21.1 | 0.76 |
| 1.2 | 0.86 | 6.2 | 0.40 | 11.2 | 0.67 | 16.2 | 0.67 | 21.2 | 0.71 |
| 1.3 | 0.69 | 6.3 | 0.44 | 11.3 | 0.59 | 16.3 | 0.70 | 21.3 | 0.75 |
| 1.4 | 0.45 | 6.4 | 0.40 | 11.4 | 0.65 | 16.4 | 0.70 | 21.4 | 0.77 |
| 1.5 | 0.44 | 6.5 | 0.40 | 11.5 | 0.64 | 16.5 | 1.29 | 21.5 | 0.77 |
| 1.6 | 0.45 | 6.6 | 0.42 | 11.6 | 0.63 | 16.6 | 1.76 | 21.6 | 0.81 |
| 1.7 | 0.49 | 6.7 | 0.44 | 11.7 | 0.62 | 16.7 | 4.36 | 21.7 | 0.84 |
| 1.8 | 0.54 | 6.8 | 0.48 | 11.8 | 0.58 | 16.8 | 5.97 | 21.8 | 0.85 |
| 1.9 | 0.65 | 6.9 | 0.54 | 11.9 | 0.56 | 16.9 | 8.61 | 21.9 | 0.86 |
| 2.0 | 0.61 | 7.0 | 0.62 | 12.0 | 0.53 | 17.0 | 11.76 | 22.0 | 0.87 |
| 2.1 | 0.58 | 7.1 | 0.52 | 12.1 | 0.56 | 17.1 | 12.71 | 22.1 | 0.86 |
| 2.2 | 1.39 | 7.2 | 0.49 | 12.2 | 0.58 | 17.2 | 9.48 | 22.2 | 0.84 |
| 2.3 | 0.91 | 7.3 | 0.43 | 12.3 | 0.60 | 17.3 | 13.67 | 22.3 | 0.83 |
| 2.4 | 0.51 | 7.4 | 0.41 | 12.4 | 0.60 | 17.4 | 12.88 | 22.4 | 0.82 |
| 2.5 | 0.42 | 7.5 | 0.41 | 12.5 | 0.62 | 17.5 | 11.41 | 22.5 | 0.84 |
| 2.6 | 0.37 | 7.6 | 0.41 | 12.6 | 0.62 | 17.6 | 12.00 | 22.6 | 0.86 |
| 2.7 | 0.36 | 7.7 | 0.45 | 12.7 | 0.61 | 17.7 | 13.71 | 22.7 | 0.90 |
| 2.8 | 0.38 | 7.8 | 0.44 | 12.8 | 0.61 | 17.8 | 14.72 | 22.8 | 0.93 |
| 2.9 | 0.42 | 7.9 | 0.44 | 12.9 | 0.63 | 17.9 | 14.86 | 22.9 | 0.91 |
| 3.0 | 0.45 | 8.0 | 0.56 | 13.0 | 0.61 | 18.0 | 13.82 | 23.0 | 0.92 |
| 3.1 | 0.49 | 8.1 | 0.62 | 13.1 | 0.60 | 18.1 | 7.44 | 23.1 | 0.89 |
| 3.2 | 0.57 | 8.2 | 0.60 | 13.2 | 0.62 | 18.2 | 2.59 | 23.2 | 0.88 |
| 3.3 | 0.43 | 8.3 | 0.54 | 13.3 | 0.73 | 18.3 | 0.87 | 23.3 | 0.91 |
| 3.4 | 0.63 | 8.4 | 0.51 | 13.4 | 0.80 | 18.4 | 0.86 | 23.4 | 0.95 |
| 3.5 | 0.49 | 8.5 | 0.48 | 13.5 | 0.75 | 18.5 | 0.82 | 23.5 | 0.93 |
| 3.6 | 0.43 | 8.6 | 0.47 | 13.6 | 0.68 | 18.6 | 1.14 | 23.6 | 0.98 |
| 3.7 | 0.40 | 8.7 | 0.50 | 13.7 | 0.65 | 18.7 | 0.99 | 23.7 | 1.46 |
| 3.8 | 0.43 | 8.8 | 0.49 | 13.8 | 0.71 | 18.8 | 1.14 | 23.8 | 1.12 |
| 3.9 | 0.51 | 8.9 | 0.52 | 13.9 | 0.74 | 18.9 | 1.56 | 23.9 | 1.06 |
| 4.0 | 0.46 | 9.0 | 0.56 0.51 | 14.0 | 0.75 | 19.0 | 2.06 | 24.0 | 1.34 |
| 4.1 4.2 | 0.44 0.41 | 9.1 9.2 | 0.51 | 14.1 14.2 | 0.66 0.64 | 19.1 19.2 | 1.53 1.24 | 24.1 24.2 | 1.89 1.42 |
| 4.2 | 0.41 | 9.2 9.3 | 0.51 | 14.2 | 0.64 | 19.2 19.3 | 0.99 | 24.2 | 1.42 |
| 4.3 | 0.57 | 9.3 9.4 | 0.52 | 14.3 14.4 | 0.64 | 19.3 19.4 | 1.05 | 24.3 24.4 | 1.09 |
| 4.4 | 0.31 | 9.4 9.5 | 0.55 | 14.4 | 0.62 | 19.4 | 1.03 | 24.4 | 1.09 |
| 4.5 | 0.32 | 9.5 9.6 | 0.53 | 14.5 | 0.66 | 19.5 | 2.83 | 24.5 | 1.17 |
| 4.0 | 0.36 | 9.0 | 0.52 | 14.0 | 0.00 | 19.0 | 3.16 | 24.0 | 1.36 |
| 4.7 | 0.37 | 9.7 | 0.54 | 14.7 | 0.75 | 19.7 | 1.30 | 24.7 | 1.30 |
| 4.8 | 0.38 | 9.9 | 0.54 | 14.8 | 0.73 | 19.8 | 2.22 | 24.8 | 1.41 |
| 5.0 | 0.40 | 10.0 | 0.62 | 15.0 | 2.06 | 20.0 | 2.18 | 25.0 | 1.13 |
| 2.U 2ml 2-4 | 0.37 | 10.0 | 0.02 = +* | 13.0 | 2.00 | 20.0 | ۷.10 | 23.0 | 1.12 |

工程编号 <u>K043-2015-4</u> 孔 号 <u>ZFC5</u> 孔 深 <u>55.0m</u> 探头编号 <u>911</u> 测试日期 <u>0</u>

锥头面积 15cm2 标定系数 112kPa

| | | 10.VEX.XX | | | | | | | |
|-----------|------------------|-----------|------------------|--------------|------------------|--------------|------------------|--------------|------------------|
| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
| 25.1 | 1.25 | 30.1 | 1.13 | 35.1 | 1.52 | 40.1 | 1.92 | 45.1 | 8.89 |
| 25.2 | 1.10 | 30.2 | 1.61 | 35.2 | 1.31 | 40.2 | 1.84 | 45.2 | 12.26 |
| 25.3 | 1.07 | 30.3 | 1.39 | 35.3 | 1.28 | 40.3 | 1.80 | 45.3 | 12.85 |
| 25.4 | 1.16 | 30.4 | 1.05 | 35.4 | 1.28 | 40.4 | 1.83 | 45.4 | 13.37 |
| 25.5 | 1.53 | 30.5 | 1.39 | 35.5 | 1.26 | 40.5 | 1.85 | 45.5 | 16.26 |
| 25.6 | 1.24 | 30.6 | 1.58 | 35.6 | 1.21 | 40.6 | 1.96 | 45.6 | 18.95 |
| 25.7 | 1.69 | 30.7 | 1.19 | 35.7 | 1.45 | 40.7 | 2.10 | 45.7 | 19.42 |
| 25.8 | 2.47 | 30.8 | 1.24 | 35.8 | 1.26 | 40.8 | 1.93 | 45.8 | 17.05 |
| 25.9 | 2.12 | 30.9 | 1.98 | 35.9 | 1.20 | 40.9 | 1.95 | 45.9 | 14.10 |
| 26.0 | 1.88 | 31.0 | 1.65 | 36.0 | 1.22 | 41.0 | 1.86 | 46.0 | 16.85 |
| 26.1 | 2.58 | 31.1 | 1.47 | 36.1 | 1.28 | 41.1 | 1.80 | 46.1 | 16.12 |
| 26.2 | 4.23 | 31.2 | 1.23 | 36.2 | 1.31 | 41.2 | 1.75 | 46.2 | 15.50 |
| 26.3 | 6.79 | 31.3 | 1.44 | 36.3 | 1.43 | 41.3 | 1.69 | 46.3 | 13.02 |
| 26.4 | 4.22 | 31.4 | 1.26 | 36.4 | 1.52 | 41.4 | 1.62 | 46.4 | 11.76 |
| 26.5 | 3.74 | 31.5 | 1.17 | 36.5 | 1.34 | 41.5 | 2.35 | 46.5 | 14.96 |
| 26.6 | 2.51 | 31.6 | 1.17 | 36.6 | 1.34 | 41.6 | 2.67 | 46.6 | 14.20 |
| 26.7 | 5.63 | 31.7 | 1.56 | 36.7 | 1.38 | 41.7 | 3.53 | 46.7 | 13.51 |
| 26.7 | 6.87 | 31.7 | 1.30 | 36.8 | 1.41 | 41.7 | 3.33 | 46.7 | 15.23 |
| 26.8 | 3.78 | 31.6 | 1.32 | 36.9 | 1.39 | 41.8 | 3.12 | 46.8 46.9 | 12.20 |
| 27.0 | 2.13 | 32.0 | 1.26 | 37.0 | 1.40 | 42.0 | 4.68 | 40.9 | 9.68 |
| 27.0 | 1.96 | 32.0 | 1.21 | 37.0 | 1.40 | 42.0 | 6.23 | 47.0 47.1 | 7.43 |
| 27.1 | 2.42 | 32.1 | | 37.1 | 1.41 | 42.1 | 5.58 | 47.1 | 12.95 |
| | 2.42 | 32.2 | 1.15 1.30 | 37.2 37.3 | | | | | |
| 27.3 | 2.55 1.80 | 32.3 | | 37.3 37.4 | 1.52 | 42.3 42.4 | 5.21 3.48 | 47.3 | 11.57 |
| 27.4 | 1.57 | 32.4 | 1.45 | 37.4 37.5 | 1.50 1.42 | 42.4 42.5 | | 47.4 47.5 | 14.43 17.75 |
| 27.5 | | | 1.23 | | | | 4.46 | | |
| 27.6 | 1.42 | 32.6 | 1.20 | 37.6 | 1.36 | 42.6 | 4.15 | 47.6 | 20.95 |
| 27.7 | 1.80 | 32.7 | 1.23 | 37.7 | 1.34 | 42.7 | 5.89 | 47.7 | 21.42 |
| 27.8 | 1.36 | 32.8 | 1.33 | 37.8 | 1.29 | 42.8 | 7.23 | 47.8 | 22.15 |
| 27.9 | 1.48 | 32.9 | 1.33 | 37.9 | 1.51 | 42.9 | 8.96 | 47.9 | 18.86 |
| 28.0 | 1.36 | 33.0 | 1.17 | 38.0 | 1.44 | 43.0 | 6.42 | 48.0 | 21.35 |
| 28.1 | 1.26 | 33.1 | 1.37 | 38.1 | 1.40 | 43.1 | 6.68 | 48.1 | 20.45 |
| 28.2 | 1.26 | 33.2 | 1.84 | 38.2 | 1.37 | 43.2 | 7.02 | 48.2 | 22.89 |
| 28.3 | 1.26 | 33.3 | 1.29 | 38.3 | 1.35 | 43.3 | 10.35 | 48.3 | 24.96 |
| 28.4 | 1.15 | 33.4 | 1.23 | 38.4 | 1.42 | 43.4 | 10.62 | 48.4 | 27.13 |
| 28.5 | 1.24 | 33.5 | 1.92 | 38.5 | 1.55 | 43.5 | 9.24 | 48.5 | 25.35 |
| 28.6 | 1.24 | 33.6 | 1.68 | 38.6 | 1.51 | 43.6 | 6.42 | 48.6 | 25.81 |
| 28.7 | 1.22 | 33.7 | 1.24 | 38.7 | 1.68 | 43.7 | 3.11 | 48.7 | 23.02 |
| 28.8 | 1.42 | 33.8 | 1.43 | 38.8 | 1.82 | 43.8 | 3.97 | 48.8 | 20.16 |
| 28.9 | 1.12 | 33.9 | 1.31 | 38.9 | 1.79 | 43.9 | 4.20 | 48.9 | 21.94 |
| 29.0 | 1.18 | 34.0 | 1.34 | 39.0 | 1.85 | 44.0 | 3.41 | 49.0 | 21.46 |
| 29.1 | 1.15 | 34.1 | 1.21 | 39.1 | 1.92 | 44.1 | 3.45 | 49.1 | 19.31 |
| 29.2 | 1.24 | 34.2 | 1.28 | 39.2 | 1.87 | 44.2 | 4.96 | 49.2 | 22.87 |
| 29.3 | 1.21 | 34.3 | 1.31 | 39.3 | 1.83 | 44.3 | 11.15 | 49.3 | 25.13 |
| 29.4 | 1.55 | 34.4 | 1.37 | 39.4 | 2.02 | 44.4 | 13.35 | 49.4 | 21.06 |
| 29.5 | 1.42 | 34.5 | 1.36 | 39.5 | 2.16 | 44.5 | 12.02 | 49.5 | 21.43 |
| 29.6 | 1.28 | 34.6 | 1.72 | 39.6 | 2.11 | 44.6 | 5.62 | 49.6 | 21.84 |
| 29.7 | 1.31 | 34.7 | 1.43 | 39.7 | 1.98 | 44.7 | 3.75 | 49.7 | 24.62 |
| 29.8 | 1.37 | 34.8 | 1.35 | 39.8 | 2.05 | 44.8 | 4.97 | 49.8 | 22.20 |
| 29.9 | 1.22 | 34.9 | 1.22 | 39.9 | 2.00 | 44.9 | 4.56 | 49.9 | 19.62 |
| 30.0 | 1.24 | 35.0 | 1.21 | 40.0 | 1.96 | 45.0 | 6.35 | 50.0 | 18.89 |

工程编号 K043-2015-4 孔 号 ZFC5 孔 深 55.0m 探头编号 911 测试日期 0

| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
|--------------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| 50.1 | 22.68 | ` ' | | | , , | ` , | , , | ` ' | , , |
| 50.1 | 24.85 | | | | | | | | |
| 50.2 | 26.03 | | | | | | | | |
| 50.3 | 22.38 | | | | | | | | |
| 50.4 | 24.71 | | | | | | | | |
| 50.6 | 23.30 | | | | | | | | |
| 50.7 | | | | | | | | | |
| | 21.06 | | | | | | | | |
| 50.8 50.9 | 20.45 21.69 | | | | | | | | |
| 51.0 | 21.09 | | | | | | | | |
| | | | | | | | | | |
| 51.1 | 23.76 | | | | | | | | |
| 51.2 | 20.26 | | | | | | | | |
| 51.3 51.4 | 18.51 13.20 | | | | | | | | |
| 51.4 | 9.48 | | | | | | | | |
| 51.6 | 16.68 | | | | | | | | |
| 51.0 | 19.43 | | | | | | | | |
| 51.7 | 15.52 | | | | | | | | |
| | | | | | | | | | |
| 51.9 | 12.02 | | | | | | | | |
| 52.0 | 9.57 | | | | | | | | |
| 52.1 | 5.20 | | | | | | | | |
| 52.2 | 4.76 | | | | | | | | |
| 52.3 | 8.83 | | | | | | | | |
| 52.4 | 15.95 | | | | | | | | |
| 52.5 | 13.16 | | | | | | | | |
| 52.6 52.7 | 14.45 14.97 | | | | | | | | |
| 52.7 | 18.86 | | | | | | | | |
| 52.8 | 22.57 | | | | | | | | |
| 53.0 | 20.15 | | | | | | | | |
| 53.0 | 21.26 | | | | | | | | |
| 53.1 | 25.95 | | | | | | | | |
| 53.2 | 27.48 | | | | | | | | |
| 53.4 | 26.13 | | | | | | | | |
| 53.5 | 26.50 | | | | | | | | |
| 53.6 | 23.30 | | | | | | | | |
| 53.7 | 20.25 | | | | | | | | |
| 53.7 | 19.57 | | | | | | | | |
| 53.9 | 22.84 | | | | | | | | |
| 54.0 | 21.13 | | | | | | | | |
| 54.1 | 24.91 | | | | | | | | |
| 54.2 | 23.30 | | | | | | | | |
| 54.3 | 18.62 | | | | | | | | |
| 54.4 | 16.42 | | | | | | | | |
| 54.5 | 15.97 | | | | | | | | |
| 54.6 | 20.91 | | | | | | | | |
| 54.7 | 22.48 | | | | | | | | |
| 54.8 | 19.95 | | | | | | | | |
| 54.9 | 20.57 | | | | | | | | |
| 55.0 | 24.63 | | | | | | | | |
| ·加 计 | | | 有 校 | | ' | | | | |

| 测 | 试 | 复 | 核 | |
|---|---|---|---|--|
| | | | | |

工程编号 K043-2015-4 孔 号 ZFC6 ___ 孔 深 _55.0m ___ 探头编号 _911 ___ 测试日期 _0 ____

锥头面积 15cm2 标定系数 112kPa

| 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 |
|----------------------------|--------------|------------|----------------|--------------|--------------|--------------|--------------|--------------|--------------|
| (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) |
| 0.1 | 0.57 | 5.1 | 0.39 | 10.1 | 0.52 | 15.1 | 0.68 | 20.1 | 1.05 |
| 0.2 | 1.13 | 5.2 | 0.38 | 10.2 | 0.57 | 15.2 | 0.72 | 20.2 | 1.43 |
| 0.3 | 1.70 | 5.3 | 0.41 | 10.3 | 0.59 | 15.3 | 0.71 | 20.3 | 1.52 |
| 0.4 | 1.38 | 5.4 | 0.42 | 10.4 | 0.61 | 15.4 | 1.23 | 20.4 | 1.11 |
| 0.5 | 1.24 | 5.5 | 0.40 | 10.5 | 0.55 | 15.5 | 0.86 | 20.5 | 0.95 |
| 0.6 | 1.12 | 5.6 | 0.52 | 10.6 | 0.51 | 15.6 | 0.72 | 20.6 | 0.87 |
| 0.7 | 0.81 | 5.7 | 0.56 | 10.7 | 0.52 | 15.7 | 0.96 | 20.7 | 0.84 |
| 0.8 | 0.83 | 5.8 | 0.61 | 10.8 | 0.50 | 15.8 | 0.78 | 20.8 | 1.35 |
| 0.9 | 0.72 | 5.9 | 0.49 | 10.9 | 0.56 | 15.9 | 0.75 | 20.9 | 1.06 |
| 1.0 | 1.37 | 6.0 | 0.50 | 11.0 | 0.57 | 16.0 | 0.72 | 21.0 | 0.88 |
| 1.1 | 1.05 | 6.1 | 0.42 | 11.1 | 0.55 | 16.1 | 0.74 | 21.1 | 0.82 |
| 1.2 | 0.74 | 6.2 | 0.38 | 11.2 | 0.56 | 16.2 | 1.03 | 21.2 | 0.79 |
| 1.3 | 0.71 | 6.3 | 0.37 | 11.3 | 0.58 | 16.3 | 1.56 | 21.3 | 0.81 |
| 1.4 | 1.94 | 6.4 | 0.62 | 11.4 | 0.60 | 16.4 | 5.68 | 21.4 | 0.85 |
| 1.5 | 4.03 | 6.5 | 0.75 | 11.5 | 0.61 | 16.5 | 6.42 | 21.5 | 0.86 |
| 1.6 | 2.31 | 6.6 | 0.52 | 11.6 | 0.59 | 16.6 | 6.11 | 21.6 | 0.84 |
| 1.7 | 1.52 | 6.7 | 0.46 | 11.7 | 0.57 | 16.7 | 4.95 | 21.7 | 0.88 |
| 1.8 | 1.31 | 6.8 | 0.39 | 11.8 | 0.61 | 16.8 | 7.23 | 21.8 | 0.90 |
| 1.9 | 1.36 | 6.9 | 0.40 | 11.9 | 0.65 | 16.9 | 10.15 | 21.9 | 0.87 |
| 2.0 | 1.40 | 7.0 | 0.42 | 12.0 | 0.70 | 17.0 | 10.68 | 22.0 | 0.85 |
| 2.1 | 1.16 | 7.1 | 0.41 | 12.1 | 0.63 | 17.1 | 12.95 | 22.1 | 0.89 |
| 2.2 | 0.99 | 7.2 | 0.38 | 12.2 | 0.61 | 17.2 | 13.12 | 22.2 | 0.92 |
| 2.3 | 1.02 | 7.3 | 0.43 | 12.3 | 0.65 | 17.3 | 11.61 | 22.3 | 0.91 |
| 2.4 | 1.10 | 7.4 | 0.45 | 12.4 | 0.62 | 17.4 | 12.55 | 22.4 | 0.88 |
| 2.5 | 0.95 | 7.5 | 0.54 | 12.5 | 0.59 | 17.5 | 11.86 | 22.5 | 0.90 |
| 2.6 | 0.83 | 7.6 | 0.51 | 12.6 | 0.59 | 17.6 | 10.03 | 22.6 | 0.93 |
| 2.7 | 0.69 | 7.7 | 0.44 | 12.7 | 0.61 | 17.7 | 7.52 | 22.7 | 0.97 |
| 2.8 | 0.64 | 7.8 | 0.45 | 12.8 | 0.66 | 17.8 | 4.12 | 22.8 | 1.02 |
| 2.9 | 0.71 | 7.9 | 0.42 | 12.9 | 0.64 | 17.9 | 10.46 | 22.9 | 0.99 |
| 3.0 | 0.77 | 8.0 | 0.40 | 13.0 | 0.62 | 18.0 | 11.05 | 23.0 | 0.95 |
| 3.1 | 0.81 | 8.1 | 0.41 | 13.1 | 0.70 | 18.1 | 8.35 | 23.1 | 1.00 |
| 3.2 | 0.64 | 8.2 | 0.43 | 13.2 | 0.72 | 18.2 | 5.20 | 23.2 | 0.98 |
| 3.3 | 0.59 | 8.3 | 0.42 | 13.3 | 0.69 | 18.3 | 1.43 | 23.3 | 1.01 |
| 3.4 | 0.62 | 8.4 | 0.64 | 13.4 | 0.64 | 18.4 | 0.85 | 23.4 | 1.06 |
| 3.5 | 0.60 | 8.5 | 0.60 | 13.5 | 0.71 | 18.5 | 0.92 | 23.5 | 1.04 |
| 3.6 | 0.55 | 8.6 | 0.53 | 13.6 | 0.73 | 18.6 | 0.90 | 23.6 | 1.12 |
| 3.7 | 0.51 | 8.7 | 0.49 | 13.7 | 0.76 | 18.7 | 0.84 | 23.7 | 1.20 |
| 3.8 | 0.53 | 8.8 | 0.51 | 13.8 | 0.81 | 18.8 | 1.24 | 23.8 | 1.15 |
| 3.9 | 0.48 | 8.9 | 0.52 | 13.9 | 0.69 | 18.9 | 1.56 | 23.9 | 1.13 |
| 4.0 | 0.45 | 9.0 | 0.50 | 14.0 | 0.67 | 19.0 | 1.10 | 24.0 | 1.11 |
| 4.1 | 0.40 | 9.1 | 0.51 | 14.1 | 0.72 | 19.1 | 2.35 | 24.1 | 1.06 |
| 4.2 | 0.38 | 9.2 | 0.48 0.49 | 14.2 | 0.71 | 19.2 | 3.62 | 24.2 | 1.08 |
| 4.3 4.4 | 0.36 | 9.3 9.4 | | 14.3 | 1.43 | 19.3 19.4 | 1.45 | 24.3 | 1.09 |
| 4.4 4.5 | 0.42 0.55 | 9.4 9.5 | 0.55 0.57 | 14.4 14.5 | 0.96 1.12 | 19.4 19.5 | 1.59 1.12 | 24.4 24.5 | 1.16 1.53 |
| 4.5 4.6 | 0.55 | 9.5 9.6 | 0.57 | 14.5 14.6 | 0.77 | 19.5 19.6 | 2.38 | 24.5 24.6 | 1.55 |
| 4.6 4.7 | 0.61 | 9.6 9.7 | 0.56 | 14.6 14.7 | 0.77 | 19.6 19.7 | 1.62 | 24.6 24.7 | 1.24 |
| 4.7 | 0.49 | 9.7 9.8 | 0.52 | 14.7 | 0.81 | 19.7 | 0.95 | 24.7 | 1.18 |
| 4.8 | 0.30 | 9.8 9.9 | 0.55 | 14.8 | 0.73 | 19.8 | 0.93 | 24.8 | 1.26 |
| 5.0 | 0.43 | 10.0 | 0.53 | 15.0 | 0.70 | 20.0 | 1.75 | 25.0 | 1.20 |
| 3.U 2ml 2 -1 | 0.30 | 10.0 | (U.33 (E +* | 13.0 | 0.09 | ۷٠.0 | 1./3 | 23.0 | 1.20 |

工程编号 K043-2015-4 孔 号 ZFC6 ___ 孔 深 _55.0m ___ 探头编号 _911 ___ 测试日期 _0 ____

锥头面积 15cm2 标定系数 112kPa

| | | | | | | | | ı | |
|--------------|--------------|--------------|--------------|--------------|--------------|--------------|----------------|--------------|----------------|
| 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 |
| (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) |
| 25.1 | 1.15 | 30.1 | 1.43 | 35.1 | 1.51 | 40.1 | 2.12 | 45.1 | 4.34 |
| 25.2 | 1.67 | 30.2 | 1.55 | 35.2 | 1.52 | 40.2 | 2.09 | 45.2 | 3.57 |
| 25.3 | 1.23 | 30.3 | 1.28 | 35.3 | 1.33 | 40.3 | 2.10 | 45.3 | 6.69 |
| 25.4 | 1.21 | 30.4 | 2.06 | 35.4 | 1.38 | 40.4 | 2.15 | 45.4 | 11.58 |
| 25.5 | 1.15 | 30.5 | 1.37 | 35.5 | 1.40 | 40.5 | 2.04 | 45.5 | 12.25 |
| 25.6 | 1.43 | 30.6 | 1.41 | 35.6 | 1.32 | 40.6 | 1.99 | 45.6 | 14.76 |
| 25.7 | 1.67 | 30.7 | 1.25 | 35.7 | 1.27 | 40.7 | 1.94 | 45.7 | 15.68 |
| 25.8 | 1.52 | 30.8 | 1.21 | 35.8 | 1.24 | 40.8 | 1.95 | 45.8 | 16.52 |
| 25.9 | 1.29 | 30.9 | 1.19 | 35.9 | 1.29 | 40.9 | 1.87 | 45.9 | 18.95 |
| 26.0 | 2.57 | 31.0 | 1.81 | 36.0 | 1.32 | 41.0 | 1.82 | 46.0 | 18.13 |
| 26.1 | 3.41 | 31.1 | 1.46 | 36.1 | 1.34 | 41.1 | 1.86 | 46.1 | 15.06 |
| 26.2 | 5.96 | 31.2 | 1.29 | 36.2 | 1.36 | 41.2 | 1.83 | 46.2 | 14.23 |
| 26.3 | 6.24 | 31.3 | 1.31 | 36.3 | 1.28 | 41.3 | 1.80 | 46.3 | 11.58 |
| 26.4 | 4.43 | 31.4 | 1.32 | 36.4 | 1.31 | 41.4 | 1.72 | 46.4 | 13.96 |
| 26.5 | 2.57 | 31.5 | 1.30 | 36.5 | 1.33 | 41.5 | 1.68 | 46.5 | 12.75 |
| 26.6 | 3.86 | 31.6 | 1.25 | 36.6 | 1.81 | 41.6 | 1.62 | 46.6 | 13.26 |
| 26.7 | 3.51 | 31.7 | 1.22 | 36.7 | 1.42 | 41.7 | 2.35 | 46.7 | 15.95 |
| 26.8 | 4.67 | 31.8 | 1.23 | 36.8 | 1.66 | 41.8 | 5.56 | 46.8 | 14.20 |
| 26.9 | 2.21 | 31.9 | 1.18 | 36.9 | 1.40 | 41.9 | 5.91 | 46.9 | 11.13 |
| 27.0 | 1.35 | 32.0 | 1.15 | 37.0 | 1.36 | 42.0 | 6.42 | 47.0 | 7.05 |
| 27.1 | 1.86 | 32.1 | 1.46 | 37.1 | 1.32 | 42.1 | 8.95 | 47.1 | 6.49 |
| 27.2 | 1.52 | 32.2 | 1.52 | 37.2 | 1.30 | 42.2 | 8.57 | 47.2 | 9.93 |
| 27.3 | 1.46 | 32.3 | 1.26 | 37.3 | 1.52 | 42.3 | 10.69 | 47.3 | 12.51 |
| 27.4 | 1.94 | 32.4 | 1.21 | 37.4 | 1.43 | 42.4 | 11.12 | 47.4 | 10.87 |
| 27.5 | 1.62 | 32.5 | 1.23 | 37.5 | 1.39 | 42.5 | 10.57 | 47.5 | 11.43 |
| 27.6 | 1.18 | 32.6 | 1.20 | 37.6 | 1.36 | 42.6 | 9.20 | 47.6 | 14.96 |
| 27.7 | 1.13 | 32.7 | 1.19 | 37.7 | 1.32 | 42.7 | 8.84 | 47.7 | 18.85 |
| 27.8 | 1.25 | 32.8 | 1.22 | 37.8 | 1.29 | 42.8 | 10.32 | 47.8 | 20.64 |
| 27.9 | 1.21 | 32.9 | 1.28 | 37.9 | 1.33 | 42.9 | 9.11 | 47.9 | 20.95 |
| 28.0 | 1.67 | 33.0 | 1.24 | 38.0 | 1.27 | 43.0 | 7.52 | 48.0 | 21.22 |
| 28.1 | 1.18 | 33.1 | 1.68 | 38.1 | 1.31 | 43.1 | 4.46 | 48.1 | 18.34 |
| 28.2 | 1.42 | 33.2 | 2.12 | 38.2 | 1.34 | 43.2 | 8.29 | 48.2 | 21.15 |
| 28.3 | 1.51 | 33.3 | 1.53 | 38.3 | 1.35 | 43.3 | 6.68 | 48.3 | 24.68 |
| 28.4 | 1.22 | 33.4 | 1.38 | 38.4 | 1.40 | 43.4 | 6.51 | 48.4 | 27.13 |
| 28.5 | 1.20 | 33.5 | 1.52 | 38.5 | 1.44 | 43.5 | 7.42 | 48.5 | 25.20 |
| 28.6 | 1.37 | 33.6 | 1.29 | 38.6 | 1.46 | 43.6 | 11.15 | 48.6 | 25.56 |
| 28.7 | 1.89 | 33.7 | 1.31 | 38.7 | 1.55 | 43.7 | 11.86 | 48.7 | 22.71 |
| 28.8 28.9 | 1.42 1.39 | 33.8 33.9 | 1.30 1.27 | 38.8 38.9 | 1.62 1.68 | 43.8 43.9 | 12.61 10.48 | 48.8 48.9 | 21.13 24.85 |
| 28.9 | 1.39 | 33.9 34.0 | 1.27 | 38.9 39.0 | 1.80 | 43.9 44.0 | 10.48 | 48.9 49.0 | 24.83 |
| 29.0 | 1.30 | 34.0 | 1.25 | 39.0 39.1 | 1.85 | 44.0 44.1 | 9.51 | 49.0 49.1 | 18.68 |
| 29.1 | 1.17 | 34.1 | 1.30 | 39.1 | 1.89 | 44.1 | 5.25 | 49.1 | 17.95 |
| 29.2 | 1.13 | 34.2 | 1.38 | 39.2 | 1.87 | 44.2 | 4.96 | 49.2 | 20.35 |
| 29.3 | 1.24 | 34.4 | 1.38 | 39.3 | 1.82 | 44.4 | 7.79 | 49.3 | 23.69 |
| 29.5 | 1.20 | 34.5 | 1.25 | 39.5 | 1.79 | 44.5 | 6.85 | 49.5 | 21.42 |
| 29.6 | 1.16 | 34.6 | 1.29 | 39.6 | 1.86 | 44.6 | 6.92 | 49.6 | 21.42 |
| 29.7 | 1.13 | 34.7 | 1.32 | 39.7 | 1.92 | 44.7 | 7.35 | 49.7 | 25.31 |
| 29.8 | 1.19 | 34.8 | 1.34 | 39.8 | 2.03 | 44.8 | 8.95 | 49.8 | 24.66 |
| 29.9 | 1.67 | 34.9 | 1.46 | 39.9 | 1.98 | 44.9 | 5.13 | 49.9 | 20.81 |
| 30.0 | 2.21 | 35.0 | 1.65 | 40.0 | 2.05 | 45.0 | 2.69 | 50.0 | 20.34 |
| 2ml 2-4 | | 22.0 | 与 # | .5.0 | 2.03 | .5.0 | , | 20.0 | 0.0. |

工程编号 K043-2015-4 孔 号 ZFC6 孔 深 55.0m 探头编号 911 测试日期 0

锥头面积 15cm2 标定系数 112kPa

| | | | | | | | I | | |
|--------------------|----------------|-----|---------|-----|---------|-----|---------|-----|---------|
| 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 |
| (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) |
| 50.1 | 21.42 | | | | | | | | |
| 50.2 | 19.95 | | | | | | | | |
| 50.3 | 15.03 | | | | | | | | |
| 50.4 | 13.86 | | | | | | | | |
| 50.5 | 18.94 | | | | | | | | |
| 50.6 | 20.05 | | | | | | | | |
| 50.7 | 18.57 | | | | | | | | |
| 50.8 | 19.33 | | | | | | | | |
| 50.9 | 22.58 | | | | | | | | |
| 51.0 | 24.92 | | | | | | | | |
| 51.1 | 23.15 | | | | | | | | |
| 51.2 | 25.85 | | | | | | | | |
| 51.3 | 26.46 | | | | | | | | |
| 51.4 | 22.20 | | | | | | | | |
| 51.5 | 18.89 | | | | | | | | |
| 51.6 | 23.76 | | | | | | | | |
| 51.7 | 21.15 | | | | | | | | |
| 51.8 | 21.68 | | | | | | | | |
| 51.9 | 22.02 | | | | | | | | |
| 52.0 | 22.91 | | | | | | | | |
| 52.1 | 20.57 | | | | | | | | |
| 52.2 | 18.97 | | | | | | | | |
| 52.3 | 14.13 | | | | | | | | |
| 52.4 | 9.02 | | | | | | | | |
| 52.5 | 5.35 | | | | | | | | |
| 52.6 | 7.12 | | | | | | | | |
| 52.7 | 14.96 | | | | | | | | |
| 52.8 | 15.35 | | | | | | | | |
| 52.9 | 12.02 | | | | | | | | |
| 53.0 | 11.58 | | | | | | | | |
| 53.1 | 16.98 | | | | | | | | |
| 53.2 53.3 | 21.25 22.19 | | | | | | | | |
| 53.5 | 19.57 | | | | | | | | |
| 53.4 | 20.38 | | | | | | | | |
| 53.6 | 23.81 | | | | | | | | |
| 53.0 | 25.21 | | | | | | | | |
| 53.7 | 24.42 | | | | | | | | |
| 53.9 | 26.02 | | | | | | | | |
| 54.0 | 27.31 | | | | | | | | |
| 54.1 | 24.05 | | | | | | | | |
| 54.2 | 21.34 | | | | | | | | |
| 54.3 | 23.42 | | | | | | | | |
| 54.4 | 22.51 | | | | | | | | |
| 54.5 | 20.16 | | | | | | | | |
| 54.6 | 19.57 | | | | | | | | |
| 54.7 | 17.43 | | | | | | | | |
| 54.8 | 18.89 | | | | | | | | |
| 54.9 | 18.51 | | | | | | | | |
| 55.0 | 21.48 | | | | | | | | |
| 201 2 4 | 21.10 | | | | ı | | 1 | | ı |

| 测 | 试 | 复 | 核 | |
|---|---|-------|---|--|
| | | | | |

工程编号 <u>K043-2015-4</u> 孔 号 <u>ZFC7</u> 孔 深 <u>60.0m</u> 探头编号 <u>911</u> 测试日期 <u>0</u>

| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
|------------|------------------|------------|------------------|--------------|------------------|--------------|------------------|--------------|------------------|
| 0.1 | 0.94 | 5.1 | 0.41 | 10.1 | 0.53 | 15.1 | 0.86 | 20.1 | 1.25 |
| 0.2 | 0.82 | 5.2 | 0.42 | 10.2 | 0.52 | 15.2 | 1.34 | 20.2 | 0.89 |
| 0.3 | 0.57 | 5.3 | 0.47 | 10.3 | 0.52 | 15.3 | 1.02 | 20.3 | 0.91 |
| 0.4 | 0.62 | 5.4 | 0.58 | 10.4 | 0.53 | 15.4 | 0.83 | 20.4 | 0.78 |
| 0.5 | 1.17 | 5.5 | 0.66 | 10.5 | 0.53 | 15.5 | 0.77 | 20.5 | 0.78 |
| 0.6 | 1.05 | 5.6 | 0.38 | 10.6 | 0.54 | 15.6 | 0.78 | 20.6 | 0.84 |
| 0.7 | 0.82 | 5.7 | 0.56 | 10.7 | 0.55 | 15.7 | 0.84 | 20.7 | 0.87 |
| 0.8 | 0.75 | 5.8 | 0.50 | 10.7 | 0.56 | 15.8 | 0.81 | 20.8 | 0.82 |
| 0.9 | 0.78 | 5.9 | 0.47 | 10.9 | 0.55 | 15.9 | 0.80 | 20.9 | 0.84 |
| 1.0 | 0.72 | 6.0 | 0.62 | 11.0 | 0.56 | 16.0 | 0.80 | 21.0 | 0.86 |
| 1.1 | 0.72 | 6.1 | 0.43 | 11.0 | 0.57 | 16.1 | 3.27 | 21.1 | 0.85 |
| 1.2 | 0.89 | 6.2 | 0.43 | 11.1 | 0.57 | 16.2 | 6.28 | 21.1 | 0.89 |
| 1.3 | 2.65 | 6.3 | 0.41 | 11.2 | 0.57 | 16.3 | 14.09 | 21.2 | 0.83 |
| 1.4 | 1.94 | 6.4 | 0.49 | 11.3 | 0.58 | 16.4 | 15.35 | 21.3 | 0.86 |
| 1.5 | 2.07 | 6.5 | 0.49 | 11.5 | 0.58 | 16.5 | 15.83 | 21.4 | 0.90 |
| 1.6 | 2.41 | 6.6 | 0.37 | 11.5 | 0.59 | 16.6 | 15.17 | 21.6 | 1.03 |
| 1.7 | 1.48 | 6.7 | 0.37 | 11.7 | 0.58 | 16.7 | 14.35 | 21.7 | 1.09 |
| 1.8 | 1.46 | 6.8 | 0.40 | 11.7 | 0.56 | 16.7 | 11.86 | 21.7 | 1.03 |
| 1.8 | 0.79 | 6.9 | 0.43 | 11.8 | 0.50 | 16.8 | 10.75 | 21.8 | 0.88 |
| 2.0 | 0.79 | 7.0 | 0.42 | 12.0 | 0.37 | 17.0 | 11.73 | 22.0 | 0.88 |
| 2.0 | 0.78 | 7.0 | 0.43 | 12.0 | 0.70 | 17.0 | 12.33 | 22.0 | 0.89 |
| 2.1 | 0.46 | 7.1 | 0.41 | 12.1 | 0.73 | 17.1 | 13.30 | 22.1 | 0.89 |
| 2.2 | 0.46 | 7.2 | 0.46 | 12.2 | 0.70 | 17.2 | 12.78 | 22.2 | 0.89 |
| 2.3 | 0.63 | 7.3 7.4 | 0.46 | 12.3 | 0.63 | 17.3 17.4 | | 22.3 | 0.91 |
| | | 7.4 7.5 | 0.43 | 12.4 | | | 10.61 | | 0.93 |
| 2.5 | 0.73 | | 0.44 | 12.5 12.6 | 0.77 | 17.5 | 7.41 | 22.5 | |
| 2.6 2.7 | 0.63 0.55 | 7.6 7.7 | 0.56 | 12.6 | 0.91 0.79 | 17.6 17.7 | 3.64 2.01 | 22.6 22.7 | 0.93 0.93 |
| 2.7 | 0.33 | 7.7 | 0.36 | 12.7 | 0.79 | 17.7 | 1.44 | 22.7 | 0.93 |
| 2.8 | | 7.8 7.9 | 0.49 | 12.8 12.9 | | | 2.73 | 22.8 | 0.95 |
| | 0.53 | | | | 0.66 | 17.9 | | 22.9 | |
| 3.0 3.1 | 0.55 0.57 | 8.0 8.1 | 0.48 0.47 | 13.0 13.1 | 0.67 | 18.0 | 3.47 2.20 | 23.0 | 0.98 0.99 |
| 3.1 | 0.57 | | 0.47 | 13.1 | 0.65 | 18.1 | | 23.1 | |
| | | 8.2 8.3 | | 13.2 | 0.65 | 18.2 | 1.14 | | 1.00 |
| 3.3 | 0.49 | | 0.57 | | 0.67 | 18.3 | 0.77 | 23.3 | 1.01 |
| 3.4 3.5 | 0.51 0.52 | 8.4 8.5 | 0.62 | 13.4 13.5 | 0.69 | 18.4 | 0.96 0.92 | 23.4 23.5 | 1.06 |
| | | | 0.56 0.49 | | 0.67 0.72 | 18.5 | | | 1.08 |
| 3.6 3.7 | 0.48 | 8.6 8.7 | 0.49 | 13.6 | 0.72 | 18.6 18.7 | 1.00 | 23.6 | 1.13 |
| 3.7 | 0.45 | | 0.49 | 13.7 | 0.74 | 18.7 | 1.21 | 23.7 | 1.43 |
| 3.8 | 0.46 | 8.8 | 0.51 | 13.8 | 0.77 | 18.8 18.9 | 1.71 | 23.8 23.9 | 1.95 |
| | 0.40 | 8.9 | 0.50 | 13.9 | | | 1.39 | | 1.52 |
| 4.0 | 0.38 | 9.0 | | 14.0 | 0.74 | 19.0 | 0.94 | 24.0 | 1.24 |
| 4.1 | 0.42 | 9.1 | 0.51 | 14.1 | 0.84 | 19.1 | 1.75 | 24.1 | 1.23 |
| 4.2 | 0.45 | 9.2 | 0.51 0.49 | 14.2 | 0.79 | 19.2 | 2.07 | 24.2 | 1.67 |
| 4.3 | 0.43 | 9.3 | | 14.3 | 0.73 | 19.3 | 1.28 | 24.3 | 1.89 |
| 4.4 | 0.45 | 9.4 | 0.50 | 14.4 | 0.75 | 19.4 | 1.14 | 24.4 | 2.51 |
| 4.5 | 0.43 | 9.5 | 0.53 | 14.5 | 0.86 | 19.5 | 0.84 | 24.5 | 1.56 |
| 4.6 | 0.41 | 9.6 | 0.55 | 14.6 | 0.83 | 19.6 | 0.79 | 24.6 | 1.19 |
| 4.7 | 0.36 | 9.7 | 0.52 | 14.7 | 0.78 | 19.7 | 1.35 | 24.7 | 1.35 |
| 4.8 | 0.35 | 9.8 | 0.51 | 14.8 | 0.74 | 19.8 | 0.96 | 24.8 | 1.22 |
| 4.9 | 0.35 | 9.9 | 0.52 | 14.9 | 1.07 | 19.9 | 1.15 | 24.9 | 1.20 |
| 5.0 | 0.38 | 10.0 | 0.54 恒 校 | 15.0 | 0.98 | 20.0 | 1.76 | 25.0 | 1.29 |

工程编号 <u>K043-2015-4</u> 孔 号 <u>ZFC7</u> 孔 深 <u>60.0m</u> 探头编号 <u>911</u> 测试日期 <u>0</u>

锥头面积 15cm2 标定系数 112kPa

| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|--------------|------------------|
| 25.1 | 1.37 | 30.1 | 1.77 | 35.1 | 1.31 | 40.1 | 1.89 | 45.1 | 10.94 |
| 25.2 | 1.96 | 30.2 | 1.80 | 35.2 | 1.27 | 40.2 | 1.85 | 45.2 | 12.76 |
| 25.3 | 1.55 | 30.3 | 1.32 | 35.3 | 1.29 | 40.3 | 1.93 | 45.3 | 16.52 |
| 25.4 | 2.34 | 30.4 | 1.83 | 35.4 | 1.37 | 40.4 | 2.02 | 45.4 | 18.95 |
| 25.5 | 1.76 | 30.5 | 2.00 | 35.5 | 1.32 | 40.5 | 2.11 | 45.5 | 20.35 |
| 25.6 | 1.34 | 30.6 | 1.55 | 35.6 | 1.35 | 40.6 | 2.10 | 45.6 | 20.69 |
| 25.7 | 1.56 | 30.7 | 1.36 | 35.7 | 1.32 | 40.7 | 2.04 | 45.7 | 19.02 |
| 25.8 | 2.01 | 30.8 | 1.37 | 35.8 | 1.23 | 40.8 | 1.99 | 45.8 | 17.20 |
| 25.9 | 2.49 | 30.9 | 1.71 | 35.9 | 1.38 | 40.9 | 2.03 | 45.9 | 16.97 |
| 26.0 | 2.58 | 31.0 | 1.96 | 36.0 | 1.35 | 41.0 | 2.00 | 46.0 | 14.03 |
| 26.1 | 2.37 | 31.1 | 1.37 | 36.1 | 1.32 | 41.1 | 1.95 | 46.1 | 13.58 |
| 26.2 | 1.88 | 31.2 | 1.31 | 36.2 | 1.31 | 41.2 | 1.91 | 46.2 | 15.97 |
| 26.3 | 3.02 | 31.3 | 1.59 | 36.3 | 1.43 | 41.3 | 1.83 | 46.3 | 15.23 |
| 26.4 | 2.16 | 31.4 | 1.91 | 36.4 | 1.38 | 41.4 | 1.72 | 46.4 | 17.05 |
| 26.5 | 4.40 | 31.5 | 1.42 | 36.5 | 1.45 | 41.5 | 1.67 | 46.5 | 17.69 |
| 26.6 | 7.01 | 31.6 | 1.42 | 36.6 | 1.43 | 41.6 | 1.59 | 46.6 | 16.20 |
| 26.7 | 6.22 | 31.7 | 1.35 | 36.7 | 1.04 | 41.7 | 1.94 | 46.7 | 12.13 |
| 26.7 | 3.80 | 31.7 | 1.33 | 36.8 | 1.47 | 41.7 | 2.27 | 46.7 | 9.02 |
| 26.9 | 3.34 | 31.6 | 1.54 | 36.9 | 1.56 | 41.8 | 2.63 | 46.8 46.9 | 10.75 |
| 27.0 | 3.55 | 32.0 | 2.12 | 36.9 | 1.43 | 41.9 | 2.63 | 46.9 47.0 | 10.73 |
| | 2.83 | 32.0 | 1.79 | | | | 3.85 | | 16.98 |
| 27.1 | | | | 37.1 | 1.26 | 42.1 | | 47.1 | |
| 27.2 | 1.97 | 32.2 | 1.45 | 37.2 | 1.24 | 42.2 | 5.03 | 47.2 | 17.86 |
| 27.3 | 2.16 | 32.3 | 1.21 | 37.3 | 1.25 | 42.3 | 5.03 | 47.3 | 20.59 |
| 27.4 | 1.90 | 32.4 | 1.33 | 37.4 | 1.25 | 42.4 | 5.61 | 47.4 | 22.35 |
| 27.5 | 1.69 | 32.5 | 1.42 | 37.5 | 1.27 | 42.5 | 6.58 | 47.5 | 20.84 |
| 27.6 | 1.36 | 32.6 | 1.30 | 37.6 | 1.27 | 42.6 | 7.79 | 47.6 | 19.95 |
| 27.7 | 1.35 | 32.7 | 1.34 | 37.7 | 1.26 | 42.7 | 9.19 | 47.7 | 21.43 |
| 27.8 | 1.72 | 32.8 | 1.37 | 37.8 | 1.32 | 42.8 | 8.04 | 47.8 | 24.96 |
| 27.9 | 1.98 | 32.9 | 1.38 | 37.9 | 1.38 | 42.9 | 8.11 | 47.9 | 25.13 |
| 28.0 | 1.59 | 33.0 | 1.65 | 38.0 | 1.41 | 43.0 | 10.88 | 48.0 | 28.32 |
| 28.1 | 1.32 | 33.1 | 1.44 | 38.1 | 1.33 | 43.1 | 11.61 | 48.1 | 26.02 |
| 28.2 | 1.34 | 33.2 | 1.41 | 38.2 | 1.37 | 43.2 | 10.52 | 48.2 | 22.24 |
| 28.3 | 1.64 | 33.3 | 1.23 | 38.3 | 1.42 | 43.3 | 7.74 | 48.3 | 21.06 |
| 28.4 | 1.58 | 33.4 | 1.31 | 38.4 | 1.39 | 43.4 | 6.63 | 48.4 | 21.75 |
| 28.5 | 1.35 | 33.5 | 1.41 | 38.5 | 1.39 | 43.5 | 10.10 | 48.5 | 23.51 |
| 28.6 | 1.26 | 33.6 | 1.50 | 38.6 | 1.37 | 43.6 | 11.66 | 48.6 | 19.53 |
| 28.7 | 1.28 | 33.7 | 1.48 | 38.7 | 1.36 | 43.7 | 12.23 | 48.7 | 18.60 |
| 28.8 | 1.26 | 33.8 | 1.92 | 38.8 | 1.42 | 43.8 | 13.42 | 48.8 | 22.89 |
| 28.9 | 1.17 | 33.9 | 2.23 | 38.9 | 1.44 | 43.9 | 12.96 | 48.9 | 25.43 |
| 29.0 | 1.40 | 34.0 | 1.63 | 39.0 | 1.49 | 44.0 | 12.12 | 49.0 | 21.06 |
| 29.1 | 1.17 | 34.1 | 1.37 | 39.1 | 1.58 | 44.1 | 12.70 | 49.1 | 23.57 |
| 29.2 | 1.18 | 34.2 | 1.37 | 39.2 | 1.59 | 44.2 | 12.46 | 49.2 | 23.01 |
| 29.3 | 1.14 | 34.3 | 1.25 | 39.3 | 1.63 | 44.3 | 8.46 | 49.3 | 18.86 |
| 29.4 | 1.30 | 34.4 | 1.31 | 39.4 | 1.67 | 44.4 | 11.43 | 49.4 | 19.24 |
| 29.5 | 1.36 | 34.5 | 1.58 | 39.5 | 1.69 | 44.5 | 12.62 | 49.5 | 19.96 |
| 29.6 | 1.69 | 34.6 | 1.60 | 39.6 | 1.71 | 44.6 | 12.94 | 49.6 | 24.62 |
| 29.7 | 1.48 | 34.7 | 1.55 | 39.7 | 1.82 | 44.7 | 10.35 | 49.7 | 22.04 |
| 29.8 | 1.33 | 34.8 | 1.44 | 39.8 | 1.78 | 44.8 | 7.42 | 49.8 | 22.97 |
| 29.9 | 1.52 | 34.9 | 1.55 | 39.9 | 1.76 | 44.9 | 8.86 | 49.9 | 23.35 |
| 30.0 | 1.34 | 35.0 | 1.46 | 40.0 | 1.92 | 45.0 | 8.51 | 50.0 | 24.96 |

工程编号 <u>K043-2015-4</u> 孔 号 <u>ZFC7</u> 孔 深 <u>60.0m</u> 探头编号 <u>911</u> 测试日期 <u>0</u>

锥头面积 15cm2 标定系数 112kPa

| [[[] | 1001112 | 10.VEX.XX | | | | | | | |
|-----------|------------------|--------------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
| 50.1 | 25.13 | 55.1 | 15.91 | | | | | | |
| 50.2 | 22.20 | 55.2 | 16.23 | | | | | | |
| 50.3 | 21.81 | 55.3 | 19.35 | | | | | | |
| 50.4 | 19.55 | 55.4 | 20.87 | | | | | | |
| 50.5 | 22.67 | 55.5 | 21.42 | | | | | | |
| 50.6 | 20.05 | 55.6 | 20.35 | | | | | | |
| 50.7 | 21.94 | 55.7 | 23.68 | | | | | | |
| 50.8 | 18.75 | 55.8 | 26.13 | | | | | | |
| 50.9 | 22.28 | 55.9 | 27.05 | | | | | | |
| 51.0 | 25.62 | 56.0 | 23.57 | | | | | | |
| 51.1 | 22.75 | 56.1 | 23.20 | | | | | | |
| 51.2 | 24.12 | 56.2 | 24.91 | | | | | | |
| 51.3 | 24.85 | 56.3 | 22.15 | | | | | | |
| 51.4 | 23.01 | 56.4 | 19.31 | | | | | | |
| 51.5 | 19.65 | 56.5 | 21.52 | | | | | | |
| 51.6 | 14.13 | 56.6 | 21.20 | | | | | | |
| 51.7 | 11.59 | 56.7 | 20.46 | | | | | | |
| 51.8 | 13.53 | 56.8 | 24.82 | | | | | | |
| 51.9 | 17.62 | 56.9 | 22.60 | | | | | | |
| 52.0 | 16.02 | 57.0 | 19.35 | | | | | | |
| 52.0 | 12.13 | 57.1 | 17.86 | | | | | | |
| 52.2 | 7.51 | 57.2 | 18.97 | | | | | | |
| 52.3 | 4.49 | 57.3 | 18.51 | | | | | | |
| 52.4 | 11.16 | 57.4 | 18.76 | | | | | | |
| 52.5 | 15.96 | 57.5 | 19.69 | | | | | | |
| 52.6 | 16.35 | 57.6 | 20.53 | | | | | | |
| 52.7 | 17.23 | 57.7 | 24.56 | | | | | | |
| 52.7 | 21.15 | 57.7 | 25.75 | | | | | | |
| 52.9 | 24.96 | 57.8 57.9 | 25.02 | | | | | | |
| 53.0 | 27.03 | 58.0 | 25.34 | | | | | | |
| 53.1 | 28.24 | 58.1 | 23.20 | | | | | | |
| 53.2 | 25.19 | 58.2 | 21.08 | | | | | | |
| 53.3 | 22.37 | 58.3 | 21.47 | | | | | | |
| 53.4 | 24.75 | 58.4 | 20.34 | | | | | | |
| 53.5 | 23.19 | 58.5 | 18.52 | | | | | | |
| 53.6 | 21.13 | 58.6 | 22.96 | | | | | | |
| 53.7 | 20.52 | 58.7 | 23.18 | | | | | | |
| 53.8 | 22.46 | 58.8 | 20.55 | | | | | | |
| 53.9 | 19.62 | 58.9 | 18.32 | | | | | | |
| 54.0 | 17.76 | 59.0 | 15.06 | | | | | | |
| 54.1 | 20.87 | 59.1 | 17.49 | | | | | | |
| 54.2 | 18.91 | 59.2 | 17.10 | | | | | | |
| 54.3 | 19.37 | 59.3 | 16.85 | | | | | | |
| 54.4 | 23.86 | 59.4 | 18.86 | | | | | | |
| 54.5 | 25.62 | 59.5 | 22.57 | | | | | | |
| 54.6 | 22.74 | 59.6 | 24.91 | | | | | | |
| 54.7 | 18.68 | 59.7 | 21.35 | | | | | | |
| 54.8 | 15.13 | 59.8 | 23.84 | | | | | | |
| 54.9 | 14.26 | 59.9 | 25.60 | | | | | | |
| 55.0 | 16.69 | 60.0 | 24.73 | | | | | | |
| 测 试 | | | 复 核 | | | | | | |

工程编号 <u>K043-2015-4</u> 孔 号 <u>ZFC8</u> 孔 深 <u>60.0m</u> 探头编号 <u>911</u> 测试日期 <u>0</u>

锥头面积 15cm2 标定系数 112kPa

| 一一一 | | 10. VE 20. XX | | | | | | | |
|------------|------------------|---------------|------------------|--------------|------------------|--------------|------------------|--------------|------------------|
| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
| 0.1 | 0.53 | 5.1 | 0.42 | 10.1 | 0.54 | 15.1 | 1.23 | 20.1 | 0.96 |
| 0.2 | 0.60 | 5.2 | 0.41 | 10.2 | 0.56 | 15.2 | 0.85 | 20.2 | 1.65 |
| 0.3 | 0.79 | 5.3 | 0.41 | 10.3 | 0.58 | 15.3 | 0.83 | 20.3 | 1.12 |
| 0.4 | 0.81 | 5.4 | 0.39 | 10.4 | 0.55 | 15.4 | 0.75 | 20.4 | 1.23 |
| 0.5 | 0.67 | 5.5 | 0.41 | 10.5 | 0.54 | 15.5 | 0.76 | 20.5 | 1.94 |
| 0.6 | 1.14 | 5.6 | 0.56 | 10.6 | 0.53 | 15.6 | 0.75 | 20.6 | 1.41 |
| 0.7 | 1.27 | 5.7 | 0.61 | 10.7 | 0.57 | 15.7 | 0.72 | 20.7 | 0.92 |
| 0.8 | 1.41 | 5.8 | 0.50 | 10.8 | 0.59 | 15.8 | 1.18 | 20.8 | 0.83 |
| 0.9 | 1.46 | 5.9 | 0.47 | 10.9 | 0.56 | 15.9 | 0.95 | 20.9 | 0.81 |
| 1.0 | 2.69 | 6.0 | 0.41 | 11.0 | 0.56 | 16.0 | 0.90 | 21.0 | 0.83 |
| 1.1 | 1.78 | 6.1 | 0.40 | 11.1 | 0.57 | 16.1 | 1.28 | 21.1 | 0.83 |
| 1.2 | 1.45 | 6.2 | 0.42 | 11.2 | 0.54 | 16.2 | 2.16 | 21.2 | 0.78 |
| 1.3 | 1.58 | 6.3 | 0.38 | 11.3 | 0.55 | 16.3 | 8.27 | 21.3 | 0.84 |
| 1.4 | 1.30 | 6.4 | 0.40 | 11.4 | 0.55 | 16.4 | 7.75 | 21.4 | 0.87 |
| 1.5 | 1.14 | 6.5 | 0.43 | 11.5 | 0.54 | 16.5 | 9.17 | 21.5 | 0.89 |
| 1.6 | 1.21 | 6.6 | 0.48 | 11.6 | 0.58 | 16.6 | 6.36 | 21.6 | 0.89 |
| 1.7 | 1.36 | 6.7 | 0.51 | 11.7 | 0.57 | 16.7 | 7.75 | 21.7 | 0.88 |
| 1.8 | 1.28 | 6.8 | 0.42 | 11.8 | 0.59 | 16.8 | 9.11 | 21.8 | 0.86 |
| 1.9 | 1.26 | 6.9 | 0.39 | 11.9 | 0.60 | 16.9 | 6.26 | 21.9 | 0.85 |
| 2.0 | 1.11 | 7.0 | 0.41 | 12.0 | 0.56 | 17.0 | 6.15 | 22.0 | 0.88 |
| 2.1 | 0.96 | 7.0 | 0.40 | 12.0 | 0.53 | 17.0 | 5.11 | 22.1 | 0.88 |
| 2.2 | 0.91 | 7.1 | 0.40 | 12.1 | 0.53 | 17.1 | 4.96 | 22.1 | 0.88 |
| 2.3 | 0.89 | 7.2 | 0.42 | 12.2 | 0.70 | 17.2 | 11.31 | 22.3 | 0.88 |
| 2.4 | 0.83 | 7.3 | 0.43 | 12.3 | 0.76 | 17.3 | 13.24 | 22.4 | 0.90 |
| 2.5 | 0.83 | 7.5 | 0.43 | 12.4 | 0.64 | 17.5 | 13.75 | 22.5 | 0.90 |
| 2.6 | 0.77 | 7.6 | 0.37 | 12.5 | 0.60 | 17.5 17.6 | 11.50 | 22.6 | 0.90 |
| 2.7 | 0.73 | 7.0 | 0.37 | 12.7 | 0.59 | 17.0 | 8.69 | 22.7 | 0.88 |
| 2.8 | 0.65 | 7.7 | 0.42 | 12.7 | 0.59 | 17.7 | 10.17 | 22.8 | 0.91 |
| 2.8 | 0.60 | 7.8 7.9 | 0.56 | 12.8 | 0.66 | 17.8 17.9 | 10.17 | 22.8 | 0.92 |
| 3.0 | 0.63 | 8.0 | 0.50 | 13.0 | 0.63 | 18.0 | 11.00 | 23.0 | 0.93 |
| 3.1 | 0.61 | 8.1 | 0.50 | 13.0 | 0.63 | 18.1 | 11.72 | 23.1 | 0.94 |
| 3.1 | 0.56 | 8.2 | 0.46 | 13.1 | 0.63 | 18.2 | 7.31 | 23.1 | 0.92 |
| 3.3 | 0.55 | 8.3 | 0.40 | 13.2 | 0.62 | 18.3 | 2.42 | 23.2 | 0.93 |
| 3.4 | 0.50 | 8.4 | 0.42 | 13.3 | 0.01 | 18.4 | 1.08 | 23.4 | 1.02 |
| 3.4 | 0.50 | 8.5 | 0.44 | 13.4 | 0.71 | 18.5 | 0.87 | 23.4 | 1.02 |
| 3.6 | 0.30 | 8.6 | 0.61 | 13.5 | 0.66 | 18.6 | 0.87 | 23.6 | 1.06 |
| 3.7 | 0.47 | 8.7 | 0.53 | 13.7 | 0.66 | 18.7 | 0.83 | 23.7 | 1.00 |
| 3.7 | 0.32 | 8.8 | 0.50 | 13.7 | 0.67 | 18.8 | 1.17 | 23.7 | 1.35 |
| 3.9 | 0.49 | 8.9 | 0.50 | 13.8 | 0.67 | 18.9 | 0.86 | 23.9 | |
| 4.0 | 0.47 | 8.9 9.0 | 0.51 | 13.9 | 0.68 | 18.9 19.0 | 1.11 | 23.9 | 1.12 1.06 |
| 4.0 | 0.43 | 9.0 | 0.48 | 14.0 | 0.70 | 19.0 | 1.11 | 24.0 | 1.08 |
| 4.1 | 0.42 | 9.1 | 0.49 | 14.1 | 0.72 | 19.1 | 1.09 | 24.1 | 1.08 |
| 4.2 | 0.45 | 9.2 | 0.52 | 14.2 | 0.77 | 19.2 19.3 | 1.08 | 24.2 | 1.14 |
| 4.3 | 0.49 | 9.3 9.4 | 0.59 | 14.3 14.4 | 0.77 | 19.3 19.4 | 3.73 | 24.3 24.4 | 1.12 |
| 4.4 | 0.41 | 9.4 9.5 | 0.54 | 14.4 14.5 | 0.73 | 19.4 19.5 | 2.31 | 24.4 24.5 | 1.23 |
| 4.5 4.6 | 0.43 | 9.5 9.6 | 0.53 | 14.5 14.6 | 0.70 | 19.5 19.6 | 5.01 | 24.5 24.6 | 1.20 |
| 4.6 4.7 | 0.40 | 9.6 9.7 | 0.52 | 14.6 14.7 | | | | 24.6 24.7 | |
| | | 9.7 9.8 | | 14.7 14.8 | 0.73 0.72 | 19.7 | 2.18 | 24.7 24.8 | 1.09 |
| 4.8 4.9 | 0.36 | 9.8 9.9 | 0.56 | | | 19.8 | 1.35 | | 1.10 |
| | 0.42 | | 0.57 | 14.9 | 0.69 | 19.9 | 2.44 | 24.9 | 1.14 |
| 5.0 油 註 | 0.43 | 10.0 | 0.55 | 15.0 | 0.68 | 20.0 | 1.82 | 25.0 | 1.18 |

工程编号 <u>K043-2015-4</u> 孔 号 <u>ZFC8</u> 孔 深 <u>60.0m</u> 探头编号 <u>911</u> 测试日期 <u>0</u>

| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|--------------|------------------|
| 25.1 | 1.13 | 30.1 | 1.64 | 35.1 | 1.39 | 40.1 | 2.13 | 45.1 | 3.07 |
| 25.2 | 1.08 | 30.2 | 1.32 | 35.2 | 1.36 | 40.2 | 1.98 | 45.2 | 2.68 |
| 25.3 | 1.35 | 30.3 | 1.21 | 35.3 | 1.28 | 40.3 | 1.90 | 45.3 | 1.84 |
| 25.4 | 1.25 | 30.4 | 1.28 | 35.4 | 1.22 | 40.4 | 1.85 | 45.4 | 6.03 |
| 25.5 | 1.11 | 30.5 | 1.43 | 35.5 | 1.26 | 40.5 | 1.83 | 45.5 | 10.31 |
| 25.6 | 1.16 | 30.6 | 2.16 | 35.6 | 1.33 | 40.6 | 1.80 | 45.6 | 14.54 |
| 25.7 | 1.11 | 30.7 | 1.54 | 35.7 | 1.31 | 40.7 | 1.82 | 45.7 | 15.18 |
| 25.8 | 1.09 | 30.8 | 1.47 | 35.8 | 1.52 | 40.8 | 1.78 | 45.8 | 16.42 |
| 25.9 | 2.44 | 30.9 | 1.91 | 35.9 | 1.40 | 40.9 | 1.69 | 45.9 | 19.32 |
| 26.0 | 2.11 | 31.0 | 1.45 | 36.0 | 1.35 | 41.0 | 1.61 | 46.0 | 17.19 |
| 26.1 | 1.78 | 31.1 | 1.32 | 36.1 | 1.31 | 41.1 | 1.63 | 46.1 | 13.22 |
| 26.2 | 3.89 | 31.2 | 1.14 | 36.2 | 1.27 | 41.2 | 1.87 | 46.2 | 11.81 |
| 26.3 | 3.21 | 31.3 | 2.53 | 36.3 | 1.23 | 41.3 | 1.78 | 46.3 | 10.98 |
| 26.4 | 4.54 | 31.4 | 1.70 | 36.4 | 1.25 | 41.4 | 1.73 | 46.4 | 11.31 |
| 26.5 | 3.01 | 31.5 | 1.70 | 36.5 | 1.23 | 41.5 | 1.68 | 46.5 | 12.79 |
| 26.6 | 3.95 | 31.6 | 1.21 | 36.6 | 1.21 | 41.6 | 2.00 | 46.6 | 16.43 |
| 26.7 | 4.33 | 31.7 | 1.23 | 36.7 | 1.24 | 41.7 | 2.48 | 46.7 | 18.39 |
| 26.7 | 4.56 | 31.7 | 1.37 | 36.7 | 1.48 | 41.7 | 3.94 | 46.7 | 16.74 |
| 26.8 | 5.04 | 31.6 | 1.42 | 36.9 | 1.46 | 41.8 | 4.43 | 46.8 46.9 | 16.74 |
| 27.0 | | 32.0 | 1.42 | 37.0 | 1.33 | 41.9 | 6.86 | 46.9 47.0 | 17.13 |
| | 3.63 2.22 | 32.0 | | | | | 8.35 | | |
| 27.1 | | | 1.40 | 37.1 | 1.51 | 42.1 | | 47.1 | 13.81 |
| 27.2 | 1.98 | 32.2 | 1.39 | 37.2 | 1.40 | 42.2 | 7.74 | 47.2 | 8.15 |
| 27.3 | 2.61 | 32.3 | 1.33 | 37.3 | 1.35 | 42.3 | 9.51 | 47.3 | 5.86 |
| 27.4 | 2.29 | 32.4 | 1.36 | 37.4 | 1.32 | 42.4 | 10.67 | 47.4 | 10.16 |
| 27.5 | 1.88 | 32.5 | 1.46 | 37.5 | 1.27 | 42.5 | 11.12 | 47.5 | 8.22 |
| 27.6 | 1.45 | 32.6 | 1.37 | 37.6 | 1.26 | 42.6 | 10.05 | 47.6 | 15.28 |
| 27.7 | 1.49 | 32.7 | 1.51 | 37.7 | 1.31 | 42.7 | 7.34 | 47.7 | 24.00 |
| 27.8 | 1.57 | 32.8 | 1.51 | 37.8 | 1.34 | 42.8 | 4.59 | 47.8 | 24.16 |
| 27.9 | 1.55 | 32.9 | 1.40 | 37.9 | 1.38 | 42.9 | 8.31 | 47.9 | 21.09 |
| 28.0 | 1.43 | 33.0 | 1.28 | 38.0 | 1.42 | 43.0 | 5.59 | 48.0 | 18.89 |
| 28.1 | 1.38 | 33.1 | 1.44 | 38.1 | 1.44 | 43.1 | 5.10 | 48.1 | 20.42 |
| 28.2 | 1.36 | 33.2 | 1.39 | 38.2 | 1.40 | 43.2 | 3.97 | 48.2 | 23.04 |
| 28.3 | 1.30 | 33.3 | 1.51 | 38.3 | 1.36 | 43.3 | 3.49 | 48.3 | 22.85 |
| 28.4 | 1.29 | 33.4 | 1.58 | 38.4 | 1.33 | 43.4 | 6.56 | 48.4 | 25.08 |
| 28.5 | 1.27 | 33.5 | 2.46 | 38.5 | 1.32 | 43.5 | 10.25 | 48.5 | 28.69 |
| 28.6 | 1.47 | 33.6 | 2.71 | 38.6 | 1.58 | 43.6 | 11.40 | 48.6 | 27.46 |
| 28.7 | 1.24 | 33.7 | 1.76 | 38.7 | 1.69 | 43.7 | 9.64 | 48.7 | 25.93 |
| 28.8 | 1.20 | 33.8 | 1.34 | 38.8 | 1.72 | 43.8 | 10.53 | 48.8 | 24.79 |
| 28.9 | 1.31 | 33.9 | 1.25 | 38.9 | 1.77 | 43.9 | 10.20 | 48.9 | 23.66 |
| 29.0 | 1.24 | 34.0 | 1.23 | 39.0 | 1.86 | 44.0 | 8.35 | 49.0 | 22.70 |
| 29.1 | 1.25 | 34.1 | 1.27 | 39.1 | 1.91 | 44.1 | 7.49 | 49.1 | 21.58 |
| 29.2 | 1.72 | 34.2 | 1.32 | 39.2 | 1.84 | 44.2 | 7.98 | 49.2 | 21.16 |
| 29.3 | 1.49 | 34.3 | 1.36 | 39.3 | 1.88 | 44.3 | 8.29 | 49.3 | 23.39 |
| 29.4 | 1.49 | 34.4 | 1.41 | 39.4 | 1.86 | 44.4 | 7.03 | 49.4 | 26.08 |
| 29.5 | 1.57 | 34.5 | 1.39 | 39.5 | 1.93 | 44.5 | 6.14 | 49.5 | 22.07 |
| 29.6 | 2.10 | 34.6 | 1.63 | 39.6 | 2.01 | 44.6 | 9.96 | 49.6 | 23.35 |
| 29.7 | 2.36 | 34.7 | 2.13 | 39.7 | 2.13 | 44.7 | 11.89 | 49.7 | 25.62 |
| 29.8 | 1.54 | 34.8 | 1.72 | 39.8 | 1.98 | 44.8 | 7.13 | 49.8 | 21.62 |
| 29.9 | 1.45 | 34.9 | 1.40 | 39.9 | 2.05 | 44.9 | 5.29 | 49.9 | 19.69 |
| 30.0 | 1.99 | 35.0 | 1.41 | 40.0 | 2.10 | 45.0 | 2.21 | 50.0 | 23.67 |

工程编号 K043-2015-4 孔 号 ZFC8 孔 深 60.0m 探头编号 911 测试日期 0

锥头面积 15cm2 标定系数 112kPa

| 深度 (m) | 比贯入阻力 Ps(MPa) |
|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| | | | | (111) | rs(IVIra) | (111) | FS(IVIFA) | (111) | rs(IVIra) |
| 50.1 | 32.08 | 55.1 | 16.71 | | | | | | |
| 50.2 | 32.10 | 55.2 | 16.63 | | | | | | |
| 50.3 | 27.75 | 55.3 | 17.59 | | | | | | |
| 50.4 | 26.63 | 55.4 | 18.99 | | | | | | |
| 50.5 | 24.31 | 55.5 | 20.62 | | | | | | |
| 50.6 | 21.91 | 55.6 | 20.62 | | | | | | |
| 50.7 | 18.93 | 55.7 | 17.89 | | | | | | |
| 50.8 | 18.17 | 55.8 | 22.63 | | | | | | |
| 50.9 | 19.56 | 55.9 | 21.64 | | | | | | |
| 51.0 | 21.40 | 56.0 | 20.47 | | | | | | |
| 51.1 | 24.50 | 56.1 | 21.68 | | | | | | |
| 51.2 | 26.21 | 56.2 | 23.77 | | | | | | |
| 51.3 | 23.02 | 56.3 | 24.41 | | | | | | |
| 51.4 | 19.82 | 56.4 | 22.89 | | | | | | |
| 51.5 | 16.67 | 56.5 | 20.19 | | | | | | |
| 51.6 | 15.87 | 56.6 | 21.63 | | | | | | |
| 51.7 | 13.79 | 56.7 | 20.65 | | | | | | |
| 51.8 | 8.75 | 56.8 | 19.71 | | | | | | |
| 51.9 | 12.93 | 56.9 | 18.74 | | | | | | |
| 52.0 | 15.23 | 57.0 | 18.85 | | | | | | |
| 52.1 | 15.66 | 57.1 | 20.24 | | | | | | |
| 52.2 | 15.20 | 57.2 | 21.87 | | | | | | |
| 52.3 | 14.19 | 57.3 | 25.43 | | | | | | |
| 52.4 | 12.22 | 57.4 | 26.29 | | | | | | |
| 52.5 | 7.93 | 57.5 | 27.11 | | | | | | |
| 52.6 | 7.08 | 57.6 | 22.25 | | | | | | |
| 52.7 | 8.23 | 57.7 | 21.42 | | | | | | |
| 52.8 | 5.88 | 57.8 | 26.85 | | | | | | |
| 52.9 | 3.41 | 57.9 | 28.64 | | | | | | |
| 53.0 | 10.97 | 58.0 | 23.79 | | | | | | |
| 53.1 | 15.73 | 58.1 | 19.93 | | | | | | |
| 53.2 | 17.25 | 58.2 | 17.91 | | | | | | |
| 53.3 | 20.38 | 58.3 | 18.15 | | | | | | |
| 53.4 | 23.78 | 58.4 | 18.69 | | | | | | |
| 53.5 | 25.16 | 58.5 | 21.94 | | | | | | |
| 53.6 | 25.66 | 58.6 | 23.35 | | | | | | |
| 53.7 | 27.04 | 58.7 | 19.89 | | | | | | |
| 53.8 | 27.55 | 58.8 | 20.95 | | | | | | |
| 53.9 | 25.09 | 58.9 | 20.21 | | | | | | |
| 54.0 | 26.56 | 59.0 | 18.34 | | | | | | |
| 54.1 | 28.08 | 59.1 | 17.95 | | | | | | |
| 54.2 | 23.66 | 59.2 | 19.72 | | | | | | |
| 54.3 | 20.40 | 59.3 | 19.43 | | | | | | |
| 54.4 | 19.53 | 59.4 | 20.51 | | | | | | |
| 54.5 | 19.94 | 59.5 | 21.23 | | | | | | |
| 54.6 | 22.20 | 59.6 | 23.95 | | | | | | |
| 54.7 | 23.95 | 59.7 | 24.61 | | | | | | |
| 54.8 | 22.61 | 59.8 | 24.02 | | | | | | |
| 54.9 | 21.16 | 59.9 | 21.52 | | | | | | |
| 55.0 | 17.96 | 60.0 | 22.71 | | | | | | |
| 测 试 | | | 复 核 | | | | | | |

工程编号 K043-2015-4 孔 号 ZFC9 孔 深 54.8m 探头编号 911 测试日期 0

| 深度 (m) | 比贯入阻力 Ps(MPa) |
|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| 0.1 | 0.74 | 5.1 | 0.43 | 10.1 | 0.56 | 15.1 | 0.91 | 20.1 | 0.86 |
| 0.2 | 1.11 | 5.2 | 0.44 | 10.2 | 0.59 | 15.2 | 1.29 | 20.2 | 1.64 |
| 0.3 | 1.60 | 5.3 | 0.42 | 10.3 | 0.61 | 15.3 | 3.00 | 20.3 | 1.11 |
| 0.4 | 1.37 | 5.4 | 0.42 | 10.4 | 0.59 | 15.4 | 2.03 | 20.4 | 1.23 |
| 0.5 | 1.29 | 5.5 | 0.44 | 10.5 | 0.56 | 15.5 | 1.37 | 20.5 | 0.88 |
| 0.6 | 1.12 | 5.6 | 0.48 | 10.6 | 0.58 | 15.6 | 1.12 | 20.6 | 0.81 |
| 0.7 | 0.95 | 5.7 | 0.49 | 10.7 | 0.57 | 15.7 | 1.24 | 20.7 | 0.80 |
| 0.8 | 0.58 | 5.8 | 0.53 | 10.8 | 0.59 | 15.8 | 0.90 | 20.8 | 0.85 |
| 0.9 | 0.57 | 5.9 | 0.61 | 10.9 | 0.60 | 15.9 | 1.05 | 20.9 | 0.86 |
| 1.0 | 0.93 | 6.0 | 0.55 | 11.0 | 0.61 | 16.0 | 0.93 | 21.0 | 0.87 |
| 1.1 | 1.14 | 6.1 | 0.92 | 11.1 | 0.61 | 16.1 | 1.31 | 21.1 | 0.85 |
| 1.2 | 1.46 | 6.2 | 0.48 | 11.2 | 0.62 | 16.2 | 6.88 | 21.2 | 0.82 |
| 1.3 | 1.60 | 6.3 | 0.45 | 11.3 | 0.65 | 16.3 | 8.95 | 21.3 | 0.84 |
| 1.4 | 1.31 | 6.4 | 0.42 | 11.4 | 0.66 | 16.4 | 10.56 | 21.4 | 0.86 |
| 1.5 | 1.09 | 6.5 | 0.39 | 11.5 | 0.63 | 16.5 | 12.64 | 21.5 | 0.87 |
| 1.6 | 1.08 | 6.6 | 0.40 | 11.6 | 0.74 | 16.6 | 15.19 | 21.6 | 0.78 |
| 1.7 | 1.09 | 6.7 | 0.41 | 11.7 | 0.75 | 16.7 | 15.87 | 21.7 | 0.80 |
| 1.8 | 1.18 | 6.8 | 0.38 | 11.8 | 0.72 | 16.8 | 15.39 | 21.8 | 0.83 |
| 1.9 | 1.01 | 6.9 | 0.46 | 11.9 | 0.69 | 16.9 | 15.03 | 21.9 | 0.86 |
| 2.0 | 0.99 | 7.0 | 0.69 | 12.0 | 0.67 | 17.0 | 13.90 | 22.0 | 0.87 |
| 2.1 | 1.06 | 7.1 | 0.54 | 12.1 | 0.72 | 17.1 | 13.28 | 22.1 | 0.84 |
| 2.2 | 0.95 | 7.2 | 0.51 | 12.2 | 0.71 | 17.2 | 14.15 | 22.2 | 0.93 |
| 2.3 | 0.89 | 7.3 | 0.52 | 12.3 | 0.79 | 17.3 | 15.04 | 22.3 | 0.90 |
| 2.4 | 0.64 | 7.4 | 0.48 | 12.4 | 0.77 | 17.4 | 13.35 | 22.4 | 0.90 |
| 2.5 | 0.73 | 7.5 | 0.47 | 12.5 | 0.70 | 17.5 | 11.08 | 22.5 | 0.93 |
| 2.6 | 0.80 | 7.6 | 0.42 | 12.6 | 0.66 | 17.6 | 6.09 | 22.6 | 0.95 |
| 2.7 | 0.82 | 7.7 | 0.39 | 12.7 | 0.66 | 17.7 | 3.90 | 22.7 | 0.93 |
| 2.8 | 0.76 | 7.8 | 0.40 | 12.8 | 0.67 | 17.8 | 2.70 | 22.8 | 0.97 |
| 2.9 | 0.69 | 7.9 | 0.44 | 12.9 | 0.71 | 17.9 | 3.13 | 22.9 | 0.98 |
| 3.0 | 0.67 | 8.0 | 0.60 | 13.0 | 0.76 | 18.0 | 1.34 | 23.0 | 0.99 |
| 3.1 | 0.64 | 8.1 | 0.57 | 13.1 | 0.73 | 18.1 | 0.86 | 23.1 | 1.01 |
| 3.2 | 0.59 | 8.2 | 0.52 | 13.2 | 0.72 | 18.2 | 0.92 | 23.2 | 1.05 |
| 3.3 | 0.56 | 8.3 | 0.54 | 13.3 | 0.76 | 18.3 | 1.61 | 23.3 | 1.02 |
| 3.4 | 0.52 | 8.4 | 0.49 | 13.4 | 0.77 | 18.4 | 0.89 | 23.4 | 1.00 |
| 3.5 | 0.55 | 8.5 | 0.47 | 13.5 | 0.74 | 18.5 | 0.78 | 23.5 | 1.01 |
| 3.6 | 0.52 | 8.6 | 0.51 | 13.6 | 0.74 | 18.6 | 1.35 | 23.6 | 1.03 |
| 3.7 | 0.53 | 8.7 | 0.56 | 13.7 | 0.87 | 18.7 | 2.15 | 23.7 | 1.05 |
| 3.8 | 0.48 | 8.8 | 0.53 | 13.8 | 0.91 | 18.8 | 1.86 | 23.8 | 1.06 |
| 3.9 | 0.44 | 8.9 | 0.55 | 13.9 | 0.98 | 18.9 | 1.06 | 23.9 | 1.09 |
| 4.0 | 0.52 | 9.0 | 0.52 | 14.0 | 1.03 | 19.0 | 1.23 | 24.0 | 1.11 |
| 4.1 | 0.46 | 9.1 | 0.54 | 14.1 | 0.91 | 19.1 | 0.95 | 24.1 | 1.12 |
| 4.2 | 0.42 | 9.2 | 0.56 | 14.2 | 1.50 | 19.2 | 0.77 | 24.2 | 1.14 |
| 4.3 | 0.40 | 9.3 | 0.58 | 14.3 | 1.49 | 19.3 | 0.85 | 24.3 | 1.13 |
| 4.4 | 0.43 | 9.4 | 0.59 | 14.4 | 1.20 | 19.4 | 1.15 | 24.4 | 1.09 |
| 4.5 | 0.42 | 9.5 | 0.60 | 14.5 | 1.16 | 19.5 | 1.56 | 24.5 | 1.24 |
| 4.6 | 0.39 | 9.6 | 0.58 | 14.6 | 0.91 | 19.6 | 0.95 | 24.6 | 1.28 |
| 4.7 | 0.44 | 9.7 | 0.61 | 14.7 | 0.91 | 19.7 | 2.04 | 24.7 | 1.59 |
| 4.8 | 0.47 | 9.8 | 0.62 | 14.8 | 0.81 | 19.8 | 1.35 | 24.8 | 1.30 |
| 4.9 | 0.43 | 9.9 | 0.57 | 14.9 | 0.97 | 19.9 | 1.05 | 24.9 | 1.06 |
| 5.0 | 0.41 | 10.0 | 0.55 | 15.0 | 0.94 | 20.0 | 0.84 | 25.0 | 1.05 |

工程编号 K043-2015-4 孔 号 ZFC9 孔 深 54.8m 探头编号 911 测试日期 0

| | | | | | | | I | | |
|------|---------|------|---------|------|---------|------|---------|------|---------|
| 深度 | 比贯入阻力 |
| (m) | Ps(MPa) |
| 25.1 | 1.08 | 30.1 | 1.52 | 35.1 | 1.42 | 40.1 | 2.05 | 45.1 | 16.57 |
| 25.2 | 1.04 | 30.2 | 1.18 | 35.2 | 1.46 | 40.2 | 2.10 | 45.2 | 17.83 |
| 25.3 | 1.13 | 30.3 | 1.35 | 35.3 | 1.51 | 40.3 | 2.01 | 45.3 | 18.59 |
| 25.4 | 1.34 | 30.4 | 1.24 | 35.4 | 1.28 | 40.4 | 1.95 | 45.4 | 20.68 |
| 25.5 | 2.01 | 30.5 | 1.16 | 35.5 | 1.31 | 40.5 | 1.83 | 45.5 | 21.24 |
| 25.6 | 2.69 | 30.6 | 1.57 | 35.6 | 1.32 | 40.6 | 1.80 | 45.6 | 20.31 |
| 25.7 | 2.91 | 30.7 | 1.33 | 35.7 | 1.29 | 40.7 | 1.86 | 45.7 | 17.52 |
| 25.8 | 2.56 | 30.8 | 1.31 | 35.8 | 1.24 | 40.8 | 1.82 | 45.8 | 14.13 |
| 25.9 | 2.12 | 30.9 | 1.68 | 35.9 | 1.26 | 40.9 | 1.69 | 45.9 | 12.96 |
| 26.0 | 1.99 | 31.0 | 1.96 | 36.0 | 1.26 | 41.0 | 1.71 | 46.0 | 16.68 |
| 26.1 | 2.61 | 31.1 | 1.43 | 36.1 | 1.31 | 41.1 | 1.59 | 46.1 | 20.15 |
| 26.2 | 2.46 | 31.2 | 1.38 | 36.2 | 1.34 | 41.2 | 1.46 | 46.2 | 17.80 |
| 26.3 | 3.82 | 31.3 | 1.48 | 36.3 | 1.42 | 41.3 | 2.35 | 46.3 | 18.94 |
| 26.4 | 4.49 | 31.4 | 1.92 | 36.4 | 1.51 | 41.4 | 4.96 | 46.4 | 18.23 |
| 26.5 | 3.35 | 31.5 | 1.38 | 36.5 | 1.39 | 41.5 | 5.52 | 46.5 | 14.02 |
| 26.6 | 2.84 | 31.6 | 1.32 | 36.6 | 1.36 | 41.6 | 5.11 | 46.6 | 11.10 |
| 26.7 | 2.94 | 31.7 | 1.36 | 36.7 | 1.41 | 41.7 | 6.24 | 46.7 | 7.23 |
| 26.8 | 3.41 | 31.8 | 1.24 | 36.8 | 1.43 | 41.8 | 8.95 | 46.8 | 10.68 |
| 26.9 | 2.99 | 31.9 | 1.30 | 36.9 | 1.37 | 41.9 | 9.53 | 46.9 | 14.43 |
| 27.0 | 3.26 | 32.0 | 1.24 | 37.0 | 1.32 | 42.0 | 9.68 | 47.0 | 18.95 |
| 27.1 | 2.49 | 32.1 | 1.37 | 37.1 | 1.89 | 42.1 | 8.84 | 47.1 | 17.45 |
| 27.2 | 2.08 | 32.2 | 1.38 | 37.2 | 2.32 | 42.2 | 8.57 | 47.2 | 17.89 |
| 27.3 | 2.39 | 32.3 | 1.28 | 37.3 | 1.52 | 42.3 | 10.69 | 47.3 | 20.57 |
| 27.4 | 1.86 | 32.4 | 1.21 | 37.4 | 1.27 | 42.4 | 12.23 | 47.4 | 24.68 |
| 27.5 | 1.61 | 32.5 | 1.25 | 37.5 | 1.33 | 42.5 | 12.68 | 47.5 | 26.33 |
| 27.6 | 1.63 | 32.6 | 1.20 | 37.6 | 1.35 | 42.6 | 14.13 | 47.6 | 25.02 |
| 27.7 | 1.87 | 32.7 | 1.33 | 37.7 | 1.31 | 42.7 | 13.35 | 47.7 | 25.53 |
| 27.8 | 1.43 | 32.8 | 1.22 | 37.8 | 1.26 | 42.8 | 11.02 | 47.8 | 23.51 |
| 27.9 | 1.28 | 32.9 | 1.31 | 37.9 | 1.28 | 42.9 | 7.57 | 47.9 | 22.24 |
| 28.0 | 1.26 | 33.0 | 1.64 | 38.0 | 1.32 | 43.0 | 10.96 | 48.0 | 21.81 |
| 28.1 | 1.27 | 33.1 | 1.41 | 38.1 | 1.34 | 43.1 | 11.25 | 48.1 | 24.96 |
| 28.2 | 1.54 | 33.2 | 1.35 | 38.2 | 1.56 | 43.2 | 9.58 | 48.2 | 22.45 |
| 28.3 | 1.74 | 33.3 | 1.22 | 38.3 | 1.51 | 43.3 | 12.46 | 48.3 | 19.35 |
| 28.4 | 1.38 | 33.4 | 1.26 | 38.4 | 1.33 | 43.4 | 11.51 | 48.4 | 17.45 |
| 28.5 | 1.16 | 33.5 | 1.59 | 38.5 | 1.42 | 43.5 | 8.68 | 48.5 | 21.61 |
| 28.6 | 1.26 | 33.6 | 1.67 | 38.6 | 1.46 | 43.6 | 6.03 | 48.6 | 19.56 |
| 28.7 | 1.22 | 33.7 | 1.38 | 38.7 | 1.51 | 43.7 | 5.59 | 48.7 | 19.97 |
| 28.8 | 1.22 | 33.8 | 1.31 | 38.8 | 1.62 | 43.8 | 7.73 | 48.8 | 20.32 |
| 28.9 | 1.46 | 33.9 | 1.35 | 38.9 | 1.58 | 43.9 | 11.96 | 48.9 | 23.68 |
| 29.0 | 1.23 | 34.0 | 1.41 | 39.0 | 1.73 | 44.0 | 11.38 | 49.0 | 25.46 |
| 29.1 | 1.29 | 34.1 | 1.26 | 39.1 | 1.85 | 44.1 | 11.16 | 49.1 | 22.12 |
| 29.2 | 1.27 | 34.2 | 1.22 | 39.2 | 1.82 | 44.2 | 12.24 | 49.2 | 24.05 |
| 29.3 | 1.41 | 34.3 | 1.19 | 39.3 | 1.79 | 44.3 | 12.75 | 49.3 | 22.76 |
| 29.4 | 1.58 | 34.4 | 1.18 | 39.4 | 1.90 | 44.4 | 10.43 | 49.4 | 20.15 |
| 29.5 | 1.29 | 34.5 | 1.23 | 39.5 | 1.88 | 44.5 | 7.51 | 49.5 | 20.76 |
| 29.6 | 1.40 | 34.6 | 1.30 | 39.6 | 1.92 | 44.6 | 6.95 | 49.6 | 24.86 |
| 29.7 | 1.38 | 34.7 | 1.27 | 39.7 | 1.96 | 44.7 | 7.24 | 49.7 | 26.31 |
| 29.8 | 1.76 | 34.8 | 1.25 | 39.8 | 2.05 | 44.8 | 8.96 | 49.8 | 23.51 |
| 29.9 | 1.27 | 34.9 | 1.24 | 39.9 | 2.21 | 44.9 | 12.35 | 49.9 | 19.96 |
| 30.0 | 1.83 | 35.0 | 1.86 | 40.0 | 2.13 | 45.0 | 15.86 | 50.0 | 19.54 |

工程编号 K043-2015-4 孔 号 ZFC9 孔 深 54.8m 探头编号 911 测试日期 0

锥头面积 15cm2 标定系数 112kPa

| 深度 (m) | 比贯入阻力 Ps(MPa) |
|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| 50.1 | 22.24 | | | | | | | | |
| 50.2 | 20.45 | | | | | | | | |
| 50.3 | 20.75 | | | | | | | | |
| 50.4 | 21.44 | | | | | | | | |
| 50.5 | 24.68 | | | | | | | | |
| 50.6 | 25.37 | | | | | | | | |
| 50.7 | 24.91 | | | | | | | | |
| 50.8 | 22.20 | | | | | | | | |
| 50.9 | 23.19 | | | | | | | | |
| 51.0 | 23.43 | | | | | | | | |
| 51.0 | 21.16 | | | | | | | | |
| 51.1 | 17.02 | | | | | | | | |
| 51.3 | 14.13 | | | | | | | | |
| 51.3 | 16.32 | | | | | | | | |
| 51.5 | 16.68 | | | | | | | | |
| 51.6 | 20.33 | | | | | | | | |
| 51.7 | 18.86 | | | | | | | | |
| 51.7 | 19.15 | | | | | | | | |
| 51.9 | 22.85 | | | | | | | | |
| 52.0 | 25.53 | | | | | | | | |
| 52.1 | 24.10 | | | | | | | | |
| 52.2 | 24.76 | | | | | | | | |
| 52.3 | 22.20 | | | | | | | | |
| 52.4 | 18.32 | | | | | | | | |
| 52.5 | 11.12 | | | | | | | | |
| 52.6 | 8.35 | | | | | | | | |
| 52.7 | 9.46 | | | | | | | | |
| 52.8 | 6.67 | | | | | | | | |
| 52.9 | 15.68 | | | | | | | | |
| 53.0 | 22.37 | | | | | | | | |
| 53.1 | 24.05 | | | | | | | | |
| 53.2 | 23.13 | | | | | | | | |
| 53.3 | 23.62 | | | | | | | | |
| 53.4 | 25.31 | | | | | | | | |
| 53.5 | 27.19 | | | | | | | | |
| 53.6 | 24.40 | | | | | | | | |
| 53.7 | 26.32 | | | | | | | | |
| 53.8 | 25.05 | | | | | | | | |
| 53.9 | 23.12 | | | | | | | | |
| 54.0 | 19.57 | | | | | | | | |
| 54.1 | 17.46 | | | | | | | | |
| 54.2 | 22.19 | | | | | | | | |
| 54.3 | 21.24 | | | | | | | | |
| 54.4 | 18.35 | | | | | | | | |
| 54.5 | 15.57 | | | | | | | | |
| 54.6 | 16.30 | | | | | | | | |
| 54.7 | 17.76 | | | | | | | | |
| 54.8 | 22.09 | | | | | | | | |
| | | | | | | | | | |
| <u></u> | | | | | | | | | |
| 测 试 | | | | | | | | | |

| 测 | 试 | 复 | 核 | |
|---|---|---|---|--|
| | | | | |

工程编号 K043-2015-4 孔 号 ZFC10 ___ 孔 深 _55.0m ____ 探头编号 _911 ____ 测试日期 _0 ____

锥头面积 15cm2 标定系数 112kPa

| 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 |
|-----|---------|------|---------|------|---------|------|---------|------|---------|
| (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) |
| 0.1 | 2.08 | 5.1 | 0.37 | 10.1 | 0.61 | 15.1 | 1.10 | 20.1 | 1.67 |
| 0.2 | 1.82 | 5.2 | 0.36 | 10.2 | 0.54 | 15.2 | 1.81 | 20.2 | 1.43 |
| 0.3 | 1.31 | 5.3 | 0.35 | 10.3 | 0.50 | 15.3 | 1.90 | 20.3 | 2.30 |
| 0.4 | 0.98 | 5.4 | 0.36 | 10.4 | 0.51 | 15.4 | 1.33 | 20.4 | 1.55 |
| 0.5 | 0.89 | 5.5 | 0.37 | 10.5 | 0.51 | 15.5 | 1.98 | 20.5 | 0.89 |
| 0.6 | 0.86 | 5.6 | 0.41 | 10.6 | 0.53 | 15.6 | 1.05 | 20.6 | 1.20 |
| 0.7 | 1.23 | 5.7 | 0.42 | 10.7 | 0.49 | 15.7 | 0.84 | 20.7 | 0.96 |
| 0.8 | 1.14 | 5.8 | 0.38 | 10.8 | 0.47 | 15.8 | 0.78 | 20.8 | 0.90 |
| 0.9 | 0.86 | 5.9 | 0.43 | 10.9 | 0.52 | 15.9 | 0.72 | 20.9 | 0.83 |
| 1.0 | 0.80 | 6.0 | 0.41 | 11.0 | 0.52 | 16.0 | 0.73 | 21.0 | 0.78 |
| 1.1 | 0.82 | 6.1 | 0.45 | 11.1 | 0.55 | 16.1 | 2.44 | 21.1 | 0.84 |
| 1.2 | 0.92 | 6.2 | 0.42 | 11.2 | 0.54 | 16.2 | 6.69 | 21.2 | 0.85 |
| 1.3 | 0.85 | 6.3 | 0.60 | 11.3 | 0.51 | 16.3 | 7.11 | 21.3 | 0.87 |
| 1.4 | 0.93 | 6.4 | 0.50 | 11.4 | 0.56 | 16.4 | 10.88 | 21.4 | 0.88 |
| 1.5 | 0.97 | 6.5 | 0.42 | 11.5 | 0.58 | 16.5 | 13.67 | 21.5 | 0.85 |
| 1.6 | 0.99 | 6.6 | 0.40 | 11.6 | 0.59 | 16.6 | 12.67 | 21.6 | 0.86 |
| 1.7 | 1.02 | 6.7 | 0.36 | 11.7 | 0.55 | 16.7 | 15.09 | 21.7 | 0.86 |
| 1.8 | 0.92 | 6.8 | 0.35 | 11.8 | 0.52 | 16.8 | 16.36 | 21.8 | 0.84 |
| 1.9 | 1.06 | 6.9 | 0.36 | 11.9 | 0.53 | 16.9 | 13.76 | 21.9 | 0.87 |
| 2.0 | 0.98 | 7.0 | 0.39 | 12.0 | 0.50 | 17.0 | 12.85 | 22.0 | 0.89 |
| 2.1 | 0.93 | 7.1 | 0.41 | 12.1 | 0.57 | 17.1 | 13.69 | 22.1 | 0.90 |
| 2.2 | 0.86 | 7.2 | 0.41 | 12.2 | 0.55 | 17.2 | 14.49 | 22.2 | 0.88 |
| 2.3 | 0.69 | 7.3 | 0.42 | 12.3 | 0.59 | 17.3 | 15.77 | 22.3 | 0.92 |
| 2.4 | 0.65 | 7.4 | 0.40 | 12.4 | 0.61 | 17.4 | 16.15 | 22.4 | 0.96 |
| 2.5 | 0.69 | 7.5 | 0.42 | 12.5 | 0.56 | 17.5 | 17.13 | 22.5 | 0.94 |
| 2.6 | 0.65 | 7.6 | 0.42 | 12.6 | 0.54 | 17.6 | 17.74 | 22.6 | 1.01 |
| 2.7 | 0.59 | 7.7 | 0.43 | 12.7 | 0.54 | 17.7 | 14.02 | 22.7 | 1.00 |
| 2.8 | 0.52 | 7.8 | 0.53 | 12.8 | 0.57 | 17.8 | 8.71 | 22.8 | 0.97 |
| 2.9 | 0.50 | 7.9 | 0.50 | 12.9 | 0.78 | 17.9 | 4.41 | 22.9 | 1.02 |
| 3.0 | 0.51 | 8.0 | 0.47 | 13.0 | 0.72 | 18.0 | 3.60 | 23.0 | 1.03 |
| 3.1 | 0.51 | 8.1 | 0.44 | 13.1 | 0.64 | 18.1 | 2.87 | 23.1 | 0.98 |
| 3.2 | 0.49 | 8.2 | 0.42 | 13.2 | 0.60 | 18.2 | 3.66 | 23.2 | 0.95 |
| 3.3 | 0.48 | 8.3 | 0.64 | 13.3 | 0.58 | 18.3 | 8.91 | 23.3 | 1.00 |
| 3.4 | 0.51 | 8.4 | 0.60 | 13.4 | 0.56 | 18.4 | 7.61 | 23.4 | 0.96 |
| 3.5 | 0.52 | 8.5 | 0.53 | 13.5 | 0.62 | 18.5 | 9.69 | 23.5 | 0.94 |
| 3.6 | 0.48 | 8.6 | 0.49 | 13.6 | 0.64 | 18.6 | 5.27 | 23.6 | 1.01 |
| 3.7 | 0.47 | 8.7 | 0.48 | 13.7 | 0.60 | 18.7 | 1.64 | 23.7 | 1.04 |
| 3.8 | 0.42 | 8.8 | 0.51 | 13.8 | 0.61 | 18.8 | 0.87 | 23.8 | 1.06 |
| 3.9 | 0.46 | 8.9 | 0.50 | 13.9 | 0.87 | 18.9 | 0.97 | 23.9 | 1.12 |
| 4.0 | 0.44 | 9.0 | 0.50 | 14.0 | 0.79 | 19.0 | 1.26 | 24.0 | 1.10 |
| 4.1 | 0.40 | 9.1 | 0.51 | 14.1 | 0.76 | 19.1 | 1.12 | 24.1 | 1.05 |
| 4.2 | 0.38 | 9.2 | 0.48 | 14.2 | 0.82 | 19.2 | 0.85 | 24.2 | 1.08 |
| 4.3 | 0.41 | 9.3 | 0.47 | 14.3 | 0.80 | 19.3 | 0.90 | 24.3 | 1.13 |
| 4.4 | 0.50 | 9.4 | 0.49 | 14.4 | 0.91 | 19.4 | 1.56 | 24.4 | 1.17 |
| 4.5 | 0.46 | 9.5 | 0.53 | 14.5 | 0.79 | 19.5 | 1.15 | 24.5 | 1.24 |
| 4.6 | 0.39 | 9.6 | 0.50 | 14.6 | 0.85 | 19.6 | 1.22 | 24.6 | 1.20 |
| 4.7 | 0.36 | 9.7 | 0.48 | 14.7 | 0.83 | 19.7 | 0.91 | 24.7 | 1.09 |
| 4.8 | 0.37 | 9.8 | 0.52 | 14.8 | 0.77 | 19.8 | 0.79 | 24.8 | 1.11 |
| 4.9 | 0.36 | 9.9 | 0.56 | 14.9 | 0.79 | 19.9 | 0.88 | 24.9 | 1.10 |
| 5.0 | 0.36 | 10.0 | 0.58 | 15.0 | 0.87 | 20.0 | 1.16 | 25.0 | 1.07 |

工程编号 <u>K043-2015-4</u> 孔 号 <u>ZFC10</u> 孔 深 <u>55.0m</u> 探头编号 <u>911</u> 测试日期 <u>0</u>

锥头面积 15cm2 标定系数 112kPa

| [[[] | | 10.VEX.XX | | | | | | | |
|--------------|------------------|--------------|------------------|--------------|------------------|--------------|------------------|--------------|------------------|
| 深度 (m) | 比贯入阻力 Ps(MPa) |
| 25.1 | 1.20 | 30.1 | 1.39 | 35.1 | 1.38 | 40.1 | 2.02 | 45.1 | 11.84 |
| 25.2 | 1.29 | 30.2 | 1.81 | 35.2 | 1.27 | 40.2 | 2.15 | 45.2 | 14.95 |
| 25.3 | 1.82 | 30.3 | 1.82 | 35.3 | 1.25 | 40.3 | 2.11 | 45.3 | 15.56 |
| 25.4 | 1.52 | 30.4 | 1.48 | 35.4 | 1.30 | 40.4 | 2.08 | 45.4 | 16.24 |
| 25.5 | 1.18 | 30.5 | 1.46 | 35.5 | 1.29 | 40.5 | 2.13 | 45.5 | 18.89 |
| 25.6 | 1.18 | 30.6 | 1.25 | 35.6 | 1.56 | 40.6 | 2.01 | 45.6 | 20.27 |
| 25.7 | 1.07 | 30.7 | 1.23 | 35.7 | 1.72 | 40.7 | 1.95 | 45.7 | 20.61 |
| 25.8 | 1.16 | 30.8 | 1.55 | 35.8 | 1.39 | 40.8 | 1.89 | 45.8 | 19.35 |
| 25.9 | 1.24 | 30.9 | 1.36 | 35.9 | 1.51 | 40.9 | 1.92 | 45.9 | 16.05 |
| 26.0 | 1.43 | 31.0 | 1.22 | 36.0 | 1.50 | 41.0 | 1.99 | 46.0 | 15.45 |
| 26.1 | 2.33 | 31.1 | 1.22 | 36.1 | 1.43 | 41.1 | 2.02 | 46.1 | 18.43 |
| 26.2 | 2.09 | 31.2 | 1.17 | 36.2 | 1.36 | 41.2 | 1.83 | 46.2 | 17.51 |
| 26.3 | 2.16 | 31.3 | 1.21 | 36.3 | 1.38 | 41.3 | 1.76 | 46.3 | 14.02 |
| 26.4 | 1.98 | 31.4 | 1.42 | 36.4 | 1.42 | 41.4 | 1.69 | 46.4 | 18.35 |
| 26.5 | 1.36 | 31.5 | 1.42 | 36.5 | 1.42 | 41.5 | 1.65 | 46.5 | 20.69 |
| 26.6 | 1.19 | 31.6 | 1.43 | 36.6 | 1.37 | 41.6 | 1.62 | 46.6 | 22.15 |
| 26.7 | 2.28 | 31.7 | 1.58 | 36.7 | 1.45 | 41.7 | 1.54 | 46.7 | 19.95 |
| 26.7 | 2.28 | 31.7 | 1.33 | 36.8 | 1.43 | 41.7 | 1.60 | 46.7 | 14.03 |
| 26.8 | 4.43 | 31.6 | 1.20 | 36.9 | 1.50 | 41.8 | 1.72 | 46.8 46.9 | 8.20 |
| 27.0 | 5.87 | 32.0 | 1.30 | 37.0 | 1.46 | 42.0 | 3.51 | 40.9 | 6.95 |
| 27.0 | 5.01 | 32.0 | 1.28 | 37.0 | 1.40 | 42.0 | 7.46 | 47.0 47.1 | 7.43 |
| 27.1 | 4.52 | 32.1 | | 37.1 | 1.79 | 42.1 | 8.24 | 47.1 | 12.26 |
| | 4.32 3.47 | 32.2 | 1.47 | 37.2 37.3 | 1.90 | | 9.03 | | |
| 27.3 | 2.81 | 32.3 | 1.43 | 37.3 37.4 | 2.32 | 42.3 42.4 | 7.76 | 47.3 | 16.69 |
| 27.4 | 3.14 | 32.4 | 1.25 1.20 | 37.4 37.5 | 1.56 | 42.4 | | 47.4 47.5 | 17.43 |
| 27.5 | | | | | | | 8.15 | | 21.25 |
| 27.6 | 3.95 | 32.6 | 1.35 | 37.6 | 1.40 | 42.6 | 8.53 | 47.6 | 22.09 |
| 27.7 | 2.58 | 32.7 | 1.31 | 37.7 | 1.35 | 42.7 | 11.16 | 47.7 | 20.38 |
| 27.8 | 2.33 | 32.8 | 1.20 | 37.8 | 1.29 | 42.8 | 12.25 | 47.8 | 21.96 |
| 27.9 | 1.96 | 32.9 | 1.23 | 37.9 | 1.22 | 42.9 | 11.76 | 47.9 | 25.68 |
| 28.0 | 1.48 | 33.0 | 1.50 | 38.0 | 1.31 | 43.0 | 10.03 9.81 | 48.0 | 27.13 |
| 28.1 | 1.34 | 33.1 | 1.36 | 38.1 | 1.24 | 43.1 | | 48.1 | 24.61 |
| 28.2 | 1.32 | 33.2 | 1.30 | 38.2 | 1.45 | 43.2 | 11.70 | 48.2 | 25.30 |
| 28.3 28.4 | 1.59 | 33.3 33.4 | 1.27 | 38.3 38.4 | 1.36 | 43.3 43.4 | 11.42 | 48.3 48.4 | 22.20 21.16 |
| | 1.88 | | 1.22 | | 1.30 | | 12.69 | | |
| 28.5 | 1.60 | 33.5 | 1.32 | 38.5 | 1.25 | 43.5 | 13.52 | 48.5 | 20.75 |
| 28.6 | 1.36 | 33.6 | 1.19 | 38.6 | 1.28 | 43.6 | 11.81 | 48.6 | 19.27 22.86 |
| 28.7 | 1.53 | 33.7 | 1.47 | 38.7 | 1.31 | 43.7 | 12.61 | 48.7 | |
| 28.8 | 1.64 | 33.8 | 1.25 | 38.8 | 1.34 | 43.8 | 12.23 | 48.8 | 25.05 |
| 28.9 | 1.88 | 33.9 | 2.06 | 38.9 | 1.43 | 43.9 | 10.06 9.51 | 48.9 40.0 | 21.13 |
| 29.0 | 1.66 | 34.0 | 1.51 | 39.0 | 1.48 | 44.0 | | 49.0 | 17.51 20.53 |
| 29.1 | 1.41 | 34.1 | 1.26 | 39.1 | 1.60 | 44.1 | 11.46 | 49.1 | |
| 29.2 | 1.27 | 34.2 | 1.30 | 39.2 | 1.68 | 44.2 | 8.35 | 49.2 | 18.85 |
| 29.3 | 1.20 | 34.3 | 1.28 | 39.3 | 1.73 | 44.3 | 6.12 | 49.3 | 19.19 |
| 29.4 | 1.18 | 34.4 | 1.22 | 39.4 | 1.79 | 44.4 | 10.16 | 49.4 | 24.68 |
| 29.5 | 1.24 | 34.5 | 1.26 | 39.5 | 1.82 | 44.5 | 12.53 | 49.5 | 26.13 |
| 29.6 | 1.83 | 34.6 | 1.32 | 39.6 | 1.77 | 44.6 | 14.23 | 49.6 | 23.52 |
| 29.7 | 1.30 | 34.7 | 1.35 | 39.7 | 1.85 | 44.7 | 13.06 | 49.7 | 19.34 |
| 29.8 | 1.25 | 34.8 | 1.51 | 39.8 | 1.92 | 44.8 | 9.94 | 49.8 | 17.15 |
| 29.9 | 1.23 | 34.9 | 1.34 | 39.9 | 1.89 | 44.9 | 8.46 | 49.9 | 16.68 |
| 30.0 | 1.62 | 35.0 | 1.40 | 40.0 | 1.85 | 45.0 | 9.35 | 50.0 | 21.58 |

工程编号 K043-2015-4 孔 号 ZFC10 孔 深 55.0m 探头编号 911 测试日期 0

| 深度 (m) | 比贯入阻力 Ps(MPa) | ———— 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
|--------------|------------------|-------------------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| | | () | | () | . 5(4) | () | . 5(5) | () | |
| 50.1 | 22.09 | | | | | | | | |
| 50.2 | 18.86 | | | | | | | | |
| 50.3 | 19.25 | | | | | | | | |
| 50.4 | 19.56 | | | | | | | | |
| 50.5 | 22.94 | | | | | | | | |
| 50.6 | 24.75 | | | | | | | | |
| 50.7 | 23.12 | | | | | | | | |
| 50.8 | 23.64 | | | | | | | | |
| 50.9 | 21.50 | | | | | | | | |
| 51.0 | 20.24 | | | | | | | | |
| 51.1 | 20.97 | | | | | | | | |
| 51.2 | 20.53 | | | | | | | | |
| 51.3 | 23.81 | | | | | | | | |
| 51.4 | 22.26 | | | | | | | | |
| 51.5 | 19.02 | | | | | | | | |
| 51.6 51.7 | 17.75 18.68 | | | | | | | | |
| 51.7 | 21.85 | | | | | | | | |
| 51.8 | 19.89 | | | | | | | | |
| 52.0 | 20.57 | | | | | | | | |
| 52.0 | 21.15 | | | | | | | | |
| 52.1 | 24.96 | | | | | | | | |
| 52.3 | 25.13 | | | | | | | | |
| 52.4 | 23.00 | | | | | | | | |
| 52.5 | 19.20 | | | | | | | | |
| 52.6 | 13.02 | | | | | | | | |
| 52.7 | 9.24 | | | | | | | | |
| 52.8 | 8.86 | | | | | | | | |
| 52.9 | 12.68 | | | | | | | | |
| 53.0 | 15.53 | | | | | | | | |
| 53.1 | 13.35 | | | | | | | | |
| 53.2 | 11.86 | | | | | | | | |
| 53.3 | 14.96 | | | | | | | | |
| 53.4 | 15.45 | | | | | | | | |
| 53.5 | 18.86 | | | | | | | | |
| 53.6 | 22.94 | | | | | | | | |
| 53.7 | 25.31 | | | | | | | | |
| 53.8 | 23.02 | | | | | | | | |
| 53.9 | 24.64 | | | | | | | | |
| 54.0 | 26.56 | | | | | | | | |
| 54.1 | 26.89 | | | | | | | | |
| 54.2 | 25.02 | | | | | | | | |
| 54.3 | 22.24 | | | | | | | | |
| 54.4 | 20.16 | | | | | | | | |
| 54.5 | 23.85 | | | | | | | | |
| 54.6 | 23.20 | | | | | | | | |
| 54.7 | 21.19 | | | | | | | | |
| 54.8 | 18.68 | | | | | | | | |
| 54.9 55.0 | 17.91 21.55 | | | | | | | | |
| 测 试 | | | <u> </u> | | 1 | | | 1 | |

| 测 | 试 | 复 | 核 | |
|---|---|---|---|--|
| | | | | |

锥头面积 15cm2 标定系数 112kPa

| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
|-----------|------------------|-----------|--------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| 0.1 | 0.40 | 5.1 | 0.47 | 10.1 | 0.56 | 15.1 | 0.97 | 20.1 | 0.96 |
| 0.2 | 0.70 | 5.2 | 0.46 | 10.2 | 0.57 | 15.2 | 0.88 | 20.2 | 1.01 |
| 0.3 | 1.35 | 5.3 | 0.44 | 10.3 | 0.60 | 15.3 | 0.86 | 20.3 | 1.67 |
| 0.4 | 1.20 | 5.4 | 0.42 | 10.4 | 0.58 | 15.4 | 1.15 | 20.4 | 2.13 |
| 0.5 | 1.14 | 5.5 | 0.41 | 10.5 | 0.54 | 15.5 | 0.94 | 20.5 | 1.32 |
| 0.6 | 1.12 | 5.6 | 0.44 | 10.6 | 0.59 | 15.6 | 1.24 | 20.6 | 1.35 |
| 0.7 | 0.82 | 5.7 | 0.50 | 10.7 | 0.61 | 15.7 | 1.96 | 20.7 | 0.91 |
| 0.8 | 0.80 | 5.8 | 0.52 | 10.8 | 0.62 | 15.8 | 3.51 | 20.8 | 0.85 |
| 0.9 | 0.71 | 5.9 | 0.48 | 10.9 | 0.58 | 15.9 | 3.78 | 20.9 | 0.88 |
| 1.0 | 0.56 | 6.0 | 0.52 | 11.0 | 0.60 | 16.0 | 2.68 | 21.0 | 0.91 |
| 1.1 | 1.11 | 6.1 | 0.60 | 11.1 | 0.61 | 16.1 | 2.88 | 21.1 | 0.90 |
| 1.2 | 1.27 | 6.2 | 0.57 | 11.2 | 0.63 | 16.2 | 6.63 | 21.2 | 0.88 |
| 1.3 | 1.14 | 6.3 | 0.59 | 11.3 | 0.62 | 16.3 | 12.81 | 21.3 | 0.85 |
| 1.4 | 0.94 | 6.4 | 0.61 | 11.4 | 0.65 | 16.4 | 12.67 | 21.4 | 0.91 |
| 1.5 | 1.02 | 6.5 | 0.57 | 11.5 | 0.64 | 16.5 | 11.71 | 21.5 | 0.88 |
| 1.6 | 1.17 | 6.6 | 0.54 | 11.6 | 0.61 | 16.6 | 13.56 | 21.6 | 0.85 |
| 1.7 | 1.03 | 6.7 | 0.46 | 11.7 | 0.63 | 16.7 | 12.71 | 21.7 | 0.85 |
| 1.8 | 0.79 | 6.8 | 0.42 | 11.8 | 0.60 | 16.8 | 14.21 | 21.8 | 0.87 |
| 1.9 | 0.70 | 6.9 | 0.39 | 11.9 | 0.62 | 16.9 | 14.94 | 21.9 | 0.85 |
| 2.0 | 0.57 | 7.0 | 0.41 | 12.0 | 0.68 | 17.0 | 14.31 | 22.0 | 0.89 |
| 2.1 | 0.59 | 7.1 | 0.44 | 12.1 | 0.75 | 17.1 | 13.73 | 22.1 | 1.11 |
| 2.2 | 0.54 | 7.2 | 0.45 | 12.2 | 0.87 | 17.2 | 14.64 | 22.2 | 1.04 |
| 2.3 | 0.54 | 7.3 | 0.47 | 12.3 | 0.87 | 17.3 | 14.83 | 22.3 | 0.99 |
| 2.4 | 0.55 | 7.4 | 0.42 | 12.4 | 0.83 | 17.4 | 13.71 | 22.4 | 0.96 |
| 2.5 | 0.52 | 7.5 | 0.39 | 12.5 | 1.02 | 17.5 | 12.11 | 22.5 | 0.98 |
| 2.6 | 0.71 | 7.6 | 0.41 | 12.6 | 0.91 | 17.6 | 10.01 | 22.6 | 0.95 |
| 2.7 | 0.64 | 7.7 | 0.44 | 12.7 | 0.74 | 17.7 | 4.98 | 22.7 | 0.96 |
| 2.8 | 0.67 | 7.8 | 0.63 | 12.8 | 0.78 | 17.8 | 2.80 | 22.8 | 1.01 |
| 2.9 | 0.68 | 7.9 | 0.54 | 12.9 | 0.77 | 17.9 | 4.50 | 22.9 | 1.03 |
| 3.0 | 0.66 | 8.0 | 0.57 | 13.0 | 0.75 | 18.0 | 3.97 | 23.0 | 1.02 |
| 3.1 | 0.59 | 8.1 | 0.50 | 13.1 | 0.73 | 18.1 | 5.54 | 23.1 | 1.00 |
| 3.2 | 0.54 | 8.2 | 0.49 | 13.2 | 0.71 | 18.2 | 9.20 | 23.2 | 0.98 |
| 3.3 | 0.59 | 8.3 | 0.48 | 13.3 | 0.72 | 18.3 | 11.10 | 23.3 | 1.03 |
| 3.4 | 0.54 | 8.4 | 0.52 | 13.4 | 0.73 | 18.4 | 9.20 | 23.4 | 1.03 |
| 3.5 | 0.56 | 8.5 | 0.55 | 13.5 | 0.76 | 18.5 | 2.94 | 23.5 | 0.98 |
| 3.6 | 0.55 | 8.6 | 0.57 | 13.6 | 0.77 | 18.6 | 1.45 | 23.6 | 1.06 |
| 3.7 | 0.52 | 8.7 | 0.53 | 13.7 | 0.80 | 18.7 | 0.89 | 23.7 | 1.08 |
| 3.8 | 0.51 | 8.8 | 0.54 | 13.8 | 0.79 | 18.8 | 0.98 | 23.8 | 1.07 |
| 3.9 | 0.46 | 8.9 | 0.51 | 13.9 | 0.96 | 18.9 | 1.28 | 23.9 | 0.99 |
| 4.0 | 0.45 | 9.0 | 0.49 | 14.0 | 0.87 | 19.0 | 0.80 | 24.0 | 1.11 |
| 4.1 | 0.45 | 9.1 | 0.60 | 14.1 | 1.66 | 19.1 | 1.15 | 24.1 | 1.16 |
| 4.2 | 0.43 | 9.2 | 0.58 | 14.2 | 0.99 | 19.2 | 1.89 | 24.2 | 1.16 |
| 4.3 | 0.46 | 9.3 | 0.52 | 14.3 | 0.92 | 19.3 | 1.43 | 24.3 | 1.18 |
| 4.4 | 0.40 | 9.4 | 0.54 | 14.4 | 0.87 | 19.4 | 2.62 | 24.4 | 1.21 |
| 4.5 | 0.38 | 9.5 | 0.56 | 14.5 | 0.82 | 19.5 | 1.75 | 24.5 | 1.17 |
| 4.6 | 0.42 | 9.6 | 0.61 | 14.6 | 0.79 | 19.6 | 1.00 | 24.6 | 1.16 |
| 4.7 | 0.44 | 9.7 | 0.61 | 14.7 | 0.80 | 19.7 | 0.87 | 24.7 | 1.15 |
| 4.8 | 0.45 | 9.8 | 0.60 | 14.8 | 1.58 | 19.8 | 0.89 | 24.8 | 1.01 |
| 4.9 | 0.42 | 9.9 | 0.59 | 14.9 | 0.95 | 19.9 | 1.62 | 24.9 | 1.07 |
| 5.0 | 0.45 | 10.0 | 0.55 信 校 | 15.0 | 1.05 | 20.0 | 1.23 | 25.0 | 1.09 |

| | | ``` | | ` | | \ | | \ | |
|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| 深度 (m) | 比贯入阻力 Ps(MPa) |
| 25.1 | 1.06 | 30.1 | 2.31 | 35.1 | 1.51 | 40.1 | 1.96 | 45.1 | 16.68 |
| 25.2 | 1.11 | 30.2 | 1.51 | 35.2 | 2.33 | 40.2 | 1.92 | 45.2 | 17.43 |
| 25.3 | 1.13 | 30.3 | 2.00 | 35.3 | 1.29 | 40.3 | 2.04 | 45.3 | 17.95 |
| 25.4 | 1.26 | 30.4 | 1.91 | 35.4 | 1.30 | 40.4 | 2.13 | 45.4 | 17.51 |
| 25.5 | 1.22 | 30.5 | 1.34 | 35.5 | 1.35 | 40.5 | 2.15 | 45.5 | 16.58 |
| 25.6 | 1.71 | 30.6 | 1.36 | 35.6 | 1.86 | 40.6 | 2.20 | 45.6 | 18.86 |
| 25.7 | 1.82 | 30.7 | 1.28 | 35.7 | 2.12 | 40.7 | 1.98 | 45.7 | 20.64 |
| 25.8 | 1.30 | 30.8 | 1.25 | 35.8 | 1.42 | 40.8 | 2.03 | 45.8 | 21.25 |
| 25.9 | 1.15 | 30.9 | 1.21 | 35.9 | 1.55 | 40.9 | 1.92 | 45.9 | 19.35 |
| 26.0 | 1.11 | 31.0 | 1.33 | 36.0 | 1.50 | 41.0 | 1.86 | 46.0 | 14.02 |
| 26.1 | 1.50 | 31.1 | 1.29 | 36.1 | 1.43 | 41.1 | 1.80 | 46.1 | 12.81 |
| 26.2 | 2.30 | 31.2 | 1.50 | 36.2 | 1.38 | 41.2 | 1.76 | 46.2 | 15.56 |
| 26.3 | 2.28 | 31.3 | 1.29 | 36.3 | 1.36 | 41.3 | 1.83 | 46.3 | 22.25 |
| 26.4 | 1.98 | 31.4 | 1.67 | 36.4 | 1.40 | 41.4 | 1.74 | 46.4 | 18.32 |
| 26.5 | 3.35 | 31.5 | 1.39 | 36.5 | 1.32 | 41.5 | 1.69 | 46.5 | 20.24 |
| 26.6 | 2.43 | 31.6 | 1.22 | 36.6 | 1.28 | 41.6 | 1.62 | 46.6 | 19.43 |
| 26.7 | 4.41 | 31.7 | 1.31 | 36.7 | 1.23 | 41.7 | 1.58 | 46.7 | 15.03 |
| 26.8 | 4.09 | 31.8 | 2.05 | 36.8 | 1.31 | 41.8 | 1.60 | 46.8 | 11.12 |
| 26.9 | 3.47 | 31.9 | 1.57 | 36.9 | 1.29 | 41.9 | 1.66 | 46.9 | 9.68 |
| 27.0 | 2.77 | 32.0 | 1.50 | 37.0 | 1.38 | 42.0 | 2.98 | 47.0 | 9.42 |
| 27.1 | 2.61 | 32.1 | 1.33 | 37.1 | 1.69 | 42.1 | 8.35 | 47.1 | 12.25 |
| 27.2 | 3.05 | 32.2 | 1.87 | 37.2 | 1.42 | 42.2 | 9.21 | 47.2 | 16.68 |
| 27.3 | 3.52 | 32.3 | 1.42 | 37.3 | 1.37 | 42.3 | 7.84 | 47.3 | 20.53 |
| 27.4 | 2.60 | 32.4 | 1.31 | 37.4 | 1.35 | 42.4 | 6.43 | 47.4 | 21.68 |
| 27.5 | 2.26 | 32.5 | 1.53 | 37.5 | 1.41 | 42.5 | 8.12 | 47.5 | 23.53 |
| 27.6 | 1.99 | 32.6 | 1.28 | 37.6 | 1.46 | 42.6 | 11.05 | 47.6 | 22.02 |
| 27.7 | 1.55 | 32.7 | 1.24 | 37.7 | 1.52 | 42.7 | 11.68 | 47.7 | 21.57 |
| 27.8 | 1.50 | 32.8 | 1.42 | 37.8 | 1.33 | 42.8 | 12.79 | 47.8 | 20.96 |
| 27.9 | 1.54 | 32.9 | 1.51 | 37.9 | 1.28 | 42.9 | 12.20 | 47.9 | 22.86 |
| 28.0 | 1.78 | 33.0 | 2.00 | 38.0 | 1.30 | 43.0 | 11.96 | 48.0 | 25.75 |
| 28.1 | 1.60 | 33.1 | 1.38 | 38.1 | 1.31 | 43.1 | 13.35 | 48.1 | 27.13 |
| 28.2 | 1.45 | 33.2 | 1.29 | 38.2 | 1.34 | 43.2 | 12.20 | 48.2 | 24.69 |
| 28.3 | 1.87 | 33.3 | 1.66 | 38.3 | 1.27 | 43.3 | 9.10 | 48.3 | 25.42 |
| 28.4 | 1.66 | 33.4 | 1.41 | 38.4 | 1.26 | 43.4 | 7.43 | 48.4 | 23.62 |
| 28.5 | 1.33 | 33.5 | 1.38 | 38.5 | 1.33 | 43.5 | 10.68 | 48.5 | 22.51 |
| 28.6 | 1.27 | 33.6 | 1.71 | 38.6 | 1.35 | 43.6 | 9.55 | 48.6 | 20.13 |
| 28.7 | 1.49 | 33.7 | 1.52 | 38.7 | 1.41 | 43.7 | 9.86 | 48.7 | 19.85 |
| 28.8 | 1.94 | 33.8 | 1.27 | 38.8 | 1.37 | 43.8 | 12.95 | 48.8 | 23.52 |
| 28.9 | 1.53 | 33.9 | 1.23 | 38.9 | 1.34 | 43.9 | 14.43 | 48.9 | 21.44 |
| 29.0 | 2.31 | 34.0 | 1.31 | 39.0 | 1.42 | 44.0 | 13.72 | 49.0 | 21.86 |
| 29.1 | 1.66 | 34.1 | 1.35 | 39.1 | 1.51 | 44.1 | 13.21 | 49.1 | 24.97 |
| 29.2 | 1.24 | 34.2 | 1.29 | 39.2 | 1.50 | 44.2 | 11.24 | 49.2 | 22.38 |
| 29.3 | 1.30 | 34.3 | 1.44 | 39.3 | 1.64 | 44.3 | 12.84 | 49.3 | 19.84 |
| 29.4 | 1.43 | 34.4 | 1.40 | 39.4 | 1.76 | 44.4 | 12.23 | 49.4 | 20.76 |
| 29.5 | 1.67 | 34.5 | 1.35 | 39.5 | 1.83 | 44.5 | 9.68 | 49.5 | 25.62 |
| 29.6 | 1.52 | 34.6 | 1.27 | 39.6 | 1.91 | 44.6 | 8.78 | 49.6 | 22.25 |
| 29.7 | 1.22 | 34.7 | 1.24 | 39.7 | 1.90 | 44.7 | 8.12 | 49.7 | 23.91 |
| 29.8 | 1.29 | 34.8 | 1.31 | 39.8 | 1.84 | 44.8 | 6.68 | 49.8 | 24.76 |
| 29.9 | 1.18 | 34.9 | 1.35 | 39.9 | 1.78 | 44.9 | 10.26 | 49.9 | 22.02 |
| 30.0 | 1.89 | 35.0 | 1.42 | 40.0 | 2.02 | 45.0 | 14.95 | 50.0 | 17.68 |
| 测 试 | | | | | | | | | |

工程编号 <u>K043-2015-4</u> 孔 号 <u>ZFC11</u> 孔 深 <u>60.0m</u> 探头编号 <u>911</u> 测试日期 <u>0</u>

锥头面积 15cm2 标定系数 112kPa

| (m) Ps(MPa) (m) Ps(MPa) <th< th=""><th></th></th<> | |
|--|-----------------|
| 50.2 20.89 55.2 22.28 50.3 19.57 55.3 19.79 50.4 19.96 55.4 21.35 50.5 20.35 55.5 24.68 50.6 23.72 55.6 23.13 50.7 25.45 55.7 25.20 50.8 23.91 55.8 24.11 50.9 24.66 55.9 25.76 51.0 22.25 56.0 23.81 51.1 21.70 56.1 23.03 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 | 贯入阻力 Ps(MPa) |
| 50.2 20.89 55.2 22.28 50.3 19.57 55.3 19.79 50.4 19.96 55.4 21.35 50.5 20.35 55.5 24.68 50.6 23.72 55.6 23.13 50.7 25.45 55.7 25.20 50.8 23.91 55.8 24.11 50.9 24.66 55.9 25.76 51.0 22.25 56.0 23.81 51.1 21.70 56.1 23.03 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 | |
| 50.3 19.57 55.3 19.79 50.4 19.96 55.4 21.35 50.5 20.35 55.5 24.68 50.6 23.72 55.6 23.13 50.7 25.45 55.7 25.20 50.8 23.91 55.8 24.11 50.9 24.66 55.9 25.76 51.0 22.25 56.0 23.81 51.1 21.70 56.1 23.03 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 | |
| 50.4 19.96 55.4 21.35 50.5 20.35 55.5 24.68 50.6 23.72 55.6 23.13 50.7 25.45 55.7 25.20 50.8 23.91 55.8 24.11 50.9 24.66 55.9 25.76 51.0 22.25 56.0 23.81 51.1 21.70 56.1 23.03 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 | |
| 50.5 20.35 55.5 24.68 50.6 23.72 55.6 23.13 50.7 25.45 55.7 25.20 50.8 23.91 55.8 24.11 50.9 24.66 55.9 25.76 51.0 22.25 56.0 23.81 51.1 21.70 56.1 23.03 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 | |
| 50.6 23.72 55.6 23.13 50.7 25.45 55.7 25.20 50.8 23.91 55.8 24.11 50.9 24.66 55.9 25.76 51.0 22.25 56.0 23.81 51.1 21.70 56.1 23.03 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 50.7 25.45 55.7 25.20 50.8 23.91 55.8 24.11 50.9 24.66 55.9 25.76 51.0 22.25 56.0 23.81 51.1 21.70 56.1 23.03 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 50.8 23.91 55.8 24.11 50.9 24.66 55.9 25.76 51.0 22.25 56.0 23.81 51.1 21.70 56.1 23.03 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 50.9 24.66 55.9 25.76 51.0 22.25 56.0 23.81 51.1 21.70 56.1 23.03 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 51.0 22.25 56.0 23.81 51.1 21.70 56.1 23.03 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 51.1 21.70 56.1 23.03 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 51.2 19.96 56.2 22.52 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 51.3 21.34 56.3 20.03 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 51.4 20.52 56.4 20.45 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 51.5 20.86 56.5 21.96 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 51.6 22.52 56.6 24.35 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 51.7 18.68 56.7 22.20 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 51.8 14.13 56.8 21.40 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 51.9 13.95 56.9 22.15 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 52.0 20.69 57.0 23.68 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 52.1 22.29 57.1 26.12 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 52.2 24.88 57.2 24.50 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 52.3 25.23 57.3 21.12 52.4 19.58 57.4 18.35 | |
| 52.4 19.58 57.4 18.35 | |
| | |
| | |
| 52.5 12.13 57.5 14.43 | |
| 52.6 8.68 57.6 13.92 | |
| 52.7 9.94 57.7 21.15 | |
| 52.8 13.68 57.8 25.86 | |
| 52.9 12.75 57.9 25.03 | |
| 53.0 14.89 58.0 22.24 | |
| 53.1 15.56 58.1 24.30 | |
| 53.2 20.84 58.2 23.16 | |
| 53.3 22.79 58.3 22.57 | |
| 53.4 21.18 58.4 22.86 | |
| 53.5 21.55 58.5 21.60 | |
| 53.6 19.68 58.6 19.35 | |
| 53.7 23.35 58.7 17.45 | |
| 53.8 25.95 58.8 18.97 | |
| 53.9 27.81 58.9 18.22 | |
| 54.0 28.13 59.0 17.86 | |
| 54.1 24.03 59.1 18.67 | |
| 54.2 26.11 59.2 19.56 | |
| 54.3 22.23 59.3 21.48 | |
| 54.4 18.58 59.4 23.81 | |
| 54.5 20.94 59.5 22.25 | |
| 54.6 20.42 59.6 24.76 | |
| 54.7 20.12 59.7 24.05 | |
| 54.8 22.25 59.8 21.19 | |
| 54.9 19.62 59.9 19.07 | |
| 55.0 17.03 60.0 16.34 | |

工程编号 K043-2015-4 孔 号 ZFC12 孔 深 _20.0m 探头编号 _911 测试日期 _0 ____

锥头面积 15cm2 标定系数 112kPa

| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
|------------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| 0.1 | 0.68 | 5.1 | 0.53 | 10.1 | 0.54 | 15.1 | 0.64 | | |
| 0.2 | 4.62 | 5.2 | 0.46 | 10.2 | 0.58 | 15.2 | 0.92 | | |
| 0.3 | 1.53 | 5.3 | 0.48 | 10.3 | 0.61 | 15.3 | 0.76 | | |
| 0.4 | 1.29 | 5.4 | 0.42 | 10.4 | 0.60 | 15.4 | 0.78 | | |
| 0.5 | 2.31 | 5.5 | 0.38 | 10.5 | 0.53 | 15.5 | 0.68 | | |
| 0.6 | 1.43 | 5.6 | 0.40 | 10.6 | 0.51 | 15.6 | 1.02 | | |
| 0.7 | 0.96 | 5.7 | 0.41 | 10.7 | 0.52 | 15.7 | 1.35 | | |
| 0.8 | 0.92 | 5.8 | 0.39 | 10.8 | 0.53 | 15.8 | 1.10 | | |
| 0.9 | 0.67 | 5.9 | 0.41 | 10.9 | 0.54 | 15.9 | 0.70 | | |
| 1.0 | 0.75 | 6.0 | 0.40 | 11.0 | 0.56 | 16.0 | 0.71 | | |
| 1.1 | 1.32 | 6.1 | 0.57 | 11.1 | 0.57 | 16.1 | 0.78 | | |
| 1.2 | 1.05 | 6.2 | 0.76 | 11.2 | 0.55 | 16.2 | 0.82 | | |
| 1.3 | 0.58 | 6.3 | 0.62 | 11.3 | 0.58 | 16.3 | 0.80 | | |
| 1.4 | 0.67 | 6.4 | 0.49 | 11.4 | 0.61 | 16.4 | 1.96 | | |
| 1.5 | 1.12 | 6.5 | 0.50 | 11.5 | 0.63 | 16.5 | 5.35 | | |
| 1.6 | 1.43 | 6.6 | 0.50 | 11.6 | 0.60 | 16.6 | 6.48 | | |
| 1.7 | 1.52 | 6.7 | 0.43 | 11.7 | 0.57 | 16.7 | 10.35 | | |
| 1.8 | 1.38 | 6.8 | 0.46 | 11.8 | 0.60 | 16.8 | 14.62 | | |
| 1.9 | 1.22 | 6.9 | 0.45 | 11.9 | 0.58 | 16.9 | 11.12 | | |
| 2.0 | 1.09 | 7.0 | 0.41 | 12.0 | 0.56 | 17.0 | 13.28 | | |
| 2.1 | 0.94 | 7.1 | 0.38 | 12.1 | 0.59 | 17.1 | 15.65 | | |
| 2.2 | 0.93 | 7.2 | 0.39 | 12.2 | 0.67 | 17.2 | 15.91 | | |
| 2.3 | 0.86 | 7.3 | 0.42 | 12.3 | 0.60 | 17.3 | 16.35 | | |
| 2.4 | 0.91 | 7.4 | 0.86 | 12.4 | 0.72 | 17.4 | 13.02 | | |
| 2.5 | 0.92 | 7.5 | 1.12 | 12.5 | 1.31 | 17.5 | 7.62 | | |
| 2.6 | 0.90 | 7.6 | 0.56 | 12.6 | 0.83 | 17.6 | 5.57 | | |
| 2.7 | 0.84 | 7.7 | 0.52 | 12.7 | 0.76 | 17.7 | 10.06 | | |
| 2.8 | 0.81 | 7.8 | 0.47 | 12.8 | 0.68 | 17.8 | 8.35 | | |
| 2.9 | 0.69 | 7.9 | 0.46 | 12.9 | 0.62 | 17.9 | 11.34 | | |
| 3.0 | 0.58 | 8.0 | 0.40 | 13.0 | 0.63 | 18.0 | 7.62 | | |
| 3.1 | 0.63 | 8.1 | 0.42 | 13.1 | 0.64 | 18.1 | 6.03 | | |
| 3.2 | 0.64 | 8.2 | 0.42 | 13.2 | 0.70 | 18.2 | 1.24 | | |
| 3.3 | 0.61 | 8.3 | 0.44 | 13.3 | 0.65 | 18.3 | 0.85 | | |
| 3.4 | 0.56 | 8.4 | 0.76 | 13.4 | 0.66 | 18.4 | 0.79 | | |
| 3.5 | 0.50 | 8.5 | 0.52 | 13.5 | 0.62 | 18.5 | 0.86 | | |
| 3.6 | 0.53 | 8.6 | 0.53 | 13.6 | 0.69 | 18.6 | 0.95 | | |
| 3.7 | 0.72 | 8.7 | 0.50 | 13.7 | 0.72 | 18.7 | 1.42 | | |
| 3.8 | 0.76 | 8.8 | 0.48 | 13.8 | 0.81 | 18.8 | 1.26 | | |
| 3.9 | 0.58 | 8.9 | 0.49 | 13.9 | 1.16 | 18.9 | 0.85 | | |
| 4.0 | 0.52 | 9.0 | 0.49 | 14.0 | 0.73 | 19.0 | 0.81 | | |
| 4.1 | 0.49 | 9.1 | 0.50 | 14.1 | 0.64 | 19.1 | 0.86 | | |
| 4.2 | 0.46 | 9.2 | 0.56 | 14.2 | 0.62 | 19.2 | 1.15 | | |
| 4.3 | 0.40 | 9.3 | 0.61 | 14.3 | 0.63 | 19.3 | 0.93 | | |
| 4.4 | 0.39 | 9.4 | 0.54 | 14.4 | 0.69 | 19.4 | 0.90 | | |
| 4.5 | 0.38 | 9.5 | 0.48 | 14.5 | 0.64 | 19.5 | 0.87 | | |
| 4.6 | 0.42 | 9.6 | 0.52 | 14.6 | 0.65 | 19.6 | 0.81 | | |
| 4.7 | 0.39 | 9.7 | 0.50 | 14.7 | 0.65 | 19.7 | 0.79 | | |
| 4.8 | 0.40 | 9.8 | 0.52 | 14.8 | 0.70 | 19.8 | 0.85 | | |
| 4.9 | 0.44 | 9.9 | 0.55 | 14.9 | 0.71 | 19.9 | 0.91 | | |
| 5.0 訓 试 | 0.51 | 10.0 | 0.56 复 核 | 15.0 | 0.68 | 20.0 | 0.88 | | |

工程编号 K043-2015-4 孔 号 ZFC13 ___ 孔 深 _60.0m ____ 探头编号 _911 ____ 测试日期 _0 ____

锥头面积 15cm2 标定系数 112kPa

| 深度 | 比贯入阻力 | ———— 深度 | 比贯入阻力 | | 比贯入阻力 | 深度 | 比贯入阻力 | ———— 深度 | 比贯入阻力 |
|-----|---------|------------|---------|------|---------|--------|---------|------------|---------|
| (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) |
| 0.1 | 1.07 | 5.1 | 0.52 | 10.1 | 0.48 | 15.1 | 6.30 | 20.1 | 1.89 |
| 0.2 | 2.40 | 5.2 | 0.63 | 10.2 | 0.51 | 15.2 | 6.89 | 20.2 | 3.05 |
| 0.3 | 2.65 | 5.3 | 0.48 | 10.3 | 0.53 | 15.3 | 4.73 | 20.3 | 1.47 |
| 0.4 | 3.18 | 5.4 | 0.51 | 10.4 | 0.56 | 15.4 | 8.14 | 20.4 | 0.95 |
| 0.5 | 2.84 | 5.5 | 0.62 | 10.5 | 0.50 | 15.5 | 10.85 | 20.5 | 1.16 |
| 0.6 | 2.71 | 5.6 | 0.42 | 10.6 | 0.49 | 15.6 | 11.94 | 20.6 | 2.10 |
| 0.7 | 2.07 | 5.7 | 0.95 | 10.7 | 0.52 | 15.7 | 7.47 | 20.7 | 1.75 |
| 0.8 | 1.51 | 5.8 | 0.45 | 10.8 | 0.51 | 15.8 | 5.70 | 20.8 | 3.42 |
| 0.9 | 1.21 | 5.9 | 0.41 | 10.9 | 0.52 | 15.9 | 3.46 | 20.9 | 3.11 |
| 1.0 | 1.14 | 6.0 | 0.38 | 11.0 | 0.53 | 16.0 | 6.18 | 21.0 | 1.79 |
| 1.1 | 1.09 | 6.1 | 0.37 | 11.1 | 0.51 | 16.1 | 7.16 | 21.1 | 1.71 |
| 1.2 | 1.00 | 6.2 | 0.52 | 11.2 | 0.49 | 16.2 | 4.56 | 21.2 | 1.03 |
| 1.3 | 1.21 | 6.3 | 0.39 | 11.3 | 0.55 | 16.3 | 7.18 | 21.3 | 1.56 |
| 1.4 | 1.23 | 6.4 | 0.40 | 11.4 | 0.56 | 16.4 | 8.77 | 21.4 | 2.67 |
| 1.5 | 1.19 | 6.5 | 0.37 | 11.5 | 0.53 | 16.5 | 4.57 | 21.5 | 1.69 |
| 1.6 | 1.33 | 6.6 | 0.39 | 11.6 | 0.55 | 16.6 | 2.30 | 21.6 | 1.97 |
| 1.7 | 1.16 | 6.7 | 0.46 | 11.7 | 0.54 | 16.7 | 4.24 | 21.7 | 1.43 |
| 1.8 | 1.12 | 6.8 | 0.45 | 11.8 | 0.51 | 16.8 | 2.55 | 21.8 | 2.01 |
| 1.9 | 1.10 | 6.9 | 0.40 | 11.9 | 0.52 | 16.9 | 1.56 | 21.9 | 1.68 |
| 2.0 | 1.21 | 7.0 | 0.42 | 12.0 | 0.55 | 17.0 | 0.85 | 22.0 | 1.42 |
| 2.1 | 0.79 | 7.1 | 0.38 | 12.1 | 0.57 | 17.1 | 1.16 | 22.1 | 1.92 |
| 2.2 | 0.78 | 7.2 | 0.46 | 12.2 | 0.72 | 17.2 | 0.95 | 22.2 | 1.23 |
| 2.3 | 0.84 | 7.3 | 0.59 | 12.3 | 0.64 | 17.3 | 1.75 | 22.3 | 1.06 |
| 2.4 | 0.77 | 7.4 | 0.68 | 12.4 | 0.61 | 17.4 | 1.12 | 22.4 | 1.09 |
| 2.5 | 0.69 | 7.5 | 0.76 | 12.5 | 0.63 | 17.5 | 1.00 | 22.5 | 1.22 |
| 2.6 | 0.66 | 7.6 | 0.55 | 12.6 | 0.92 | 17.6 | 1.53 | 22.6 | 1.10 |
| 2.7 | 0.62 | 7.7 | 0.47 | 12.7 | 4.96 | 17.7 | 0.86 | 22.7 | 1.93 |
| 2.8 | 0.60 | 7.8 | 0.59 | 12.8 | 11.01 | 17.8 | 1.02 | 22.8 | 3.54 |
| 2.9 | 0.54 | 7.9 | 0.50 | 12.9 | 9.24 | 17.9 | 1.35 | 22.9 | 2.64 |
| 3.0 | 0.55 | 8.0 | 0.38 | 13.0 | 3.90 | 18.0 | 2.21 | 23.0 | 1.91 |
| 3.1 | 0.57 | 8.1 | 0.42 | 13.1 | 8.36 | 18.1 | 1.50 | 23.1 | 1.77 |
| 3.2 | 0.54 | 8.2 | 0.44 | 13.2 | 6.86 | 18.2 | 1.76 | 23.2 | 2.95 |
| 3.3 | 0.51 | 8.3 | 0.54 | 13.3 | 6.06 | 18.3 | 3.24 | 23.3 | 4.03 |
| 3.4 | 0.45 | 8.4 | 0.60 | 13.4 | 5.38 | 18.4 | 1.91 | 23.4 | 3.12 |
| 3.5 | 0.40 | 8.5 | 0.49 | 13.5 | 8.08 | 18.5 | 1.94 | 23.5 | 3.43 |
| 3.6 | 0.39 | 8.6 | 0.52 | 13.6 | 9.87 | 18.6 | 1.50 | 23.6 | 2.62 |
| 3.7 | 0.42 | 8.7 | 0.46 | 13.7 | 10.45 | 18.7 | 0.94 | 23.7 | 1.94 |
| 3.8 | 0.40 | 8.8 | 0.47 | 13.8 | 11.76 | 18.8 | 1.42 | 23.8 | 3.00 |
| 3.9 | 0.38 | 8.9 | 0.50 | 13.9 | 15.08 | 18.9 | 1.84 | 23.9 | 2.25 |
| 4.0 | 0.39 | 9.0 | 0.49 | 14.0 | 17.31 | 19.0 | 1.22 | 24.0 | 2.43 |
| 4.1 | 0.36 | 9.1 | 0.52 | 14.1 | 14.30 | 19.1 | 0.88 | 24.1 | 2.68 |
| 4.2 | 0.37 | 9.2 | 0.50 | 14.2 | 10.58 | 19.2 | 2.03 | 24.2 | 1.93 |
| 4.3 | 0.50 | 9.3 | 0.48 | 14.3 | 12.43 | 19.3 | 2.56 | 24.3 | 1.67 |
| 4.4 | 0.36 | 9.4 | 0.53 | 14.4 | 14.46 | 19.4 | 1.38 | 24.4 | 1.15 |
| 4.5 | 0.39 | 9.5 | 0.51 | 14.5 | 9.03 | 19.5 | 1.67 | 24.5 | 1.18 |
| 4.6 | 0.36 | 9.6 | 0.49 | 14.6 | 11.56 | 19.6 | 1.11 | 24.6 | 1.32 |
| 4.7 | 0.32 | 9.7 | 0.47 | 14.7 | 11.76 | 19.7 | 0.96 | 24.7 | 2.29 |
| 4.8 | 0.33 | 9.8 | 0.47 | 14.8 | 12.10 | 19.8 | 1.45 | 24.8 | 1.67 |
| 4.9 | 0.33 | 9.9 | 0.61 | 14.9 | 11.18 | 19.9 | 1.08 | 24.9 | 1.85 |
| 5.0 | 0.32 | 10.0 | 0.53 | 15.0 | 8.81 | 20.0 | 1.62 | 25.0 | 3.62 |

工程编号 K043-2015-4 孔 号 ZFC13 孔 深 60.0m 探头编号 911 测试日期 0

锥头面积 15cm2 标定系数 112kPa

| | | = | | | | | | | |
|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|--------------|------------------|
| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
| 25.1 | 5.13 | 30.1 | 1.43 | 35.1 | 1.48 | 40.1 | 2.00 | 45.1 | 11.59 |
| 25.2 | 5.68 | 30.2 | 1.38 | 35.2 | 1.49 | 40.2 | 2.04 | 45.2 | 12.86 |
| 25.3 | 4.02 | 30.3 | 1.35 | 35.3 | 1.55 | 40.3 | 2.14 | 45.3 | 13.25 |
| 25.4 | 2.15 | 30.4 | 1.47 | 35.4 | 1.52 | 40.4 | 2.10 | 45.4 | 14.96 |
| 25.5 | 3.28 | 30.5 | 1.36 | 35.5 | 1.47 | 40.5 | 1.99 | 45.5 | 15.23 |
| 25.6 | 2.42 | 30.6 | 1.38 | 35.6 | 1.46 | 40.6 | 1.97 | 45.6 | 13.02 |
| 25.7 | 1.95 | 30.7 | 1.45 | 35.7 | 1.48 | 40.7 | 2.02 | 45.7 | 11.86 |
| 25.8 | 1.43 | 30.8 | 1.41 | 35.8 | 1.53 | 40.8 | 1.95 | 45.8 | 12.84 |
| 25.9 | 1.26 | 30.9 | 1.48 | 35.9 | 1.61 | 40.9 | 1.86 | 45.9 | 12.23 |
| 26.0 | 1.88 | 31.0 | 2.51 | 36.0 | 1.65 | 41.0 | 1.81 | 46.0 | 10.09 |
| 26.1 | 1.43 | 31.1 | 2.12 | 36.1 | 1.58 | 41.1 | 1.75 | 46.1 | 9.57 |
| 26.2 | 1.38 | 31.2 | 1.86 | 36.2 | 1.54 | 41.2 | 1.69 | 46.2 | 12.25 |
| 26.3 | 1.52 | 31.3 | 3.05 | 36.3 | 1.62 | 41.3 | 1.85 | 46.3 | 14.43 |
| 26.4 | 1.34 | 31.4 | 2.05 | 36.4 | 1.60 | 41.4 | 1.90 | 46.4 | 15.85 |
| 26.5 | 1.37 | 31.5 | 1.43 | 36.5 | 1.86 | 41.5 | 2.43 | 46.5 | 15.12 |
| 26.6 | 1.94 | 31.6 | 1.45 | 36.6 | 1.64 | 41.6 | 3.62 | 46.6 | 10.21 |
| 26.7 | 2.12 | 31.7 | 1.57 | 36.7 | 1.67 | 41.7 | 3.02 | 46.7 | 11.34 |
| 26.7 | 1.46 | 31.7 | 1.50 | 36.8 | 1.07 | 41.7 | 2.06 | 46.7 | 9.52 |
| 26.9 | 1.40 | 31.6 | 1.52 | 36.9 | 1.71 | 41.8 | 1.85 | 46.8 46.9 | 6.13 |
| 27.0 | 1.39 | 32.0 | 1.32 | 37.0 | 1.56 | 42.0 | 1.81 | 40.9 | 4.58 |
| | | 32.0 | 1.43 | | | | 1.81 | | |
| 27.1 | 1.56 | | | 37.1 | 1.50 | 42.1 | | 47.1 | 6.68 |
| 27.2 | 1.67 | 32.2 | 1.40 | 37.2 | 1.49 | 42.2 | 1.98 | 47.2 | 9.95 |
| 27.3 | 1.40 | 32.3 | 1.37 | 37.3 | 1.53 | 42.3 | 1.87 | 47.3 | 14.87 |
| 27.4 | 1.35 | 32.4 | 1.43 | 37.4 | 1.61 | 42.4 | 1.82 | 47.4 | 17.51 |
| 27.5 | 1.33 | 32.5 | 1.39 | 37.5 | 1.57 | 42.5 | 2.68 | 47.5 | 16.76 |
| 27.6 | 1.29 | 32.6 | 1.44 | 37.6 | 1.59 | 42.6 | 2.11 | 47.6 | 17.23 |
| 27.7 | 1.56 | 32.7 | 1.45 | 37.7 | 1.62 | 42.7 | 2.04 | 47.7 | 18.95 |
| 27.8 | 1.38 | 32.8 | 1.69 | 37.8 | 1.63 | 42.8 | 1.95 | 47.8 | 21.15 |
| 27.9 | 1.44 | 32.9 | 1.52 | 37.9 | 1.72 | 42.9 | 2.23 | 47.9 | 21.68 |
| 28.0 | 2.32 | 33.0 | 1.46 | 38.0 | 1.68 | 43.0 | 6.35 | 48.0 | 20.05 |
| 28.1 | 1.68 | 33.1 | 1.43 | 38.1 | 1.60 | 43.1 | 10.95 | 48.1 | 18.52 |
| 28.2 | 1.41 | 33.2 | 1.47 | 38.2 | 1.59 | 43.2 | 11.26 | 48.2 | 18.03 |
| 28.3 | 1.38 | 33.3 | 1.44 | 38.3 | 1.64 | 43.3 | 9.24 | 48.3 | 16.10 |
| 28.4 | 1.42 | 33.4 | 1.39 | 38.4 | 1.67 | 43.4 | 5.53 | 48.4 | 14.95 |
| 28.5 | 1.40 | 33.5 | 1.38 | 38.5 | 1.75 | 43.5 | 4.02 | 48.5 | 17.73 |
| 28.6 | 1.46 | 33.6 | 1.42 | 38.6 | 1.83 | 43.6 | 4.86 | 48.6 | 22.59 |
| 28.7 | 1.68 | 33.7 | 1.42 | 38.7 | 1.85 | 43.7 | 5.34 | 48.7 | 19.86 |
| 28.8 | 2.75 | 33.8 | 1.46 | 38.8 | 1.89 | 43.8 | 8.95 | 48.8 | 20.67 |
| 28.9 | 1.89 | 33.9 | 1.51 | 38.9 | 1.92 | 43.9 | 11.59 | 48.9 | 23.35 |
| 29.0 | 2.24 | 34.0 | 1.62 | 39.0 | 2.03 | 44.0 | 12.35 | 49.0 | 25.85 |
| 29.1 | 1.53 | 34.1 | 1.86 | 39.1 | 1.98 | 44.1 | 13.05 | 49.1 | 26.12 |
| 29.2 | 1.39 | 34.2 | 1.49 | 39.2 | 2.15 | 44.2 | 11.10 | 49.2 | 23.25 |
| 29.3 | 1.44 | 34.3 | 1.53 | 39.3 | 2.20 | 44.3 | 9.68 | 49.3 | 21.15 |
| 29.4 | 1.46 | 34.4 | 1.50 | 39.4 | 2.26 | 44.4 | 12.56 | 49.4 | 24.96 |
| 29.5 | 1.41 | 34.5 | 1.44 | 39.5 | 2.13 | 44.5 | 12.24 | 49.5 | 27.13 |
| 29.6 | 1.97 | 34.6 | 1.37 | 39.6 | 2.15 | 44.6 | 10.35 | 49.6 | 28.05 |
| 29.7 | 1.54 | 34.7 | 1.41 | 39.7 | 2.04 | 44.7 | 7.76 | 49.7 | 25.23 |
| 29.8 | 1.50 | 34.8 | 1.40 | 39.8 | 1.98 | 44.8 | 8.96 | 49.8 | 22.06 |
| 29.9 | 1.46 | 34.9 | 1.41 | 39.9 | 2.02 | 44.9 | 8.51 | 49.9 | 23.11 |
| 30.0 | 1.68 | 35.0 | 1.43 | 40.0 | 2.06 | 45.0 | 6.67 | 50.0 | 21.29 |

工程编号 K043-2015-4 孔 号 ZFC13 ___ 孔 深 _60.0m ___ 探头编号 _911 ____ 测试日期 _0 ____

锥头面积 15cm2 标定系数 112kPa

| 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 | 深度 | 比贯入阻力 |
|--------------------|----------------|--------------|----------------|-----|---------|-----|---------|-----|---------|
| (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) | (m) | Ps(MPa) |
| 50.1 | 19.57 | 55.1 | 24.86 | | | | | | |
| 50.2 | 20.35 | 55.2 | 22.21 | | | | | | |
| 50.3 | 24.89 | 55.3 | 22.43 | | | | | | |
| 50.4 | 22.50 | 55.4 | 22.26 | | | | | | |
| 50.5 | 18.68 | 55.5 | 20.45 | | | | | | |
| 50.6 | 16.24 | 55.6 | 19.34 | | | | | | |
| 50.7 | 14.43 | 55.7 | 15.52 | | | | | | |
| 50.8 | 15.16 | 55.8 | 14.02 | | | | | | |
| 50.9 | 17.63 | 55.9 | 13.68 | | | | | | |
| 51.0 | 13.92 | 56.0 | 16.96 | | | | | | |
| 51.1 | 12.84 | 56.1 | 15.57 | | | | | | |
| 51.2 | 18.95 | 56.2 | 18.95 | | | | | | |
| 51.3 | 19.42 | 56.3 | 23.57 | | | | | | |
| 51.4 | 21.87 | 56.4 | 24.92 | | | | | | |
| 51.5 | 24.68 | 56.5 | 26.21 | | | | | | |
| 51.6 | 25.30 | 56.6 | 22.72 | | | | | | |
| 51.7 | 22.12 | 56.7 | 22.30 | | | | | | |
| 51.8 | 23.81 | 56.8 | 20.49 | | | | | | |
| 51.9 | 21.09 | 56.9 | 21.16 | | | | | | |
| 52.0 | 18.57 | 57.0 | 21.53 | | | | | | |
| 52.1 | 18.23 | 57.1 | 24.89 | | | | | | |
| 52.2 | 20.46 | 57.2 | 26.32 | | | | | | |
| 52.3 | 19.51 | 57.3 | 25.13 | | | | | | |
| 52.4 | 16.68 | 57.4 | 25.57 | | | | | | |
| 52.5 | 15.78 | 57.5 | 23.02 | | | | | | |
| 52.6 | 15.32 | 57.6 | 19.64 | | | | | | |
| 52.7 | 23.25 | 57.7 | 21.82 | | | | | | |
| 52.8 | 19.89 | 57.8 | 20.63 | | | | | | |
| 52.9 | 22.56 | 57.9 | 18.62 | | | | | | |
| 53.0 | 22.10 | 58.0 | 17.15 | | | | | | |
| 53.1 | 21.50 | 58.1 | 16.81 | | | | | | |
| 53.2 | 18.35 | 58.2 | 18.93 | | | | | | |
| 53.3 | 18.97 | 58.3 | 22.77 | | | | | | |
| 53.4 | 19.15 | 58.4 | 23.15 | | | | | | |
| 53.5 | 22.27 | 58.5 | 20.45 | | | | | | |
| 53.6 | 21.46 | 58.6 | 21.79 | | | | | | |
| 53.7 | 23.35 | 58.7 | 24.86 | | | | | | |
| 53.8 | 25.68 | 58.8 | 25.52 | | | | | | |
| 53.9 | 27.12 | 58.9 | 22.34 | | | | | | |
| 54.0 | 24.05 | 59.0 | 24.06 | | | | | | |
| 54.1 | 26.13 | 59.1 | 23.62 | | | | | | |
| 54.2 54.3 | 24.43 | 59.2 | 20.50 | | | | | | |
| 54.3 | 21.30 | 59.3 | 20.03 | | | | | | |
| 54.4 54.5 | 18.55 | 59.4 50.5 | 18.38 | | | | | | |
| 54.5 54.6 | 17.23 | 59.5 59.6 | 19.97 19.52 | | | | | | |
| 54.6 | 21.67 22.05 | 59.6 59.7 | 19.52 | | | | | | |
| 54.7 | 19.84 | 59.7 59.8 | 21.25 | | | | | | |
| 54.9 | 20.69 | 59.8 59.9 | 23.66 | | | | | | |
| 55.0 | 22.35 | 60.0 | 22.47 | | | | | | |
| 201 2 4 | 44.33 | 00.0 | | | | | | | I |

| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
|------------------|------------------|------------|------------------|-----------|------------------|--------------|------------------|-----------|------------------|
| 0.1 | 0.40 | 5.1 | 0.51 | 10.1 | 0.61 | 15.1 | 5.50 | 20.1 | 1.72 |
| 0.2 | 1.32 | 5.2 | 0.46 | 10.2 | 0.54 | 15.2 | 8.84 | 20.2 | 1.77 |
| 0.3 | 5.25 | 5.3 | 0.40 | 10.3 | 0.53 | 15.3 | 7.20 | 20.3 | 2.07 |
| 0.4 | 4.11 | 5.4 | 0.39 | 10.3 | 0.50 | 15.4 | 4.69 | 20.4 | 2.14 |
| 0.5 | 3.25 | 5.5 | 0.37 | 10.5 | 0.49 | 15.5 | 3.44 | 20.5 | 1.69 |
| 0.6 | 2.82 | 5.6 | 0.40 | 10.6 | 0.55 | 15.6 | 2.33 | 20.6 | 1.46 |
| 0.7 | 2.34 | 5.7 | 0.37 | 10.7 | 0.52 | 15.7 | 6.85 | 20.7 | 2.03 |
| 0.8 | 1.75 | 5.8 | 0.41 | 10.7 | 0.57 | 15.8 | 4.20 | 20.8 | 2.47 |
| 0.9 | 1.60 | 5.9 | 0.42 | 10.9 | 0.54 | 15.9 | 7.10 | 20.9 | 1.76 |
| 1.0 | 1.53 | 6.0 | 0.39 | 11.0 | 0.53 | 16.0 | 7.83 | 21.0 | 3.42 |
| 1.1 | 1.36 | 6.1 | 0.43 | 11.1 | 0.51 | 16.1 | 4.60 | 21.1 | 4.23 |
| 1.2 | 1.31 | 6.2 | 0.40 | 11.1 | 0.50 | 16.1 | 5.38 | 21.2 | 4.83 |
| 1.3 | 1.23 | 6.3 | 0.50 | 11.3 | 0.52 | 16.2 | 6.81 | 21.3 | 5.20 |
| 1.3 | 1.23 | 6.4 | 0.58 | 11.3 | 0.52 | 16.3 | 6.23 | 21.3 | 4.23 |
| 1.5 | 1.10 | 6.5 | 0.38 | 11.4 | 0.52 | 16.4 | 9.70 | 21.4 | 4.23 |
| 1.6 | 1.14 | 6.6 | 0.45 | 11.6 | 0.31 | 16.6 | 5.92 | 21.6 | 2.82 |
| 1.7 | 1.27 | 6.7 | 0.43 | 11.7 | 0.43 | 16.7 | 2.01 | 21.7 | 3.38 |
| 1.8 | 1.21 | 6.8 | 0.43 | 11.7 | 0.53 | 16.7 | 0.82 | 21.7 | 3.71 |
| 1.8 | 1.16 | 6.9 | 0.49 | 11.8 | 0.51 | 16.8 | 1.22 | 21.8 | 3.53 |
| 2.0 | 0.93 | 7.0 | 0.38 | 12.0 | 0.52 | 17.0 | 0.84 | 22.0 | 2.59 |
| 2.0 | 0.93 | 7.0 | 0.37 | 12.0 | 0.50 | 17.0 | 0.84 | 22.0 | 4.34 |
| 2.1 | 0.03 | 7.1 | 0.43 | 12.1 | 0.52 | 17.1 | 1.75 | 22.1 | 5.83 |
| 2.2 | 0.73 | 7.2 | 0.40 | 12.2 | 0.63 | 17.2 | 1.73 | 22.2 | 4.34 |
| 2.3 | 0.93 | 7.3 7.4 | 0.62 | 12.3 | 0.60 | 17.3 17.4 | 1.12 | 22.3 | 4.34 |
| 2.4 | 0.84 | 7.4 | 0.50 | 12.4 | 0.00 | 17.4 | 0.94 | 22.4 | 4.43 |
| 2.5 | 0.71 | 7.5 7.6 | 0.30 | 12.5 | 0.90 | 17.5 17.6 | 1.56 | 22.6 | 5.06 |
| 2.0 | 0.63 | 7.0 | 0.40 | 12.0 | 0.77 | 17.0 | 1.08 | 22.0 | 5.86 |
| 2.7 | 0.63 | 7.7 | 1.32 | 12.7 | 0.71 | 17.7 | 1.08 | 22.7 | 6.59 |
| 2.8 | 0.59 | 7.8 7.9 | 0.55 | 12.8 | 0.67 | 17.8 17.9 | 0.92 | 22.8 | 5.22 |
| 3.0 | 0.63 | 8.0 | 0.33 | 13.0 | 0.07 | 18.0 | 1.35 | 23.0 | 5.99 |
| 3.0 | 0.60 | 8.1 | 0.46 | 13.0 | 0.70 | 18.1 | 1.95 | 23.0 | 4.72 |
| 3.1 | 0.57 | 8.2 | 0.43 | 13.1 | 0.73 | 18.2 | 2.12 | 23.1 | 6.20 |
| 3.2 | 0.57 | 8.3 | 0.44 | 13.2 | 2.95 | 18.3 | 1.57 | 23.2 | 5.50 |
| 3.3 | 0.55 | 8.4 | 0.42 | 13.3 | 4.69 | 18.4 | 1.66 | 23.4 | 6.87 |
| 3.4 | 0.51 | 8.5 | 0.45 | 13.4 | 5.93 | 18.5 | 1.84 | 23.4 | 7.38 |
| 3.6 | 0.30 | 8.6 | 0.45 | 13.5 | 5.34 | 18.6 | 1.09 | 23.6 | 4.76 |
| 3.0 | 0.46 | 8.7 | 0.40 | 13.0 | 9.43 | 18.7 | 1.81 | 23.0 | 6.58 |
| 3.8 | 0.44 | 8.8 | 0.47 | 13.7 | 10.35 | 18.8 | 1.36 | 23.7 | 5.11 |
| 3.9 | 0.43 | 8.9 | 0.51 | 13.8 | 7.22 | 18.9 | 0.95 | 23.9 | 4.50 |
| 4.0 | 0.39 | 9.0 | 0.32 | 14.0 | 7.22 | 19.0 | 1.14 | 24.0 | 3.67 |
| 4.0 | 0.31 | 9.1 | 0.48 | 14.0 | 4.54 | 19.0 | 2.38 | 24.0 | 2.76 |
| 4.1 | 0.30 | 9.1 | 0.49 | 14.1 | 7.06 | 19.1 | 1.83 | 24.1 | 4.19 |
| 4.2 | 0.30 | 9.2 | 0.50 | 14.2 | 10.74 | 19.2 | 1.39 | 24.2 | 4.19 |
| 4.4 | 0.31 | 9.3 | 0.54 | 14.3 | 12.76 | 19.3 | 2.33 | 24.3 | 6.47 |
| 4.5 | 0.33 | 9.5 | 0.54 | 14.5 | 14.54 | 19.5 | 1.72 | 24.5 | 4.39 |
| 4.6 | 0.32 | 9.5 9.6 | 0.31 | 14.5 | 15.80 | 19.5 | 1.72 | 24.5 | 4.05 |
| 4.0 | 0.34 | 9.7 | 0.49 | 14.0 | 11.54 | 19.0 | 2.92 | 24.0 | 5.09 |
| 4.7 | 0.33 | 9.7 | 0.52 | 14.7 | 9.38 | 19.7 | 2.92 | 24.7 | 5.88 |
| 4.8 | 0.72 | 9.9 | 0.53 | 14.8 | 10.71 | 19.8 | 2.38 | 24.8 | 6.38 |
| 5.0 | 0.41 | 10.0 | 0.58 | 15.0 | 5.13 | 20.0 | 1.90 | 25.0 | 7.30 |
| <u>」。</u> 訓 试 | | 10.0 | 复核 | 13.0 | 5.15 | 20.0 | 1.70 | 23.0 | 7.50 |

工程编号 K043-2015-4 孔 号 ZFC14 孔 深 55.0m 探头编号 911 测试日期 0

锥头面积 15cm2 标定系数 112kPa

| | | - | | | | | | | |
|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|--------------|------------------|
| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
| 25.1 | 5.32 | 30.1 | 2.53 | 35.1 | 1.42 | 40.1 | 2.07 | 45.1 | 7.82 |
| 25.2 | 4.26 | 30.2 | 1.58 | 35.2 | 1.46 | 40.2 | 2.06 | 45.2 | 5.79 |
| 25.3 | 6.39 | 30.3 | 1.37 | 35.3 | 1.49 | 40.3 | 2.05 | 45.3 | 10.54 |
| 25.4 | 5.55 | 30.4 | 1.41 | 35.4 | 1.49 | 40.4 | 2.02 | 45.4 | 14.25 |
| 25.5 | 6.10 | 30.5 | 1.39 | 35.5 | 1.45 | 40.5 | 1.98 | 45.5 | 14.81 |
| 25.6 | 6.58 | 30.6 | 2.44 | 35.6 | 1.41 | 40.6 | 1.98 | 45.6 | 13.27 |
| 25.7 | 6.96 | 30.7 | 1.66 | 35.7 | 1.39 | 40.7 | 2.12 | 45.7 | 13.79 |
| 25.8 | 4.17 | 30.8 | 1.51 | 35.8 | 1.36 | 40.8 | 2.04 | 45.8 | 14.83 |
| 25.9 | 2.62 | 30.9 | 2.23 | 35.9 | 1.55 | 40.9 | 2.00 | 45.9 | 15.23 |
| 26.0 | 3.30 | 31.0 | 1.47 | 36.0 | 1.57 | 41.0 | 1.99 | 46.0 | 15.97 |
| 26.1 | 2.03 | 31.1 | 1.43 | 36.1 | 1.51 | 41.1 | 1.96 | 46.1 | 16.72 |
| 26.2 | 1.41 | 31.2 | 1.40 | 36.2 | 1.47 | 41.2 | 1.92 | 46.2 | 16.10 |
| 26.3 | 1.35 | 31.3 | 1.46 | 36.3 | 1.45 | 41.3 | 1.87 | 46.3 | 14.83 |
| 26.4 | 1.24 | 31.4 | 1.51 | 36.4 | 1.49 | 41.4 | 1.81 | 46.4 | 12.28 |
| 26.5 | 1.22 | 31.5 | 1.54 | 36.5 | 1.51 | 41.5 | 1.76 | 46.5 | 5.32 |
| 26.6 | 1.23 | 31.6 | 1.53 | 36.6 | 1.50 | 41.6 | 1.78 | 46.6 | 3.75 |
| 26.7 | 1.23 | 31.7 | 1.47 | 36.7 | 1.53 | 41.7 | 2.54 | 46.7 | 4.53 |
| 26.7 | 1.30 | 31.7 | 1.69 | 36.8 | 1.55 | 41.7 | 4.43 | 46.7 | 3.28 |
| 26.9 | 1.30 | 31.9 | 2.80 | 36.9 | 1.56 | 41.8 | 2.64 | 46.8 46.9 | 5.20 |
| 27.0 | 1.27 | 32.0 | | 37.0 | 1.59 | 42.0 | 2.04 | 46.9 47.0 | 4.67 |
| | 2.19 | 32.0 | 1.53 | | | | 1.96 | | |
| 27.1 | | | 1.43 | 37.1 | 1.55 | 42.1 | | 47.1 | 9.83 |
| 27.2 | 1.38 | 32.2 | 1.42 | 37.2 | 1.49 | 42.2 | 1.84 | 47.2 | 13.54 |
| 27.3 | 1.41 | 32.3 | 1.40 | 37.3 | 1.48 | 42.3 | 1.81 | 47.3 | 17.68 |
| 27.4 | 1.36 | 32.4 | 1.44 | 37.4 | 1.61 | 42.4 | 1.79 | 47.4 | 18.24 |
| 27.5 | 1.35 | 32.5 | 1.49 | 37.5 | 1.60 | 42.5 | 1.90 | 47.5 | 18.61 |
| 27.6 | 1.27 | 32.6 | 1.52 | 37.6 | 1.55 | 42.6 | 1.92 | 47.6 | 20.73 |
| 27.7 | 1.30 | 32.7 | 1.50 | 37.7 | 1.69 | 42.7 | 2.05 | 47.7 | 21.15 |
| 27.8 | 1.32 | 32.8 | 1.38 | 37.8 | 1.67 | 42.8 | 1.97 | 47.8 | 19.05 |
| 27.9 | 1.79 | 32.9 | 1.35 | 37.9 | 1.59 | 42.9 | 2.31 | 47.9 | 15.36 |
| 28.0 | 1.55 | 33.0 | 1.41 | 38.0 | 1.62 | 43.0 | 4.97 | 48.0 | 18.34 |
| 28.1 | 1.41 | 33.1 | 1.43 | 38.1 | 1.63 | 43.1 | 5.54 | 48.1 | 16.15 |
| 28.2 | 1.49 | 33.2 | 1.42 | 38.2 | 1.67 | 43.2 | 7.04 | 48.2 | 14.69 |
| 28.3 | 1.43 | 33.3 | 1.47 | 38.3 | 1.71 | 43.3 | 8.55 | 48.3 | 15.53 |
| 28.4 | 1.37 | 33.4 | 1.69 | 38.4 | 1.76 | 43.4 | 11.73 | 48.4 | 19.94 |
| 28.5 | 1.36 | 33.5 | 1.60 | 38.5 | 1.79 | 43.5 | 11.88 | 48.5 | 20.35 |
| 28.6 | 1.39 | 33.6 | 1.56 | 38.6 | 1.83 | 43.6 | 12.47 | 48.6 | 16.88 |
| 28.7 | 3.35 | 33.7 | 1.51 | 38.7 | 1.85 | 43.7 | 7.97 | 48.7 | 16.46 |
| 28.8 | 3.14 | 33.8 | 1.48 | 38.8 | 1.92 | 43.8 | 10.50 | 48.8 | 21.25 |
| 28.9 | 2.37 | 33.9 | 1.44 | 38.9 | 1.98 | 43.9 | 12.04 | 48.9 | 23.34 |
| 29.0 | 1.55 | 34.0 | 1.39 | 39.0 | 2.00 | 44.0 | 9.44 | 49.0 | 20.05 |
| 29.1 | 1.50 | 34.1 | 1.37 | 39.1 | 2.01 | 44.1 | 10.35 | 49.1 | 22.62 |
| 29.2 | 1.52 | 34.2 | 1.40 | 39.2 | 2.12 | 44.2 | 10.30 | 49.2 | 24.95 |
| 29.3 | 1.45 | 34.3 | 1.40 | 39.3 | 2.08 | 44.3 | 11.52 | 49.3 | 27.35 |
| 29.4 | 1.50 | 34.4 | 1.51 | 39.4 | 2.06 | 44.4 | 13.34 | 49.4 | 25.13 |
| 29.5 | 1.95 | 34.5 | 1.41 | 39.5 | 2.09 | 44.5 | 13.90 | 49.5 | 19.28 |
| 29.6 | 1.83 | 34.6 | 1.42 | 39.6 | 2.07 | 44.6 | 10.67 | 49.6 | 17.54 |
| 29.7 | 1.34 | 34.7 | 1.40 | 39.7 | 2.05 | 44.7 | 10.78 | 49.7 | 15.13 |
| 29.8 | 1.38 | 34.8 | 1.39 | 39.8 | 2.04 | 44.8 | 12.96 | 49.8 | 15.92 |
| 29.9 | 1.40 | 34.9 | 1.42 | 39.9 | 2.06 | 44.9 | 12.58 | 49.9 | 16.10 |
| 30.0 | 1.36 | 35.0 | 1.44 | 40.0 | 2.09 | 45.0 | 10.94 | 50.0 | 18.89 |

工程编号 K043-2015-4 孔 号 ZFC14 孔 深 55.0m 探头编号 911 测试日期 0

锥头面积 15cm2 标定系数 112kPa

| 证八四小 | 1001112 | - 101 VC 317 XX | | 112111 0 | | • | | | |
|-----------|------------------|-----------------|--|-----------|------------------|-----------|------------------|-----------|------------------|
| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
| 50.1 | 20.08 | | | | | | | | |
| 50.2 | 19.04 | | | | | | | | |
| 50.3 | 19.39 | | | | | | | | |
| 50.4 | 17.72 | | | | | | | | |
| 50.5 | 15.68 | | | | | | | | |
| 50.6 | 14.61 | | | | | | | | |
| 50.7 | 20.46 | | | | | | | | |
| 50.8 | 23.83 | | | | | | | | |
| 50.9 | 20.63 | | | | | | | | |
| 51.0 | 20.25 | | | | | | | | |
| 51.1 | 20.81 | | | | | | | | |
| 51.2 | 21.50 | | | | | | | | |
| 51.3 | 22.10 | | | | | | | | |
| 51.4 | 20.60 | | | | | | | | |
| 51.5 | 18.25 | | | | | | | | |
| 51.6 | 17.62 | | | | | | | | |
| 51.7 | 17.34 | | | | | | | | |
| 51.7 | 15.67 | | | | | | | | |
| 51.9 | 22.07 | | | | | | | | |
| 52.0 | 26.49 | | | | | | | | |
| 52.0 | 27.09 | | | | | | | | |
| 52.1 | 26.11 | | | | | | | | |
| 52.3 | 24.54 | | | | | | | | |
| 52.4 | 22.89 | | | | | | | | |
| 52.5 | 22.57 | | | | | | | | |
| 52.6 | 23.75 | | | | | | | | |
| 52.7 | 23.13 | | | | | | | | |
| 52.8 | 20.56 | | | | | | | | |
| 52.9 | 18.61 | | | | | | | | |
| 53.0 | 17.18 | | | | | | | | |
| 53.1 | 17.60 | | | | | | | | |
| 53.2 | 15.89 | | | | | | | | |
| 53.3 | 13.89 | | | | | | | | |
| 53.4 | 12.47 | | | | | | | | |
| 53.5 | 14.18 | | | | | | | | |
| 53.6 | 15.03 | | | | | | | | |
| 53.7 | 13.69 | | | | | | | | |
| 53.8 | 20.05 | | | | | | | | |
| 53.9 | 22.60 | | | | | | | | |
| 54.0 | 25.64 | | | | | | | | |
| 54.1 | 27.17 | | | | | | | | |
| 54.2 | 25.79 | | | | | | | | |
| 54.3 | 26.39 | | | | | | | | |
| 54.4 | 27.98 | | | | | | | | |
| 54.5 | 23.80 | | | | | | | | |
| 54.6 | 20.25 | | | | | | | | |
| 54.7 | 19.57 | | | | | | | | |
| 54.8 | 22.46 | | | | | | | | |
| 54.9 | 21.13 | | | | | | | | |
| 55.0 | 21.13 | | | | | | | | |
| | 21.31 | | 「「「」」 「「」「「」 「「」「」 「」「」「」「」「」「」「」「」「」「」 | | | | I | | |

| 测 | 试 | 复 | 核 | |
|---|---|---|---|--|
| | | | | |

工程编号 K043-2015-4 孔 号 ZFC15 ___ 孔 深 _20.0m ____ 探头编号 _911 ____ 测试日期 _0 ____

锥头面积 15cm2 标定系数 112kPa

| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
|------------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| 0.1 | 0.68 | 5.1 | 0.60 | 10.1 | 0.54 | 15.1 | 5.13 | | |
| 0.2 | 1.95 | 5.2 | 0.41 | 10.2 | 0.57 | 15.2 | 2.89 | | |
| 0.3 | 2.23 | 5.3 | 0.39 | 10.3 | 0.55 | 15.3 | 7.83 | | |
| 0.4 | 1.57 | 5.4 | 0.42 | 10.4 | 0.52 | 15.4 | 10.68 | | |
| 0.5 | 1.26 | 5.5 | 0.41 | 10.5 | 0.53 | 15.5 | 6.46 | | |
| 0.6 | 1.13 | 5.6 | 0.42 | 10.6 | 0.61 | 15.6 | 9.76 | | |
| 0.7 | 0.85 | 5.7 | 0.47 | 10.7 | 0.66 | 15.7 | 13.35 | | |
| 0.8 | 1.00 | 5.8 | 0.50 | 10.8 | 0.64 | 15.8 | 13.02 | | |
| 0.9 | 1.35 | 5.9 | 0.48 | 10.9 | 0.56 | 15.9 | 12.50 | | |
| 1.0 | 2.51 | 6.0 | 0.42 | 11.0 | 0.52 | 16.0 | 9.13 | | |
| 1.1 | 1.76 | 6.1 | 0.46 | 11.1 | 0.53 | 16.1 | 10.85 | | |
| 1.2 | 1.88 | 6.2 | 0.50 | 11.2 | 0.57 | 16.2 | 7.52 | | |
| 1.3 | 1.34 | 6.3 | 0.51 | 11.3 | 0.58 | 16.3 | 4.13 | | |
| 1.4 | 1.12 | 6.4 | 0.47 | 11.4 | 0.58 | 16.4 | 3.69 | | |
| 1.5 | 0.93 | 6.5 | 0.42 | 11.5 | 0.61 | 16.5 | 7.94 | | |
| 1.6 | 0.97 | 6.6 | 0.38 | 11.6 | 0.60 | 16.6 | 7.55 | | |
| 1.7 | 0.95 | 6.7 | 0.37 | 11.7 | 0.57 | 16.7 | 3.12 | | |
| 1.8 | 0.92 | 6.8 | 0.40 | 11.8 | 0.56 | 16.8 | 0.86 | | |
| 1.9 | 0.84 | 6.9 | 0.39 | 11.9 | 0.59 | 16.9 | 0.94 | | |
| 2.0 | 0.79 | 7.0 | 0.39 | 12.0 | 0.63 | 17.0 | 1.42 | | |
| 2.1 | 0.69 | 7.1 | 0.41 | 12.1 | 0.71 | 17.1 | 1.10 | | |
| 2.2 | 0.71 | 7.2 | 0.44 | 12.2 | 0.85 | 17.2 | 0.96 | | |
| 2.3 | 0.67 | 7.3 | 0.68 | 12.3 | 0.92 | 17.3 | 1.12 | | |
| 2.4 | 0.62 | 7.4 | 1.53 | 12.4 | 0.70 | 17.4 | 1.24 | | |
| 2.5 | 0.58 | 7.5 | 1.02 | 12.5 | 0.68 | 17.5 | 0.78 | | |
| 2.6 | 0.52 | 7.6 | 0.57 | 12.6 | 1.12 | 17.6 | 0.84 | | |
| 2.7 | 0.54 | 7.7 | 0.51 | 12.7 | 0.76 | 17.7 | 1.06 | | |
| 2.8 | 0.49 | 7.8 | 0.43 | 12.8 | 0.70 | 17.8 | 2.35 | | |
| 2.9 | 0.48 | 7.9 | 0.41 | 12.9 | 1.88 | 17.9 | 1.42 | | |
| 3.0 | 0.55 | 8.0 | 0.42 | 13.0 | 2.95 | 18.0 | 1.67 | | |
| 3.1 | 0.58 | 8.1 | 0.44 | 13.1 | 3.43 | 18.1 | 3.02 | | |
| 3.2 | 0.65 | 8.2 | 0.44 | 13.2 | 2.67 | 18.2 | 1.85 | | |
| 3.3 | 0.61 | 8.3 | 0.50 | 13.3 | 2.96 | 18.3 | 1.00 | | |
| 3.4 | 0.60 | 8.4 | 0.48 | 13.4 | 6.53 | 18.4 | 1.12 | | |
| 3.5 | 0.55 | 8.5 | 0.49 | 13.5 | 11.52 | 18.5 | 0.85 | | |
| 3.6 | 0.49 | 8.6 | 0.51 | 13.6 | 9.58 | 18.6 | 0.89 | | |
| 3.7 | 0.52 | 8.7 | 0.53 | 13.7 | 7.76 | 18.7 | 0.93 | | |
| 3.8 | 0.50 | 8.8 | 0.52 | 13.8 | 10.05 | 18.8 | 0.84 | | |
| 3.9 | 0.44 | 8.9 | 0.58 | 13.9 | 13.35 | 18.9 | 1.76 | | |
| 4.0 | 0.42 | 9.0 | 0.61 | 14.0 | 15.76 | 19.0 | 1.21 | | |
| 4.1 | 0.56 | 9.1 | 0.56 | 14.1 | 13.02 | 19.1 | 1.08 | | |
| 4.2 | 0.67 | 9.2 | 0.47 | 14.2 | 9.12 | 19.2 | 1.43 | | |
| 4.3 | 0.43 | 9.3 | 0.49 | 14.3 | 8.57 | 19.3 | 0.96 | | |
| 4.4 | 0.38 | 9.4 | 0.50 | 14.4 | 4.43 | 19.4 | 0.91 | | |
| 4.5 | 0.39 | 9.5 | 0.49 | 14.5 | 10.45 | 19.5 | 2.12 | | |
| 4.6 | 0.40 | 9.6 | 0.52 | 14.6 | 6.12 | 19.6 | 1.89 | | |
| 4.7 | 0.42 | 9.7 | 0.55 | 14.7 | 11.15 | 19.7 | 0.97 | | |
| 4.8 | 0.44 | 9.8 | 0.53 | 14.8 | 11.84 | 19.8 | 1.36 | | |
| 4.9 | 0.76 | 9.9 | 0.51 | 14.9 | 8.32 | 19.9 | 1.10 | | |
| 5.0 訓 试 | 0.58 | 10.0 | 0.53 | 15.0 | 4.02 | 20.0 | 0.89 | | |

工程编号 K043-2015-4 孔 号 ZFC16 ___ 孔 深 _20.0m ____ 探头编号 _911 ____ 测试日期 _0 ____

| 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) | 深度 (m) | 比贯入阻力 Ps(MPa) |
|------------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|-----------|------------------|
| 0.1 | 0.68 | 5.1 | 0.49 | 10.1 | 0.61 | 15.1 | 7.11 | | |
| 0.2 | 1.53 | 5.2 | 0.51 | 10.2 | 0.61 | 15.2 | 3.05 | | |
| 0.3 | 1.38 | 5.3 | 0.52 | 10.3 | 0.56 | 15.3 | 6.89 | | |
| 0.4 | 1.24 | 5.4 | 0.44 | 10.4 | 0.52 | 15.4 | 5.41 | | |
| 0.5 | 0.86 | 5.5 | 0.45 | 10.5 | 0.49 | 15.5 | 5.68 | | |
| 0.6 | 0.81 | 5.6 | 0.43 | 10.6 | 0.53 | 15.6 | 6.05 | | |
| 0.7 | 0.67 | 5.7 | 0.39 | 10.7 | 0.55 | 15.7 | 10.38 | | |
| 0.8 | 0.93 | 5.8 | 0.38 | 10.8 | 0.51 | 15.8 | 11.10 | | |
| 0.9 | 0.82 | 5.9 | 0.41 | 10.9 | 0.54 | 15.9 | 8.62 | | |
| 1.0 | 0.59 | 6.0 | 0.40 | 11.0 | 0.56 | 16.0 | 4.24 | | |
| 1.1 | 1.42 | 6.1 | 0.37 | 11.1 | 0.57 | 16.1 | 5.94 | | |
| 1.2 | 1.53 | 6.2 | 0.42 | 11.2 | 0.58 | 16.2 | 5.53 | | |
| 1.3 | 1.28 | 6.3 | 0.48 | 11.3 | 0.62 | 16.3 | 3.32 | | |
| 1.4 | 1.21 | 6.4 | 0.56 | 11.4 | 0.60 | 16.4 | 1.57 | | |
| 1.5 | 0.99 | 6.5 | 0.61 | 11.5 | 0.59 | 16.5 | 2.86 | | |
| 1.6 | 1.01 | 6.6 | 0.50 | 11.6 | 0.60 | 16.6 | 1.06 | | |
| 1.7 | 1.06 | 6.7 | 0.43 | 11.7 | 0.56 | 16.7 | 0.85 | | |
| 1.8 | 1.11 | 6.8 | 0.46 | 11.8 | 0.58 | 16.8 | 1.43 | | |
| 1.9 | 0.94 | 6.9 | 0.41 | 11.9 | 0.57 | 16.9 | 0.96 | | |
| 2.0 | 0.88 | 7.0 | 0.40 | 12.0 | 0.62 | 17.0 | 0.91 | | |
| 2.1 | 0.80 | 7.1 | 0.38 | 12.1 | 0.75 | 17.1 | 0.87 | | |
| 2.2 | 0.83 | 7.2 | 0.39 | 12.2 | 0.71 | 17.2 | 0.79 | | |
| 2.3 | 0.82 | 7.3 | 0.42 | 12.3 | 0.69 | 17.3 | 0.81 | | |
| 2.4 | 0.78 | 7.4 | 1.32 | 12.4 | 0.93 | 17.4 | 0.86 | | |
| 2.5 | 0.69 | 7.5 | 0.76 | 12.5 | 1.56 | 17.5 | 0.85 | | |
| 2.6 | 0.64 | 7.6 | 0.51 | 12.6 | 4.98 | 17.6 | 0.82 | | |
| 2.7 | 0.58 | 7.7 | 0.53 | 12.7 | 4.57 | 17.7 | 0.79 | | |
| 2.8 | 0.53 | 7.8 | 0.48 | 12.8 | 6.68 | 17.8 | 0.80 | | |
| 2.9 | 0.56 | 7.9 | 0.42 | 12.9 | 10.81 | 17.9 | 0.77 | | |
| 3.0 | 0.72 | 8.0 | 0.44 | 13.0 | 12.67 | 18.0 | 0.78 | | |
| 3.1 | 0.76 | 8.1 | 0.44 | 13.1 | 14.95 | 18.1 | 0.82 | | |
| 3.2 | 0.59 | 8.2 | 0.45 | 13.2 | 15.32 | 18.2 | 0.86 | | |
| 3.3 | 0.51 | 8.3 | 0.43 | 13.3 | 13.02 | 18.3 | 0.91 | | |
| 3.4 | 0.48 | 8.4 | 0.67 | 13.4 | 7.15 | 18.4 | 0.88 | | |
| 3.5 | 0.45 | 8.5 | 0.60 | 13.5 | 10.62 | 18.5 | 0.85 | | |
| 3.6 | 0.53 | 8.6 | 0.56 | 13.6 | 8.86 | 18.6 | 0.79 | | |
| 3.7 | 0.50 | 8.7 | 0.49 | 13.7 | 8.51 | 18.7 | 0.83 | | |
| 3.8 | 0.47 | 8.8 | 0.47 | 13.8 | 5.02 | 18.8 | 0.87 | | |
| 3.9 | 0.42 | 8.9 | 0.52 | 13.9 | 4.43 | 18.9 | 0.84 | | |
| 4.0 | 0.43 | 9.0 | 0.50 | 14.0 | 7.96 | 19.0 | 0.86 | | |
| 4.1 | 0.39 | 9.1 | 0.51 | 14.1 | 6.68 | 19.1 | 0.82 | | |
| 4.2 | 0.37 | 9.2 | 0.48 | 14.2 | 6.93 | 19.2 | 0.81 | | |
| 4.3 | 0.36 | 9.3 | 0.50 | 14.3 | 5.85 | 19.3 | 0.85 | | |
| 4.4 | 0.41 | 9.4 | 0.51 | 14.4 | 10.24 | 19.4 | 0.87 | | |
| 4.5 | 0.44 | 9.5 | 0.53 | 14.5 | 13.16 | 19.5 | 0.91 | | |
| 4.6 | 0.42 | 9.6 | 0.53 | 14.6 | 7.62 | 19.6 | 0.93 | | |
| 4.7 | 0.39 | 9.7 | 0.50 | 14.7 | 10.05 | 19.7 | 0.90 | | |
| 4.8 | 0.40 | 9.8 | 0.52 | 14.8 | 8.24 | 19.8 | 0.85 | | |
| 4.9 | 0.44 | 9.9 | 0.55 | 14.9 | 4.96 | 19.9 | 0.86 | | |
| 5.0 訓 试 | 0.53 | 10.0 | 0.58 复 核 | 15.0 | 7.62 | 20.0 | 0.89 | | |