

# Water Accounting (WA) Dashboard

## A User Manual

October, 2024

### 1. What is a WA dashboard?

The water accounting dashboard provides detailed multi-year water accounts of a basin's water resources including inflows, outflows, water use patterns and availability, to establish baseline conditions. It can also compare baseline and future water accounts (where available), to provide stakeholders with an understanding of the current and potential future water resources status.

The platform leverages advanced data visualization tools to offer user-friendly access to complex information, empowering stakeholders to understand the dynamics between various water-balance parameters. In addition, the dashboard was designed to ensure that it caters to stakeholders of diverse backgrounds and expertise, from policymakers to scientists. Stakeholder feedback was incorporated to enrich the platform's accessibility and user experience to enable active participation and engagement.

This web-based dashboard represents one of the tools that could be used in promoting effective stakeholder deliberation of water balance information for sustainable water resource management.

### 2. Why do we need a WA dashboard?

Water resource management is an essential global challenge, necessitating a comprehensive and inclusive approach to address the diverse needs of the stakeholders involved. Stakeholder deliberation is crucial in fostering cooperation and informed decision-making for sustainable water management. However, lack of hydrometeorological observations often limits our understanding on the complex interlinkages between competing demands for water in the basin or a country. To overcome the challenges of water data scarcity in managing water resources, the International Water Management Institute is generating reliable and systematic analysis ready water data products on water use, demand, water availability and scarcity using water accounting plus (WA+) framework. The water accounting plus (WA+) approach (Karimi et al., 2013) derives basin scale water availability and scarcity indicators using earth observation data products and limited in situ observations. The WA+ framework is an open-source python programming-based model that uses a collection of remote sensing data products and in situ data to quantify water accounting indicators such as a) water yield, b) irrigation/rainfed water use, c) productive/unproductive water use, and other water availability indicators at river basin scale. Continental water accounting plus (CWA+) is a modified version of WA+ where the water accounting indicators can be generated for any given boundary (catchment, or a country or a county).

The suite of water data generated by water accounting studies provides several new insights into water availability and scarcity indicators at continental scale. The availability of open source codes enables repeatable and rapid water accounting assessments without much effort. IWMI's WA dashboard is a web-based dashboard built using Tableau technology to enhance stakeholder engagement and facilitate effective deliberation by summarizing and communicating the key water accounts basin.


### 3.Key Elements of the WA Dashboard

There are five key elements in a WA dashboard:

- i) Basin overview
- ii) Water availability
- iii) Water balance
- iv) Monthly water balance
- v) WA indicators.


### Selecting the basin

In dashboard top right corner, select the basin needed and click on GO TO THE PAGE




### Incomati Basin

After selecting the basin. Use Scroll and navigate the page to see other sections



**Figure 1.** Illustration of the water accounting dashboard for Incomati Basin.

Same can be done by selecting the Country as follows:



The description of each element and the contents of water accounts displayed under each element are presented in detailed here.

### 3.1 Basin Overview


The landing page of the dashboard provides the basin overview information. Several key baseline statistics on the river basin are provided on this page. The description of each section is provided here.

**Basin description:** The basin overview page provides a brief synopsis of the dashboard. A basin description is provided to give a brief account of the basin hydrology and highlights important hydrologic challenges in the basin.

This web-based dashboard was developed to enhance stakeholder engagement and facilitate effective collaboration on water resources by summarizing and communicating key water accounts for the Incomati River Basin. The basin has experienced increased population growth, agricultural practices, and irrigation expansion, leading to water scarcity issues. Hence, it is crucial to comprehend the water resource situation in the basin to ensure sustainable utilization and management of these resources. A comprehensive framework has been established, integrating remote sensing data and the scale-invariant water accounting (SIWA+) tool, to offer evidence-based information on the current state of water resources. This information plays a vital role in making informed water management decisions.


**Figure 2.** The description of the basin provided on the basin overview page

**Basin Insights:** The middle central portion of the basin overview page provides basic information on basin insights such as basin area, population, per-capita water availability, environmental water stress and water availability for future use.



**Figure 3.** The basic information on basin insights


**Basin Map:** Here users can see an interactive map of the river basin. The users can zoom in and out of the basin area overlaid on the world map using the + and – symbols. The home icon on the map will reset the map to the full extent of the basin. The triangle icon offers additional features for interacting with the map.



**Figure 4.** Interactive map of the basin

**Land usage:** The distribution of land use classes across the basin are provided in a double pie chart. In the outer pie chart, different landcover classes are reclassified into four broad classes of land use for water accounting (LUWA) classes. 1) The Utilized land represents natural landscapes that are utilized in their natural forms, without modifying or altering water and land resources. For example, humans utilize forests, grasslands, and shrub lands for grazing. 2) The Managed water class represents areas that are managed for agriculture where water is highly managed, such as irrigation. 3) The Modified land represents area where land is modified for human use. For example, the natural landscapes are cleared/modified to grow crops under rainfed conditions. 4) Protected land use defines the area that is classified as protected such as national parks or other preserved areas.

**Land Usage (km<sup>2</sup>)**




The inner pie chart shows the distribution of various classes that are classified/grouped into the board four categories.

**Year Selection:** The year selection tab helps users access overview of water balance and basin water yield information. The users can click and toggle between years to compare how water balance can changes over time.




**Water Balance:** The water balance figure shows modeled estimates of key water balance terms. Each figure is specific to the year selected on the year selection tab. The dark blue colored downward arrow represents the total volumetric annual precipitation (P, in km<sup>3</sup>) received in the basin. The light green colored upward arrow represents total volumetric



evapotranspiration (Total ET, in km<sup>3</sup>). The lighter blue upward arrow represents Blue ET (Blue ET, in km<sup>3</sup>), a portion of total ET, occurring from the blue water sources (surface water bodies, river, lakes or shallow groundwater aquifers). The small dark green upward arrow represents, Rainfall ET or Green ET (in km<sup>3</sup>), a portion of total ET occurring from the green water sources (soil moisture replenished by the rainfall). The sum of Blue ET and Rainfall ET is equal to the total ET. The empty blue colored arrow represents basin outflow (in km<sup>3</sup>) and the storage change denotes the changes in the basin storage due to either groundwater abstraction (+ve value) or groundwater recharge (-ve value).

**Water Yield:** The map shows the water yield obtained from the water accounting analysis. The water yield is defined as water that is available after meeting landscape water requirement (landscape ET). This is the amount of water that can be exploitable for human needs. The map shows water yield for administrative regions within the basin. Some regions show negative values (shades of red), which indicate that at annual time scales there is not water available. Other




regions show positive values (shades of blue) which indicate that at annual time scale, water availability for human needs is not a problem. Such information is important to understand spatial variability of water availability within the basin. The blue areas are also called water towers of the basin are the regions that provide most water to the river and where future activities such as irrigation development or canals for diverting water can be constructed



### 3.2 Water Availability

Information on water availability in a river basin is crucial for understanding various aspects of human, environmental, and economic well-being. Through this dashboard, water availability in a river basin is summarized using indicators of water availability for a) humans b) environment c) agriculture and d) other uses.

**Water Availability Per Capita (m<sup>3</sup>/per capita):** Water availability per capita refers to the amount of freshwater resources available for each person in a specific region or country. It is typically measured in cubic meters (m<sup>3</sup>) per person per year and is an important indicator of a region's or country's ability to meet the water needs of its population while also supporting economic and environmental demands. Calculating water availability per capita involves dividing the total annual freshwater resources of a region or country by its population. Within water accounting, we derive water availability per capita as




$$\text{Water Availability Per Capita} = \frac{\text{available water}}{\text{Population}}$$

The water availability per capita is estimated is presented at monthly and annual timescales from 2009 to 2018.

The annual total per capita water availability is presented to the right side as horizontal bar plots. The monthly average per capita water availability is presented on the top as the vertical bar plots.

#### *Water Availability for further use (MCM)*

The water available for further water resources development highlights the water scarcity in the basin. The estimates presented in the figure quantifies the amount of water available after meeting all the basin demands of nature via landscape evapotranspiration, rainfed agriculture, domestic and industrial demand and irrigated water use. This is the volume of water that can be used for planning any basin developmental activities such as additional diversion for domestic and industrial water use, additional irrigation development etc.




### Managed Evapotranspiration Fraction

The ET processes in a basin that could be manipulated by land use, cultivation practices and water withdrawals. This allows for more effective water management and conservation strategies in agricultural and land management practices

$$\text{Managed ET Fraction} = \frac{ET_{\text{Managed}}}{ET}$$

Managed ET fraction (%) from 2003 to 2021



### Agricultural Evapotranspiration Fraction

The part of ET that is attributed to agriculture production. The Agricultural ET Fraction highlights the proportion of evapotranspiration specifically from agricultural activities, emphasizing the water consumption in farming. This helps in planning sustainable water management strategies.

$$\text{Agricultural ET Fraction} = \frac{\text{Agriculture ET}}{ET}$$

Agriculture ET Fraction(%) from 2003 to 2021




### Irrigated Evapotranspiration Fraction

The irrigated ET fraction describes the portion of agricultural ET that is attributed to irrigated agriculture, emphasizing the importance of irrigation in water use for crop production. By calculating this fraction, it quantifies the water used for irrigated agricultural ET relative to the total water used in agricultural ET.

$$\text{Irrigated Evapotranspiration Fraction} = \frac{\text{Irrigated agriculture ET}}{\text{Agriculture ET}}$$

Irrigated ET fraction (%) from 2003 to 2021




### Basin closure (%)

The basin closure is calculated as total amount of water available that is utilized within a basin.

$$\text{Basin closure} = \frac{\text{utilized}}{\text{available water}}$$

Basin Closure(%)



Any basin with estimates closer to 100% indicate basin closure – indicating most to all water availability in the basin is currently consumed within the basin. A smaller value indicates that water is available in the basin.

### 3.3 Water Balance

The Water balance, also known as the hydrologic balance or water budget, is a fundamental concept in hydrology. It refers to the equilibrium or accounting of water inputs, outputs, and storage within a defined area, such as a watershed, catchment, or region. The water balance equation helps quantify the movement and distribution of water in various forms through the Earth's hydrological cycle.

Within the water accounting framework, water balance of a river basin is quantified and presented using a number of hydrologic variables. Unlike most hydrologic studies where the water balance is mostly represented by the key hydrologic variables such as Precipitation, evapotranspiration, discharge and change in storage, the water accounting framework derives a variety of hydrologic parameters. A full list of water balance indicators quantified in the water accounting framework are presented in Table 1.

The figure below shows basin input parameters on the left side and basin output parameters on the right side. The WA+ framework tracks both the flow and consumption (depletion) that occur within the basin as water moves from the inlet to the outlet of the basin. The depletion accounting is used to estimate how much of water is consumed over different landscapes. This is summarized under four broad categories of land cover/land use – Protected- conservation areas with minimal changes in land and/or water management, Utilized- are areas with limited human influence and can include forest, natural pastures, savannahs and deserts, Modified- areas that are significantly modified by human activities usually for rainfed agriculture and Managed water use- are land use classes that are significantly modified for agriculture and include water purposefully withdrawn from the surface or groundwater sources for use. The flow accounting derives a bunch of parameters such as exploitable water, available water, managed water use, utilizable flows, non-utilizable outflows, reserved outflows, and non-consumed water.







Table 1. List of hydrological variables and indicators quantified in the water accounting framework.

No	Flux/Indicators	Description	Equation
1	$P$ advection	Precipitation received in the basin, aggregated over the hydrologic year	$\sum_{i=1}^{12} P$
2	Basin inflow (interbasin transfer)	Surface water or groundwater diverted into the basin	$Q_{in}^{sw}$ and $Q_{in}^{gw}$ (Measured estimates)
3	Gross Inflow, $GI$	Total inflow from all sources	$P + Q_{in}^{sw} + Q_{in}^{gw}$
4	Change in the soil moisture, $\Delta SM$	See equation 2.	See equation 2.
5	Net Inflow, $NI$	The gross inflow plus the change in soil moisture	$GI \pm \Delta SM$
6	ET rainfall, $ET_{rain}$	ETa that occurs from effective precipitation and canopy interception, summarized for all land cover classes (1 to n classes).	$\sum_{i=1}^n ET_{rain}$
7	ET incremental, $ET_{incr}$	ETa that occurs from other sources except effective precipitation and interception. Includes ET from irrigation water, groundwater abstraction, open water sources, summarized for all land cover classes (1 to n classes).	$\sum_{i=1}^n ET_{incr}$
8	Landscape ET, $ET_{a_{land}}$	ETa from natural landscapes (protected, utilized and modified land use classes); not due to water management.	$ET_{rain} + ET_{incr}$
9	Consumed water, $C_{water}$	Total ETa that occurs from all landscapes over all months	$\sum_{i=1}^{12} ET_a$
10	Utilized flow, $Uzed_{flow}$	ETa from managed water use (irrigated crops, managed reservoirs).	$ET_{incr}$ from the managed water use class
11	Exploitable water, $EX_{water}$	The exploitable water is the amount of water that can potentially be used within the basin	$NI - ET_{landscape}$
12	Available water, $AW$	The water that is left after meeting ET and reserve flow requirements	$GI - ET_{a_{land}} - Reserve\ Flows$
13	Utilizable outflow, $Uzble_{flow}$	The water that can be reallocated for further uses after accounting for reserved flows and utilized flows.	$EX_{water} - ER_{flow} - Uzed_{flow}$
14	Qsw outlet	The river outflow at the outlet of the basin	$Q_{outlet}^{sw}$
15	Basin outflow (interbasin transfer)	Surface water or groundwater diverted to areas outside the basin	$Q_{out}^{sw}$ and $Q_{out}^{gw}$
16	Non-consumed water, $NC_{water}$	Total outflow	$Q_{outlet}^{sw} + Q_{out}^{sw} + Q_{out}^{gw}$

### 3.4 Monthly water balance


The monthly WA indicator tab on the dashboard presents the key indicator parameters variables in Rainfall, ET, Water yield and its temporal change. A total of five parameters are presented on the dashboard – Rainfall, Blue ET, Rainfall ET, Total ET and water yield. The units are km<sup>3</sup>/year



The spatial variation of the basin's water accounts is presented as monthly maps. The maps display the monthly spatial variation of rainfall, Total evapotranspiration (ET), Rainfall(P), Blue ET, Green ET and water yield by selecting relevant parameters.


#### *Rainfall ET*

Rainfall ET refers to crop or vegetation evapotranspiration (ET) comes from the water consumed by the vegetation from the root zone soil moisture and soil evaporation from the unsaturated soil surface.




#### *Blue ET*

Blue ET comes from the water that is stored in the rivers, streams, surface-water bodies and groundwater resources.




## Water Yield

Water yield defined as difference between P and ET(P-ET)



### 3.5 WA Indicators

Long-term changes in hydrology refer to significant and persistent alteration in the water cycle and the distribution of water resources (both temporal and spatial) over extended periods of time. On the dashboard, we present to charts. On the left side, we present long-term changes in hydrology with a focus on demonstrating increasing or declining trend in the parameter and on the right side, we present insights in to quantifying the change for 2003 - 2021.



### Additional features on the dashboard:

There are several additional features available on the dashboard. A brief description and purpose of each of the icons located on the lower corner are presented here.



**Contact:** The contact icon is located on the lower right corner of the dashboard and it would provide email information on whom to contact in case you have any questions on the dashboard.

**Printing options:** The dashboard can be printed or saved using three options. The current view of the dashboard can be saved to the local computer in three different formats – PDF, JPG or PPT. Please use appropriate icon as per your need.