Code structure

The first thing we'll study is the building blocks of code.

Statements

Statements are syntax constructs and commands that perform actions.

We've already seen a statement, `alert('Hello, world!')`, which shows the message "Hello, world!".

We can have as many statements in our code as we want. Statements can be separated with a semicolon.

For example, here we split "Hello World" into two alerts:

```
alert('Hello'); alert('World');
```

Usually, statements are written on separate lines to make the code more readable:

```
alert('Hello');
alert('World');
```

Semicolons

A semicolon may be omitted in most cases when a line break exists.

This would also work:

```
alert('Hello')
alert('World')
```

Here, JavaScript interprets the line break as an "implicit" semicolon. This is called an automatic semicolon insertion.

In most cases, a newline implies a semicolon. But "in most cases" does not mean "always"!

There are cases when a newline does not mean a semicolon. For example:

```
alert(3 +
1
+ 2);
```

The code outputs 6 because JavaScript does not insert semicolons here. It is intuitively obvious that if the line ends with a plus `"+"` , then it is an "incomplete expression", so a semicolon there would be incorrect. And in this case, that works as intended.

But there are situations where JavaScript "fails" to assume a semicolon where it is really needed.

Errors which occur in such cases are quite hard to find and fix.

An example of an error

If you're curious to see a concrete example of such an error, check this code out:

```
alert("Hello");

[1, 2].forEach(alert);
```

No need to think about the meaning of the brackets `[]` and `forEach` yet. We'll study them later. For now, just remember the result of running the code: it shows `Hello`, then `1`, then `2`.

Now let's remove the semicolon after the `alert`:

```
alert("Hello")

[1, 2].forEach(alert);
```

The difference compared to the code above is only one character: the semicolon at the end of the first line is gone.

If we run this code, only the first `Hello` shows (and there's an error, you may need to open the console to see it). There are no numbers any more.

That's because JavaScript does not assume a semicolon before square brackets `[...]`. So, the code in the last example is treated as a single statement.

Here's how the engine sees it:

```
alert("Hello")[1, 2].forEach(alert);
```

Looks weird, right? Such merging in this case is just wrong. We need to put a semicolon after `alert` for the code to work correctly.

This can happen in other situations also.

We recommend putting semicolons between statements even if they are separated by newlines. This rule is widely adopted by the community. Let's note once again – *it is possible* to leave out semicolons most of the time. But it's safer – especially for a beginner – to use them.

Comments

As time goes on, programs become more and more complex. It becomes necessary to add *comments* which describe what the code does and why.

Comments can be put into any place of a script. They don't affect its execution because the engine simply ignores them.

One-line comments start with two forward slash characters `//`.

The rest of the line is a comment. It may occupy a full line of its own or follow a statement.

Like here:

```
// This comment occupies a line of its own
alert('Hello');
```

```
alert('World'); // This comment follows the statement
```

Multiline comments start with a forward slash and an asterisk /* and end with an asterisk and a forward slash */ .

Like this:

```
/* An example with two messages.
This is a multiline comment.
*/
alert('Hello');
alert('World');
```

The content of comments is ignored, so if we put code inside /* … */ , it won't execute.

Sometimes it can be handy to temporarily disable a part of code:

```
/* Commenting out the code
alert('Hello');
*/
alert('World');
```

Use hotkeys!

In most editors, a line of code can be commented out by pressing the `Ctrl+/` hotkey for a single-line comment and something like `Ctrl+Shift+/` – for multiline comments (select a piece of code and press the hotkey). For Mac, try `Cmd` instead of `Ctrl` and `Option` instead of `Shift` .

Nested comments are not supported!

There may not be /*...*/ inside another /*...*/ .

Such code will die with an error:

```
/*
  /* nested comment ?!? */
*/
alert( 'World' );
```