
UML: introduction

Unified Modeling Language (UML) makes it possible to describe systems with words and pictures.

UML was standardized by **Object Management Group** (OMG) — http://www.omg.org, an international association that promotes open standards for object-oriented applications.

Modelling and the UML



Overview of Object-Oriented Concepts

Term	Description
Abstract class	A class that does not have objects instantiated from it
Abstraction	The essential characteristics of an item (perhaps a class or operation)
Aggregation	Relationships between two classes or components defined as «is part of»
Aggregation hierarchy	A set of classes related through aggregation
Association	A relationship between two classes or objects
Attribute	Something a class knows (data/information)
Cardinality	The concept of «how many?»
Class	A software abstraction of similar objects, a template from which objects are created
Classifier	A UML term that refers to a collection of instances that have something in common That includes classes, components, data types, and use cases.
Cohesion	The degree of relatedness of an encapsulated unit (such as a component or a class)
Collaboration	Classes work together (collaborate) to fulfill their responsibilities

Scott W. Ambler, The Object Primer. Agile Model-Driven Development with UML 2.0, Cambridge University

4 basic Object-Oriented concepts

Term	Description
Class	A class is a software abstraction of an object, effectively, a template from which objects are created
Object	An object is a software construct that mirrors a concept in the real world, e.g. a person, place, thing.
Attribute	An attribute is equivalent to a data element in a record.
Method	A method can be thought of as either a function or procedure. Methods access and modify the attributes of an object.

The Diagrams of UML 2

- **Behavior diagrams.** This is a type of diagram that depicts behavioral features of a system or business process. This include activity, state machine, use case, and interaction diagrams.
- Interaction diagrams. This is a subset of behavior diagrams that emphasize object interactions. This includes communication, interaction overview, sequence, and timing diagrams.
- **Structure diagrams.** This is a type of diagram that depicts the static elements of a specification that are irrespective of time. This includes *class*, *composite structure*, *component*, *deployment*, *object*, *and package diagrams*.

The diagrams of UML 2

Diagram	Description
Activity diagram	Depicts high-level business processes, including data flow, or to model the complex logic within a system.
Class diagram	Shows a collection of static model elements such as classes and types, their contents, and their relationships.
Communication diagram	Shows instances of classes, their interrelationships, and the message flow between them, and typically focuses on the structural organization of objects that send and receive messages.
Component diagram	Depicts the components, including their interrelationships, interactions, and public interfaces, that compose an application, system, or enterprise.
Composite structure diagram	Depicts internal structure of a classifier (such as a class, component, or use case), including the interaction points of the classifier to other parts of the system.
Deployment diagram	Shows the execution architecture of systems, including nodes, either hardware or software execution environments, and the middleware connecting them.
Interaction overview diagram	A variant of an activity diagram, which overview the control flow within a system or business process, whereby each node/activity within the diagram can represent another interaction diagram.
Object diagram	Depicts objects and their relationships at a point in time, typically a special case of either a class diagram or a communication diagram.

The diagrams of UML 2

Diagram	Description
Package diagram	Shows how model elements are organized into packages as well as the dependencies between packages
Sequence diagram	Models sequential logic, in effect th time ordering of messages between classifiers
State machine diagram	Describes the states an object or interaction may be in, as well as the transitions between states; formerly referred to as a state diagram, state chart diagram, or a state-transition diagram
Timing diagram	Depicts the change in state or condition of a classifier instance or role over time, and typically used to show the change in state of an object over time in response to external events.
Use Case Diagram	Shows use cases, actors, and their relationsips.

Attributes and Operations/Methods Objects in «real world»

I am a student. I know my name, my student number, and my birth date. I enroll in seminars and pay tuiton. I am a seminar. I know when and where i am hold, and keep track of the students that are enrolled in me. I also enable students to enroll in me or drop me from their schedules.



Computer Science 100 Section 3

Attributes and Operations/Methods Student and Seminar classes

Student

name phoneNumber studentNumber nextStudentNumber

findByName enrollInSeminar dropSeminar payTution requestTranscript

Seminar

instructors location listOfStudents

addStudent removeStudent


Abstraction, Encapsulation, And information Hiding

- Abstraction determination of what a class knows and does.
- Encapsulation hiding details of the implementation.
- Information Hiding restricting access to attributes with adding of set get methods.


Inheritance

Tips to apply inheritance effectively


- Look for similarities (in classes, attributes, methods)
- Look for existing classes (when you identify a new class)
- Follow the sentence rule (a subclass is a kind of superclass)
- Avoid implementation inheritance
- Inherit everything





Inheritance




Inheritance









Requirements Artifacts

Artifact	Description
Business rules	A business rule defines or constrains one aspect of your business
	that is intended to assert business structure or influence the behavior
	of your business.
Constraints	A constraint is a restriction on the degree of freedom you have in
	providing a solution. Constraints will supplement other development
	artifacts, in particular architecture an design-oriented models.
Glossary	A glossary is a collection of definitions that supplements a wide
	range of development artifacts by defining a common business and
	technical vocabulary.
Technical requirements	A technical requirement pertrains to the technical aspects that your
	system must fulfill, such as performance-related, reliability, and
	availability issues.

Business Rules

- BR123 Tenured professors may administer student grades
- BR124 Teaching assistants who have been granted authority by a tenured professor may administer student grades
- BR177 Table to convert between numeric grades and letter grades (f.e. «A-» to «95%»)
- BR245 All master's degree programs must include the development of a thesis