



BLOG 27 MAR 2023

How to Backup and Restore Database in SQL Server

**Bharat Bhushan**

Technical Marketer, Stellar Data Recovery

In SQL Server, the database can be stored in different files and filegroups. If your database is small (100 MB or less), you do not need to worry too much about files and filegroups. But if you have a large database (in several GBs or TBs), separating the data into different files help you to optimize the performance. You can store the data files in different disks. This will also help to backup and restore the information faster because you do not need to restore the entire database but only the files or the filegroups selected.

Types of Backups

In SQL Server, there are different types of backups:


- ▶ **Full Backup:** It contains the entire database information.
- ▶ **Differential Backup:** It requires a full backup and then it stores the differences between the previous backup and the current database. This backup requires less information because it stores only the differences.
- ▶ **Transaction Log Backup:** It stores the information about the Transaction log.


Why is it Important to Have A Backup?

Your database may get damaged due to several reasons. A backup will help you to restore the database lost in case of disasters and problems, like hardware failure, virus attack, or others.

How To Create a Full Backup Using SSMS


You can create a [Full Backup to restore database in SQL Server](#) using the SQL Server Management Studio (SSMS). For this, open SSMS, right-click the database, and select **Tasks > Back Up**.





Choose Full Backup from SSMS

In the Back Up Database window, select the **Full** Backup Type.



Backup database window

How to Create Full Database Backup Using T-SQL

If you want to automate the backup, you can use the T-SQL code. T-SQL is the SQL Server language used to automate SQL Server tasks.

The following example shows how to create a Full Backup using T-SQL.


```
BACKUP DATABASE [AdventureWorks2019] TO DISK = N'C:\backups  
\AdventureWorks2019.bak' WITH NOFORMAT, NOINIT, NAME =
```

N'AdventureWorks2019-Full Database Backup', SKIP, NOREWIND, NOUNLOAD, STATS = 10

GO

How to Schedule a Backup Automatically

You can schedule to run a backup at a certain time. To do that, create a backup in SSMS and select the **Script > Script Action to job** option.



Create a backup in SSMS and Script Action to job option.

In the new job, go to the Schedules page and press the **New** button to create a new schedule.


You can schedule the job to run daily, hourly, etc.

How to Create Differential Backups Using SSMS

First, make sure that you already have a Full Backup.

Next, right-click the database and select **Tasks > Back Up**.

In the Backup type, make sure that the Differential backup type is selected.



Backup type differential selected

How to Create Differential Backups Using T-SQL

Alternatively, you can use the T-SQL commands to create a differential backup.

```
BACKUP DATABASE [AdventureWorks2019] TO DISK = N'C:\backups  
\AdventureWorks2019.bak' WITH DIFFERENTIAL, NOFORMAT, NOINIT, NAME =  
N'AdventureWorks2019-Full Database Backup', SKIP, NOREWIND, NOUNLOAD,
```

```
STATS = 10
```

```
GO
```

How to Create a File or Filegroup Backup Using SSMS

In SSMS, right-click the database and select **Tasks > Back Up**.

Select the Files and filegroups option.

Select the files and filegroups that you want to back up and press OK.

How to Create a File or Filegroup Backup Using T-SQL


Alternatively, you can use the T-SQL commands to create files or filegroups backup.


```
BACKUP DATABASE [Northwind] FILEGROUP = N'PRIMARY' TO DISK =  
N'C:\Program Files\Microsoft SQL Server\MSSQL15.MSSQLSERVER\MSSQL\Backup  
\Northwind.bak' WITH NOFORMAT, NOINIT, NAME = N'Northwind-Full Database  
Backup', SKIP, NOREWIND, NOUNLOAD, STATS = 10
```

```
GO
```

How to Restore a Backup Using SSMS

To restore the backup using SSMS, go to the Object Explorer, right-click the database, and select the Restore Database option.





Restore a backup using SSMS

In the Restore Database window, select the database and the backup sets to restore, and press OK.

How to Restore a Backup Using T-SQL

Alternatively, you can use the T-SQL commands to restore a database.

```
USE [master]
```


```
RESTORE DATABASE [AdventureWorks2019] FROM DISK = N'C:\backups  
\AdventureWorks2019.bak' WITH FILE = 10, NOUNLOAD, STATS = 5
```


```
GO
```

How to Restore a Differential Backup Using SSMS

To restore the database using SSMS, go to the Object Explorer, right-click the database, and select the Restore Database option.

In the Restore Database window, select the database to restore, choose the FULL backup, and select the differential sets to restore, and press OK.





Choose the FULL backup

How to Restore a Differential Backup Using T-SQL

Alternatively, you can use the T-SQL commands to restore differential backup.

```
USE [master]
```

```
RESTORE DATABASE [AdventureWorks2019] FROM DISK = N'C:\backups  
\AdventureWorks2019.bak' WITH FILE = 10, NORECOVERY, NOUNLOAD, STATS =  
5
```


```
RESTORE DATABASE [AdventureWorks2019] FROM DISK = N'C:\backups  
\AdventureWorks2019.bak' WITH FILE = 11, NOUNLOAD, STATS = 5
```


```
GO
```

How to Restore Files and Filegroups Using SSMS

Open SSMS, go to the Object Explorer, right-click the database, and select the Restore Files and Filegroups option.


Select the source and destination database to restore and select the Filegroup set.






And select the Restore Files and Filegroups option

Select the source and destination database to restore and select the Filegroup set.





Source and destination database to restore.

How to Restore Files and Filegroups Using T-SQL

Alternatively, you can use the T-SQL commands to restore a database file or filegroup.

```
RESTORE DATABASE [Northwind] FILE = N'Northwind' FROM DISK =  
N'C:\Program Files\Microsoft SQL Server\MSSQL15.MSSQLSERVER\MSSQL\Backup  
\Northwind.bak' WITH FILE = 7, NOUNLOAD, STATS = 10
```

GO

Conclusion

In this article, we've discussed different types of backups in SQL Server and how to create these backups. We also discussed the ways to restore database backups using SSMS and T-SQL commands. In case the database backup gets corrupted, you can use a third-party tool, such as [Stellar Repair for MS SQL Technician](#). It contains a specialized tool, known as Stellar Backup Extractor for MS SQL that can recover SQL database from corrupt backup file (.bak).


FAQ

- 1. Why should I use T-SQL to backup and recover a database if the SSMS is easier?** T-SQL is generally used to automate the process.
- 2. What type of backup should I use for my machine?** It depends on the data and the size of your database. If you are handling a small database, you could use a full backup. However, if your database is big, combine full backups with differential and transactional logs.

- 3.** **If my database is corrupt. Can I use the backup to restore the database?** Yes, you can use the backup in this scenario.

- 4.** **What to do if the backup is corrupt?** If the backup file is corrupted, you can use SQL Toolkit for MS SQL. This software contains a module named Stellar Backup Extractor for MS SQL which can extract database from corrupt backup (.bak) file.

- 5.** **What to do if the SQL database file is corrupt?** You can use Database Console Command ([DBCC CHECKDB](#)) to check & repair your corrupt database.



Brought to you by

stellar

Stellar

.

ADVERTISEMENT

**ADVERTISE
HERE**

You may also like

MAGAZINE FEATURE 1 SEP 2008

Batten down the hatches

BLOG 7 APR 2023

How to Fix SQL Server Recovery Pending Error

OPINION 2 JAN 2019

Get Rid of your Database Security “Hairball” with Database Security 2.0

OPINION 28 MAR 2017

History Repeating: Top Five Database Threats

NEWS 4 AUG 2014

Mozilla Fesses up to Accidental Data Breach

What’s hot on Infosecurity Magazine?

Read

Shared

Watched

Editor's Choice

1

NEWS 31 OCT 2023

Half of Execs Request Security Bypass Over Past Year

2

NEWS 3 NOV 2023

Healthcare Data Breaches Impact 88 Million Americans

3

NEWS 3 NOV 2023

Microsoft Takes on Cyber-Threats with New Secure Future Initiative

4

NEWS 1 NOV 2023

British Library Still Reeling After Major Cyber Incident

NEWS 3 NOV 2023

5

NEWS 2 NOV 2023

Spy Module Discovered in WhatsApp Mods

6

NEWS 3 NOV 2023

Atlassian Finds Public Exploit for Critical Bug