

TOOLS | AUGUST 28, 2009

Nmap Cheat Sheet

Nmap has a multitude of options, when you first start playing with this excellent tool, it can be a bit daunting.

In this cheat sheet, you will find a series of practical example commands for running Nmap and getting the most of this powerful tool.

Keep in mind this cheat sheet merely touches the surface of the available options. The Nmap Documentation portal is your reference for digging deeper into the options available.



We use cookies to ensure that we give you the best experience on our site. If you continue to use this site we assume that you accept this.

Ok



- > Target Selection
- > Port Selection
- > Scan Types
- > Service and Operating System Detection
- > Output formats
- > Nmap CSV Output
- > NSE Scripting
- > Find DDOS reflectors
- > HTTP info gathering
- > Heartbleed Detection
- > IP Information Gathering
- > Remote Scanning
- > Additional Resources

Nmap Target Selection

Scan a single IP	nmap 192.168.1.1
Scan a host	nmap www.testhostname.com
Scan a range of IPs	nmap 192.168.1.1-20
Scan a subnet	nmap 192.168.1.0/24
Scan targets from a text file	nmap -iL list-of-ips.txt

These are all default scans, which will scan 1000 TCP ports. Host discovery will take place.

Nmap Port Selection

Scan a single Port	nmap -p 22 192.168.1.1
Scan a range of ports	nmap -p 1-100 192.168.1.1
Scan 100 most common ports (Fast)	nmap -F 192.168.1.1
Scan all 65535 ports	nmap -p- 192.168.1.1

We use cookies to ensure that we give you the best experience on our site. If you continue to use this site we assume that you accept this.

Ok



Scan UDP ports	nmap -sU -p 123,161,162 192.168.1.1
Scan selected ports - ignore discovery	nmap -Pn -F 192.168.1.1

Privileged access is required to perform the default SYN scans. If privileges are insufficient a TCP connect scan will be used. A TCP connect requires a full TCP connection to be established and therefore is a slower scan. Ignoring discovery is often required as many firewalls or hosts will not respond to PING, so could be missed unless you select the -Pn parameter. Of course this can make scan times much longer as you could end up sending scan probes to hosts that are not there.

Take a look at the Nmap Tutorial for a detailed look at the scan process.

Service and OS Detection

Detect OS and Services	nmap -A 192.168.1.1
Standard service detection	nmap -sV 192.168.1.1
More aggressive Service Detection	nmap -sVversion-intensity 5 192.168.1.1
Lighter banner grabbing detection	nmap -sVversion-intensity 0 192.168.1.1

Service and OS detection rely on different methods to determine the operating system or service running on a particular port. The more aggressive service detection is often helpful if there are services running on unusual ports. On the other hand the lighter version of the service will be much faster as it does not really attempt to detect the service simply grabbing the banner of the open service.

Nmap Output Formats

Save default output to file	nmap -oN outputfile.txt 192.168.1.1
Save results as XML	nmap -oX outputfile.xml 192.168.1.1
Save results in a format for grep	nmap -oG outputfile.txt 192.168.1.1
Save in all formats	nmap -oA outputfile 192.168.1.1

We use cookies to ensure that we give you the best experience on our site. If you continue to use this site we assume that you accept this.

Ok



Nmap by detault has no csv output format. Use the XML output to extract the relevant fields into csv with python.

Jump over to **github** and grab our sample script that can be easily modified depending on your requirements. With csv files it is easy to convert into xlsx for reporting. This can be done manually or using our python conversion script.

Nmap XML to CSV

Digging deeper with NSE Scripts

Scan using default safe scripts	nmap -sV -sC 192.168.1.1
Get help for a script	nmapscript-help=ssl-heartbleed
Scan using a specific NSE script	nmap -sV -p 443 -script=ssl-heartbleed.nse 192.168.1.1
Scan with a set of scripts	nmap -sVscript=smb* 192.168.1.1

According to my Nmap install there are currently **581 NSE scripts**. The scripts are able to perform a wide range of security related testing and discovery functions. If you are serious about your network scanning you really should take the time to get familiar with some of them.

The option --script-help=\$scriptname will display help for the individual scripts. To get an easy list of the installed scripts try locate nse | grep script.

You will notice I have used the -sV service detection parameter. Generally most NSE scripts will be more effective and you will get better coverage by including service detection.

A scan to search for DDOS reflection UDP services

Scan for UDP DDOS	nmap -sU -A -PN -n -pU:19,53,123,161 -script=ntp-
reflectors	monlist, dns-recursion, snmp-sysdescr 192.168.1.0/24

We use cookies to ensure that we give you the best experience on our site. If you continue to use this site we assume that you accept this.

Ok



Find web apps	from known paths	nmap	script=http-enum 192.168.1.0/24
Get HTTP head	ders of web services	nmap	script=http-headers 192.168.1.0/24
Gather page tit	les from HTTP services	nmap	script=http-title 192.168.1.0/24

There are many HTTP information gathering scripts, here are a few that are simple but helpful when examining larger networks. Helps in quickly identifying what the HTTP service that is running on the open port. Note the http-enum script is particularly noisy. It is similar to Nikto in that it will attempt to enumerate known paths of web applications and scripts. This will inevitably generated hundreds of 404 HTTP responses in the web server error and access logs.

Detect Heartbleed SSL Vulnerability

Heartbleed detection is one of the available SSL scripts. It will detect the presence of the well known Heartbleed vulnerability in SSL services. Specify alternative ports to test SSL on mail and other protocols (*Requires Nmap 6.46*).

IP Address information

Find Information about IP	nmapscript=asn-query, whois, ip-geolocation-
address	maxmind 192.168.1.0/24

Gather information related to the IP address and netblock owner of the IP address. Uses ASN, whois and geoip location lookups. See the IP Tools for more information and similar IP address and DNS lookups.

Remote Scanning

Testing your network perimeter from an external perspective is key when you wish to get the most accurate results. By assessing your exposure from the attackers perspective you can validate firewall and understand exactly what is allowed into your network. This is the reason we offer a

We use cookies to ensure that we give you the best experience on our site. If you continue to use this site we assume that you accept this.

Ok



The above commands are just a taste of the power of Nmap. Check out our Nmap Tutorial that has more information and tips.

You could also view the full set of features by running Nmap with no options. The creator of Nmap, Fyodor, has a book available that covers the tool in depth.

Next Level Your Technical Network Intelligence

Get Access Now

ABOUT

From attack surface discovery to vulnerability identification, we host tools to make the job of securing your systems easier.

Membership

Learn More

CONNECT







MAILING LIST

Subscribe to the Low Volume List

Your Email

Subscribe

We use cookies to ensure that we give you the best experience on our site. If you continue to use this site we assume that you accept this.

Ok