# MATH 127 Calculus for the Sciences

Lecture 14

# Today's lecture

#### Last time

Modelling with Trig functions

- 1. Given some data from science, model it using a trig function
- 2. Given a trig function modelling something, retrieve data from it
- 3. Some models will involve waves, so you use sin or cos. Some will involve triangles, so you use appropriate trig functions.

#### This time

Course note coverage Section 2.5.3

Inverse of trig functions

- 1. Do they even exist?
- 2. Definition of arcsin, arccos, arctan
- 3. How to compute them

Practice midterms available on learn.



**Question** What is the inverse function of sin(x)?

**Question** So there is no inverse on all of the real numbers (by horizontal line test), but we can restrict the interval so that  $\sin(x)$  does pass the horizontal line test.

For which of the following intervals does  $\sin(x)$  pass the horizontal line test?

- (A)  $[-\pi, 0]$
- (B)  $\left[-\frac{\pi}{2},0\right]$
- (C)  $\left[-\frac{\pi}{2}, \frac{\pi}{2}\right]$
- $(D) \left[ -\frac{3\pi}{2}, -\frac{\pi}{2} \right]$

There are many choices of domains such that sin(x) admits inverse. But we want a nice choice to work with.

#### **Definition** The function

$$\arcsin(x)$$

is the inverse of  $\sin(x)$  with respect to the "special domain"  $\left[-\frac{\pi}{2}, \frac{\pi}{2}\right]$ . Sometimes we also write

$$\arcsin(x) = \sin^{-1}(x)$$

**Remark** The notation  $\sin^{-1}(x)$  is <u>not to be confused</u> with

$$\frac{1}{\sin(x)} =$$

Example Evaluate the following

•  $\arcsin\left(\frac{\sqrt{3}}{2}\right)$ 

This is the same as asking, for which angle  $\theta$ , is sin of it equal to

This angle must lie in the range of arcsin, which is the "special domain" of sin, which is

Remember how to find sin of an angle? Let's work backwards.

# ${\bf Example} \,\, {\bf Evaluate} \,\, {\bf the} \,\, {\bf following}$

- (1).  $\sin(\arcsin(0.12345))$
- (2).  $\sin(\arcsin(1.23456))$

# ${\bf Example} \,\, {\bf Evaluate} \,\, {\bf the} \,\, {\bf following}$

- (1).  $\arcsin(\sin(\pi/5))$
- (2).  $\arcsin(\sin(3\pi/4))$

# Inverse of cos

The story of the inverse of cos is very similar.

**Question** What is an interval over which  $\cos(x)$  passes the horizontal line test?



### Inverse of cos

#### **Definition** The function

$$\arccos(x)$$

is the inverse of  $\cos(x)$  with respect to the "special domain"  $[0,\pi]$ . Sometimes we also write

$$\arccos(x) = \cos^{-1}(x)$$

Question What are the domain and range of arccos?

## Inverse of tan

**Question** What is the domain of tan(x)?

What is an interval over which tan(x) passes the horizontal line test?

### Inverse of tan

**Definition** The function

$$\arctan(x)$$

is the inverse of tan(x) with respect to the "special domain"  $\left(-\frac{\pi}{2}, \frac{\pi}{2}\right)$ . Sometimes we also write

$$\arctan(x) = \tan^{-1}(x)$$

**Question** What are the domain and range of arctan?

# Inverse of tan

**Example** You know how to find things like  $tan(\arctan(\frac{3}{4}))$ , but can you find

$$\sin\left(\arctan\left(\frac{3}{4}\right)\right)$$
?