

SWEN90016 Software Processes & Project Management

Project Scheduling

Marion Zalk
Department of Computing and Information Systems
The University of Melbourne

mzalk@unimelb.edu.au

MELBOURNE Intended Learning Outcomes

MIELBUUKNE

1. Understand the role of a project schedule

2. Understand how to develop a project schedule

3. Understand how to use a project schedule to monitor and track project progress

4. Understand agile planning principles



Project Schedule

MIELDOUKNE

Project Schedule:

- One of the important artefacts generated during the project planning phase
- Is used and maintained throughout the project to monitor and track project progress - is a living document

What does the project schedule contain?


- Duration and dependencies for each task
- People and physical resources required by each task
- Milestones and deliverables
- Project Timeline



Project Schedule

MILLBUUKNE

Project planning and scheduling introduced in this topic apply to formal SDLC processes – Plan Driven






Project Schedule

MELBOUKNE

Agile SDLC processes do not use a project schedule - Value/Vision



Anecdotally organizations that use Agile practices also use project schedules for budgeting, contracting and reporting purposes.

MELBOURNE Intended Learning Outcomes

MIELBOUKNE

1. Understand the role of a project schedule

2. Understand how to develop a project schedule

3. Understand how to use a project schedule to monitor and track project progress

4. Understand agile planning principles

- 1. Breakdown the task into small chunks you can deal with Work Breakdown Structure (WBS)
- Identify the interdependencies between the broken down tasks and develop a task network
- 3. Estimate the effort and the time allocation for each task
- Allocate resources for tasks and validate effort
- 5. Develop the project schedule

MELBOURNE Work Breakdown Structure - Step 1

MILLBUUKNE

- Planning and executing large tasks is challenging:
 - Estimating the time and resources
 - Identifying interim goals and deliverable
 - Progress monitoring
- Solution is to break the task down to manageable units:
 - Each task should have a specific outcome or a deliverable
 - Results in a Work Breakdown Structure (WBS)



Example - WBS

MIELDUUKNE

Redecorate Room

Prepare materials

- Buy paint
- Buy a ladder
- Buy brushes/rollers
- Buy wallpaper remover


Prepare room

- Remove old wallpaper
- Remove detachable decorations
- Cover floor with old newspapers
- Cover electrical outlets/switches with tape
- Cover furniture with sheets

Paint the room

Clean up the room

- Dispose or store leftover paint
- Clean brushes/rollers
- Dispose of old newspapers
- Remove covers




http://texample.net/tikz/examples/work-breakdown-structure/

http://slideplayer.com/slide/5384158/



Example – WBS (Software Project)

MELDUUKNE



Developing a Project Plan

- 1. Breakdown the task into small chunks you can deal with Work Breakdown Structure (WBS)
- 2. Identify the interdependencies between the broken down tasks and develop a task network
- 3. Estimate the effort and the time allocation for each task
- 4. Allocate resources for tasks and validate effort
- 5. Develop a project schedule

MELBUUKNE

Tasks can be:

- Unconstrained: the task can start at any time (buy paint, remove detachable decorations)
- Constrained: depends on another task (cannot remove wall paper until decorations are removed)
 - If task B depends on task A (A ->B)
 - B is a Successor task (S)
 - A is a Predecessor task (P)
 - Remove Detachable Decorations (P) -> Remove wall paper (S)

Dependencies are caused by:

- a task needing a work product of another task
- a task needing resources used by another task



MELBOURNE Types of Task Dependencies

Dependency	Description	Representation
Finish-to-Start	Predecessor must finish before Successor can start	05 Jun 16 12 Jun 16 S M T W T F S S M T
Start-to-Start	Predecessor must start before Successor can start	05 Jun 16
Finish-to-Finish	Predecessor must finish before the Successor can Finish	05 Jun 16
Start-to-Finish	Predecessor must start before the Successor can finish	W T F S S M T W T F


The most common type of dependency is the finish-to-start dependency



MELBOURNE Task Network

MILLBUUKNE

Activity	Predecessor		
а	_		
b	_		
С	а		
d	a		
е	b, c		
f	d		
g	е		





MELBOURNE WBS - Software Project


MELDUUKNE

- 1. Concept
 - 1. Concept Scope
 - 2. Preliminary Concept Planning
 - 3. Preliminary Analysis
 - 1.3a Technology Risk Assessment
 - 1.3b Initial Requirements
 - 3. c Build Configuration
 - 4. Proof of Concept
 - 5. Concept Prototype
 - 6. Prototype Integration
 - 7. Concept Evaluation
- 2. Requirements
 - 1. Requirements Elicitation
 - 2. Requirements Prototype
 - 3. Requirements Analysis
 - 4. Requirements Specification
 - 5. Requirements Validation
- 3. Design
 - 1. Software Architecture Design
 - 2. Class Models
- 4. Implementation
 - 1. Coding the Client
 - 2. Testing the Client
 - 3. Coding the Server
 - 4. Testing the Server
 - 5. Integration Testing of Client with Server
- 5. Acceptance Testing



MELBOURNE Task Network – Software Project

MELBOURNE



Developing a Project Plan

MELBOUKNE

- 1. Breakdown the task into small chunks you can deal with Work Breakdown Structure (WBS)
- 2. Identify the interdependencies between the broken down tasks and develop a task network
- 3. Estimate the effort and the time allocation for each task
- 4. Allocate resources for tasks and validate effort
- 5. Develop a project schedule

MELBOURNE Effort-time Estimation


- A common measure for estimating the effort for software is man-months (more generally person-months)
 - Effort estimation will be covered in week 7

- person-months:
 - the time in months for a single person working full time to complete the task
- The Mythical Man-Months [Brooks seminal paper]
 - man-months is a misleading measure to estimate software
 - adding people to a project that is behind schedule could result in more damage than helping it



MELBOURNE Effort vs Time

MELDUUKNE



Putnam-Norden-Rayleigh curve

MELBOURNE Time Estimation

MELDUUKNE

Terminology

optimistic time - Opessimistic time - Pmost likely time - Mexpected time - T_E

$$T_E = (O + 4M + P)/6$$



MELBOURNE Time Estimation

Activity	Predecessor	Time estimates			Expected time (T.)
		Opt. (0)	Normal (M)	Pess. (<i>P</i>)	Expected time (<i>T_E</i>)
а	_	2	4	6	4.00
b	_	3	5	9	5.33
С	а	4	5	7	5.17
d	а	4	6	10	6.33
е	b, c	4	5	7	5.17
f	d	3	4	8	4.50
g	е	3	5	8	5.17

Developing a Project Plan

MELBOUKNE

- 1. Breakdown the task into small chunks you can deal with Work Breakdown Structure (WBS)
- 2. Identify the interdependencies between the broken down tasks and develop a task network
- 3. Estimate the effort and the time allocation for each task
- 4. Allocate resources for tasks and validate effort
- 5. Develop a project schedule



MELBOURNE Resource Allocation

MIELDUUKNE

 If the effort (person-months) and the time are known, the number of personnel can be computed as:

$$N = \frac{Effort}{T}$$

- Assigning people to tasks
 - Although computing the number of personnel required for each task appears simple, resource allocation is complicated task
 - The project manager has to carefully consider the expertise of the people, and the availability of them for tasks, which might require validation and adjustment of the schedule

Developing a Project Plan

MELDUUKNE

- 1. Breakdown the task into small chunks you can deal with Work Breakdown Structure (WBS)
- 2. Identify the interdependencies between the broken down tasks and develop a task network
- 3. Estimate the effort and the time allocation for each task
- 4. Allocate resources for tasks and validate effort
- 5. Develop a project schedule



Break-5 minutes

MIELDOUKNE



https://pmstudycircle.com/2012/04/can-i-take-break-during-my-pmp-certification-exam/

Developing a Project Plan

MILLBUUKNE

- 1. Breakdown the task into small chunks you can deal with Work Breakdown Structure (WBS)
- 2. Identify the interdependencies between the broken down tasks and develop a task network
- 3. Estimate the effort and the time allocation for each task
- 4. Allocate resources for tasks and validate effort
- 5. Develop a project schedule



MELBOURNE Project Schedule

- Project Schedule will answer two important questions not answered so far:
 - How long will the system take to develop?
 - How much will it cost?
- Two widely used graphical notations to represent the Project Schedule
 - Gantt charts
 - A bar chart that shows the schedule against a calendar
 - PERT (Program Evaluation and Review Technique) charts
 - An activity network that shows the dependencies among tasks and the *critical path*



Project Scheduling - Definitions

Term	Description			
Activity (Task)	Is part of a project that requires resources and time			
Milestone	Is the completion of an activity that provides evidence of a deliverable completion or end of a phase – is an event that takes zero time			
Free float (free slack)	Is the amount of time that a task can be delayed without causing a delay to subsequent tasks			
Total float (total slack)	Is the amount of time that a task can be delayed without delaying project completion			
Critical path	Is the longest possible continuous path taken from the initial event to the terminal event			
Critical activity	Is an activity that has total float equal to zero			



Milestones vs Deliverables

MILLBUUKNE

Milestones

- Mark specific points along a project timeline
- These points may signal anchors such as:
 - a project start and end date
 - a need for external review
 - start and end of a phase
 - a completion of a deliverable

Deliverable

- Specific artefacts that are of interest
- Examples of deliverables include:
 - Project documents such as the Project Management Plan,
 Requirements Specification, Design Document, Test Plan etc.
 - Prototypes
 - Final application


MELBOURNE Gantt Chart

- Was introduced by Henry Gantt in 1910
- Gantt chart is a horizontal bar chart which shows tasks against a timeline – project schedule
- Can be used to view planned activities vs progress and therefore is a useful tool for monitoring project progress



MELBOURNE Gantt Chart

MILLBUUKNE




A Gantt chart created using Microsoft Project (MSP). Note (1) the critical path is in red, (2) the slack is the black lines connected to non-critical activities, (3) since Saturday and Sunday are not work days and are thus excluded from the schedule, some bars on the Gantt chart are longer if they cut through a weekend.

Linked Gantt charts

contain lines indicating the dependencies between tasks



MELBOURNE Gantt Chart



Progress Gantt charts

- tasks are shaded in proportion to the degree of their completion
- used for progress tracking gives a visual representation of the progress

MELBOURNE PERT Chart


- PERT (Program Evaluation and Review Technique) chart:
 - A task network which shows the dependencies along with time related information and the critical path

- PERT analysis helps:
 - understand the characteristics of the project that will let project managers do scheduling trade-offs
 - perform critical path analysis
 - monitor project progress and re-plan

MELBOURNE PERT Chart


MELBOURNE

- Involves calculating the following estimates:
 - Earliest start time (ES)
 - Latest start time (LS)
 - Earliest finish time (EF)
 - Latest finish time (LF)
 - Slack time





MELBOURNE PERT Chart - Example



Critical Path: a, c, e, g Duration: 19 days

Notes:

- Critical path activities have a total free slack of 0
- Two parallel paths could be critical paths
- There can be more than one critical path




MELBOURNE PERT Chart Example

Task	Dependencies	Most Likely Time
1.1 Concept Scoping		2 days
1.2 Concept Planning	1.1	2 days
1.3a Technology Risk Assessment	1.2	1 day
13b Initial Requirements	1.2	4 days
13c Configuration	1.2	2 days
1.4 Proof of Concept	1.3a, 1.3b, 1.3c	1 day
1.5a Concept Prototype A	1.4	5 days
1.5a Concept Prototype B	1.4	2 days
1.5a Concept Prototype B	1.4	3 days
1.6 Prototype Integration	1.5a, 1.5b, 1.5c	4 days
1.7 Concept Evaluation	1.6	3 days



MELBOURNE PERT Chart Example

MIELDOUKNE



Critical Path: 1.1, 1.2, 1.3b, 1.4, 1.5a, 1.6, 1.7

Duration: 21 days

Note: Critical path activities have a total free slack of 0



Critical Path Methods

MIELDOUKNE

Critical Path

- path with the longest duration
- activities on the critical path have a total free slack of 0
- a delay in any of the activities in the critical path will cause the project to delay

Crashing the project schedule

- shortening the total duration of the project by shortening the critical path
 - By removing the dependencies between activities in the critical path; or
 - Shortening the duration of activities in the critical path



MELBOURNE Tools (for reference)

MILLBUUKNE

Atlassian (Jira), Microsoft project

Product	Rating	Price	Platforms	Deployments	Busin	ess Size	9
√ smartsheet	Smartsheet ★★★★☆ (395)	\$ \$\$\$\$	# # &	▲ □	SI	4 L	Visit Website
Mavenlink	Mavenlink ★★★☆ (224)	\$\$ \$\$\$	# # A	▲ 📮	S I	4 L	Visit Website
workzone	Workzone ★★★☆ (38)	\$\$ \$\$\$	4 4 5	▲ 🖵	S I	4 L	Visit Website
motionnow	inMotion ★★★☆ (32)	\$\$\$\$\$	# # &	▲ 🗜	SI	1 L	Visit Website
<u>=</u>	Accelo	\$ \$\$\$\$	4 4 Δ	▲ 🖵	S I	4 L	Visit Website
11.	monday.com (formerly dapulse)	\$\$ \$\$\$	# # \$	▲ 🗜	s I	4 L	Visit Website
workfront	Workfront ★★★☆ (425)	\$\$\$\$\$	# 4 A	▲ 📮	s I	1 L	Visit Website
•	Freshservice	\$ \$\$\$\$	4 4 Δ	▲ 📮	S I	4 L	Visit Website
Wrike	Wrike ★★★☆ (745)	\$ \$\$\$\$	# 4 &	▲ 📮	SI	4 L	Visit Website
Airtable	Airtable ★★★★ (162)	\$ \$\$\$\$	4 4 Δ	▲ □	s I	4 L	Visit Website

https://www.workzone.com/blog/gantt-chart-software/

MELBOURNE Intended Learning Outcomes

MIELBUUKNE

Understand the role the project schedule

Understand how to develop a project schedule

 Understand how to use a project schedule to monitor and track project progress

Understand agile planning principles



Project Tracking and Control

MIELDUUKNE

- How do software projects fall behind schedule?
 - One day at a time
 - Fred Brooks, the well-known author of the seminal article Mythical Man-Months

 Project scheduling is important, but tracking and controlling are even more important!



Project Tracking and Control

MELBUUKNE


- How to track and control project progress?
 - Periodic meetings where team members report progress
 - Evaluating the results of reviews and audits conducted as part of the software engineering process
 - Tracking formal project milestones
 - Comparing actual start dates with scheduled start dates
 - Meeting engineers and having informal discussions
 - Using a formal method like earned value analysis



MELBOURNE Earned Value Analysis (EVA)

MILLBOUKNE

- EVA can be used to:
 - report current/past project performance
 - predict future project performance based on current/past performance
- Results can be expressed in dollars and/or percentage



MELBOURNE Computing EVA

MILLBUUKNE

- Planned Value (PV)
 - that portion of the approved cost estimate planned to be spent on the given activity during a given period
- The Earned Value (EV)
 - the value of the work actually completed
- Actual Cost (AC)
 - the total of the costs incurred in accomplishing work on the activity in a given period

EVA - Example

MELBUUKNE

Consider the following scenario:

You are assigned to manage a project that is planned to finish in 12 months, estimated to cost \$100,000. At the end of the third month, based on the project Gantt chart, 20% of the work had been reported as completed. The finance department has reported the cost of the project to date as \$35,000.

What is the PV?

What is the EV?

What is the AC?



EVA - Example

MIELDUUKNE

Consider the following scenario:

You are assigned to manage a project that is planned to finish in 12 months, estimated to cost \$100,000. At the end of the third month, based on the project Gantt chart, 20% of the work had been reported as completed. The finance department has reported the cost of the project to date as \$35,000.

PV = \$100,000*3/12 = \$25,000 (assuming equal work distribution over the period, which may not be the case always)

EV = \$100,000*20/100 = \$20,000

AC = \$35,000



MELBOURNE EVA – Schedule Variance

MELBOUKNE

- Schedule Variance Analysis
 - Uses EV and PV to calculate a variance to the project schedule
- Schedule Variance: expressed in dollars

$$SV = EV - PV$$

= 20,000 - 25,000
= (5000)

Schedule Performance Index: expressed as a fraction

$$SPI = EV/PV$$
= 20,000/25,000
= 0.8



MELBOURNE EVA – Cost Variance

MELBUUKNE

- Cost Variance Analysis
 - Uses EV and AC to calculate a variance to the project schedule
- Cost Variance: expressed in dollars

$$CV = EV - AC$$

= 20,000 - 35,000
= (15,000)


Cost Performance Index: expressed as a fraction

$$CPI = EV/AC$$
= 20,000/35,000
= 0.57



MELBOURNE EVA – Graphical Representation

MILLBUUKNE



https://www.pmi.org/learning/library/earned-value-management-systems-analysis-8026

MELBOURNE Intended Learning Outcomes

MILLBOUKNE

1. Understand the role of a project schedule

2. Understand how to develop a project schedule

3. Understand how to use a project schedule to monitor and track project progress

4. Understand agile planning principles

MELBOURNE Planning in Agile Development

- Takes a significantly different flavour from traditional approaches
- Detailed planning is deferred until the start of the iteration
 - Designed to handle change
 - An iteration includes all phases (requirements, design and test)
- Planning is based on light weight lists
 - Gantt and PERT charts are considered less useful



Planning in Agile Development


MIELBOUKNE

- Plan short iterations
- Deliver working software
- Use "Just in time (JIT) planning" next iteration
- Use the team



MELBOURNE Planning in Scrum

MELBOUKNE



Different levels of planning in Scrum




Planning in Scrum

MELDOUKNE									
Level	Horizon	Who	Focus	Deliverables					
Portfolio	Possibly a year of more	Stakeholders and product owners	Managing a portfolio of products	Portfolio backlog and collection of in-process products					
Product (envisio ning)	Up to many months or longer	Product owner, stakeholders	Visions and product evolution over time	Product vision, roadmap, and high-level features					
Release	Three (or fewer) to nine months	Entire Scrum Team, Stakeholders	Continuously balance customer value and overall quality against the constraints of scope, schedule and budget	Release Plan					
Sprint	Every iteration (one week to one month)	Entire Scrum Team	What features to deliver in the next Sprint	Sprint goals and sprint backlog					
Daily	Every day	Scrum Master, development team	How to complete committed features	Inspection of current progress and adaptation					

MELBOURNE Release Planning

MELBOUKNE

- Assumptions in Formal Planning:
 - Scope fixed requirements are stable
 - Budget fixed cost estimations are accurate
 - Schedule fixed derived based on scope and budget






Release Planning

- Agile Planning
 - Recognizes that all three factors: scope, budget and time cannot be fixed in reality - not recommended
 - Can we fix scope and date and make the budget flexible?
 - Not really because increasing the budget, hence the resources will not always help to improve speed – not recommended
 - So what are our options?
 - Fix date and budget
 and have the scope flexible

 Fixed-Date release planning



- Fix scope and have the date and budget flexible Fixed-Scope release planning
- e.g. https://www.aoe.com/en/company/agile-teams.html



MELBOURNE Fixed-Date Release Planning

MIELBUUKNE

Determine the number of sprints N N = total duration/length ofsprint

Groom the product backlog by estimating and prioritizing stories

Measure team velocity range:

$$V_{min}$$
 , V_{max}


Compute minimum and maximum story points based on velocity

$$SP_{min} = V_{min} \times N$$
,

$$SP_{max} = SP_{max} \times N$$

Draw lines through the Product Backlog to show the above

Fixed-Date: used when date is more important





Fixed-Scope Release Planning

MELBUUKNE

Groom the product backlog by creating, estimating and prioritizing and identify the must-have stories

Determine the total number of must-have story points (*SPtotal*)


Measure team velocity range: *Vmin*, *Vmax*

Compute minimum and maximum number of sprints

Smin = SPtotal/Vmax,Smax = SPtotal/Vmin

Show on Burndown Chart

Fixed-Scope: used when scope is more important



May require rounding up to be an integer

MELBOURNE Intended Learning Outcomes

1. Understand the role of a project schedule

2. Understand how to develop a project schedule

3. Understand how to use a project schedule to monitor and track project progress

4. Understand agile planning principles

MILLBUUKNE

- 1. F. P. Brooks. The mythical man-month. In Essays on software engineering. Addison-Wesley, 1995.
- 2. R. S. Pressman. Software Engineering: A Practitioner's Approach. McGraw Hill, seventh edition, 2009.
- 3. Kenneth S. Rubin. Essential Scrum A Practical Guide to the Most Popular Agile Process. Addison-Wesley, 2013.