

SOFTWARE ARCHITECTURE OF AI-ENABLED SYSTEMS

Christian Kaestner

Required reading:


- ◻ Hulten, Geoff. "[Building Intelligent Systems: A Guide to Machine Learning Engineering.](#)" Apress, 2018, Chapter 13 (Where Intelligence Lives).
- ◻ Daniel Smith. "[Exploring Development Patterns in Data Science.](#)" TheoryLane Blog Post. 2017.



LEARNING GOALS

- Create architectural models to reason about relevant characteristics
- Critique the decision of where an AI model lives (e.g., cloud vs edge vs hybrid), considering the relevant tradeoffs
- Deliberate how and when to update models and how to collect telemetry

SOFTWARE ARCHITECTURE



SOFTWARE ARCHITECTURE



Focused on reasoning about tradeoffs and desired qualities

SOFTWARE ARCHITECTURE

*The software architecture of a program or computing system is the **structure or structures** of the system, which comprise **software elements**, the **externally visible properties** of those elements, and the relationships among them.* -- [Kazman et al. 2012](#)

WHY ARCHITECTURE? (KAZMAN ET AL. 2012)

- Represents earliest design decisions.
- Aids in **communication** with stakeholders
 - Shows them “how” at a level they can understand, raising questions about whether it meets their needs
- Defines **constraints** on implementation
 - Design decisions form “load-bearing walls” of application
- Dictates **organizational structure**
 - Teams work on different components
- Inhibits or enables **quality attributes**
 - Similar to design patterns
- Supports **predicting** cost, quality, and schedule
 - Typically by predicting information for each component
- Aids in software **evolution**
 - Reason about cost, design, and effect of changes
- Aids in **prototyping**
 - Can implement architectural skeleton early

CASE STUDY: TWITTER



Speaker notes

Source and additional reading: Raffi. [New Tweets per second record, and how!](#) Twitter Blog, 2013



TWITTER - CACHING ARCHITECTURE



Speaker notes

- Running one of the world's largest Ruby on Rails installations
- 200 engineers
- Monolithic: managing raw database, memcache, rendering the site, and * presenting the public APIs in one codebase
- Increasingly difficult to understand system; organizationally challenging to manage and parallelize engineering teams
- Reached the limit of throughput on our storage systems (MySQL); read and write hot spots throughout our databases
- Throwing machines at the problem; low throughput per machine (CPU + RAM limit, network not saturated)
- Optimization corner: trading off code readability vs performance



TWITTER'S REDESIGN GOALS

- Performance
 - Improve median latency; lower outliers
 - Reduce number of machines 10x
- Reliability
 - Isolate failures
- Maintainability
 - "We wanted cleaner boundaries with “related” logic being in one place": encapsulation and modularity at the systems level (rather than at the class, module, or package level)
- Modifiability
 - Quicker release of new features: "run small and empowered engineering teams that could make local decisions and ship user-facing changes, independent of other teams"

Raffi. [New Tweets per second record, and how!](#) Twitter Blog, 2013

TWITTER: REDESIGN DECISIONS

- Ruby on Rails -> JVM/Scala
- Monolith -> Microservices
- RPC framework with monitoring, connection pooling, failover strategies, loadbalancing, ... built in
- New storage solution, temporal clustering, "roughly sortable ids"
- Data driven decision making



TWITTER CASE STUDY: KEY INSIGHTS

- Architectural decisions affect entire systems, not only individual modules
- Abstract, different abstractions for different scenarios
- Reason about quality attributes early
- Make architectural decisions explicit
- Question: **Did the original architect make poor decisions?**

ARCHITECTURAL MODELING AND REASONING






Speaker notes

Map of Pittsburgh. Abstraction for navigation with cars.





Speaker notes

Cycling map of Pittsburgh. Abstraction for navigation with bikes and walking.



Fire Zones & Firehouses



Speaker notes

Fire zones of Pittsburgh. Various use cases, e.g., for city planners.




ANALYSIS-SPECIFIC ABSTRACTIONS


- All maps were abstractions of the same real-world construct
- All maps were created with different goals in mind
 - Different relevant abstractions
 - Different reasoning opportunities
- Architectural models are specific system abstractions, for reasoning about specific qualities
- No uniform notation



WHAT CAN WE REASON ABOUT?



WHAT CAN WE REASON ABOUT?



Ghemawat, Sanjay, Howard Gobioff, and Shun-Tak Leung. "[The Google file system.](#)" ACM SIGOPS operating systems review. Vol. 37. No. 5. ACM, 2003.

Speaker notes

Scalability through redundancy and replication; reliability wrt to single points of failure; performance on edges; cost



MODELING RECOMMENDATIONS

- Use notation suitable for analysis
- Document meaning of boxes and edges in legend
- Graphical or textual both okay; whiteboard sketches often sufficient
- Formal notations available

CASE STUDY: AUGMENTED REALITY TRANSLATION



Speaker notes

Image: <https://pixabay.com/photos/nightlife-republic-of-korea-jongno-2162772/>



CASE STUDY: AUGMENTED REALITY TRANSLATION



CASE STUDY: AUGMENTED REALITY TRANSLATION



Speaker notes

Consider you want to implement an instant translation service similar to Google translate, but run it on embedded hardware in glasses as an augmented reality service.



QUALITIES OF INTEREST?



ARCHITECTURAL DECISION: SELECTING AI TECHNIQUES

What AI techniques to use and why? Tradeoffs?



現金のみ



Speaker notes

Relate back to previous lecture about AI technique tradeoffs, including for example Accuracy Capabilities (e.g. classification, recommendation, clustering...) Amount of training data needed Inference latency Learning latency; incremental learning? Model size Explainable? Robust?



ARCHITECTURAL DECISION: WHERE SHOULD THE MODEL LIVE?



WHERE SHOULD THE MODEL LIVE?

- Glasses
- Phone
- Cloud

What qualities are relevant for the decision?



Speaker notes

Trigger initial discussion



CONSIDERATIONS

- How much data is needed as input for the model?
- How much output data is produced by the model?
- How fast/energy consuming is model execution?
- What latency is needed for the application?
- How big is the model? How often does it need to be updated?
- Cost of operating the model? (distribution + execution)
- Opportunities for telemetry?
- What happens if users are offline?

EXERCISE: LATENCY AND BANDWIDTH ANALYSIS OF AR TRANSLATION



1. Identify key components of a solution and their interactions
2. Estimate latency and bandwidth requirements between components
3. Discuss tradeoffs among different deployment models



Speaker notes

Identify at least OCR and Translation service as two AI components in a larger system. Discuss which system components are worth modeling (e.g., rendering, database, support forum). Discuss how to get good estimates for latency and bandwidth.



WHEN WOULD ONE USE THE FOLLOWING DESIGNS?

- Static intelligence in the product
- Client-side intelligence
- Server-centric intelligence
- Back-end cached intelligence
- Hybrid models

Speaker notes

From the reading:

- Static intelligence in the product
 - difficult to update
 - good execution latency
 - cheap operation
 - offline operation
 - no telemetry to evaluate and improve
- Client-side intelligence
 - updates costly/slow, out of sync problems
 - complexity in clients
 - offline operation, low execution latency
- Server-centric intelligence
 - latency in model execution (remote calls)
 - easy to update and experiment
 - operation cost
 - no offline operation
- Back-end cached intelligence
 - precomputed common results
 - fast execution, partial offline
 - saves bandwidth, complicated updates
- Hybrid models



MORE CONSIDERATIONS

- Coupling of ML pipeline parts
- Coupling with other parts of the system
- Ability for different developers and analysts to collaborate
- Support online experiments
- Ability to monitor



ARCHITECTURAL DECISION: TELEMETRY REQUIREMENTS



TELEMETRY DESIGN

How to evaluate mistakes in production?



Speaker notes

Discuss strategies to determine accuracy in production. What kind of telemetry needs to be collected?



THE RIGHT AND RIGHT AMOUNT OF TELEMETRY

Purpose:

- Monitor operation
- Monitor mistakes (e.g., accuracy)
- Improve models over time (e.g., detect new features)

Challenges:

- too much data
- no/not enough data
- hard to measure, poor proxy measures
- rare events
- cost
- privacy



TELEMETRY TRADEOFFS

What data to collect? How much? When?

Estimate data volume and possible bottlenecks in system.



現金のみ



Speaker notes

Discuss alternatives and their tradeoffs. Draw models as suitable.



RELATED: COST OF DATA AND FEATURE ENGINEERING

- How much data do we acquire for training and evaluating models?
- What data sources at what scale and latency (considering engineering cost, storage cost, processing cost, license cost, ...)
- Is it worth investing more time in feature engineering? What if additional data sources are needed?
- What is the cost for cleaning, preprocessing the data and the value of the additional accuracy?

ARCHITECTURAL DECISION: INDEPENDENT MODEL SERVICE

Microservice architecture:

Model Inference and Model Learning as a RESTful Service?

COUPLING AND CHANGEABILITY

What's the interface between the AI component and the rest of the system?

- Learning data and process
- Inference API
 - Where does feature extraction happen?
 - Provide raw data (images, user profile, all past purchases) to service, grant access to shared database, or provide feature vector?
 - Cost of feature extraction? Who bears the cost?
 - Versioned interface?
- Coupling to other models? Direct coupling to data sources (e.g., files, databases)? Expected formats for raw data (e.g., image resolution)?
- Coupling to telemetry?



MODEL SERVICE API

Consider encapsulating the model as a microservice. Sketch a (REST) API.



FUTURE-PROOFING AN API

- Anticipating and encapsulating change
 - What parts around the model service are likely to change?
 - Rigid vs flexible data formats?
- Versioning of APIs
 - Version numbers vs immutable services?
 - Expecting to run multiple versions in parallel? Implications for learning and evolution?

ROBUSTNESS

- Redundancy for availability?
- Load balancer for scalability?
- Can mistakes be isolated?
 - Local error handling?
 - Telemetry to isolate errors to component?
- Logging and log analysis for what qualities?

ARCHITECTURAL DECISION: UPDATING MODELS

- Design for change!
- Models are rarely static outside the lab
- Data drift, feedback loops, new features, new requirements
- When and how to update models?
- How to version? How to avoid mistakes?



RISK OF STALE MODELS

What could happen if models become stale?



Risk: Discuss drift, adversarial interactions, feedback loops

UPDATE REQUIREMENTS OR GOALS

Estimate the required update frequency and the related cost regarding training, data transfer, etc.



現金のみ



Speaker notes

Discuss how frequently the involved models need to be updated. Are static models acceptable? Identify what information to collect and estimate the relevant values.



OUTLOOK: BIG DATA DESIGNS

Stream + Batch Processing

Carnegie Mellon University



- Latency and automation vary widely
- Heavily distributed

ARCHITECTURAL STYLES / TACTICS / DESIGN PATTERNS FOR AI ENABLED SYSTEMS

(no standardization, yet)



ARCHITECTURES AND PATTERNS

- The Big Ass Script Architecture
 - Decoupled multi-tiered architecture (data vs data analysis vs reporting; separate business logic from ML)
 - Microservice architecture (multiple learning and inference services)
 - Gateway Routing Architecture
-
- Pipelines
 - Data lake, lambda architecture
 - Reuse between training and serving pipelines
 - Continuous deployment, ML versioning, pipeline testing
-
- Daniel Smith. "[Exploring Development Patterns in Data Science](#)." TheoryLane Blog Post. 2017.
 - Washizaki, Hironori, Hiromu Uchida, Foutse Khomh, and Yann-Gaël Guéhéneuc. "[Machine Learning Architecture and Design Patterns](#)." Draft, 2019



ANTI-PATTERNS

- Big Ass Script Architecture
 - Dead Experimental Code Paths
 - Glue code
 - Multiple Language Smell
 - Pipeline Jungles
 - Plain-Old Datatype Smell
 - Undeclared Consumers
-
- Washizaki, Hironori, Hiromu Uchida, Foutse Khomh, and Yann-Gaël Guéhéneuc. "[Machine Learning Architecture and Design Patterns](#)." Draft, 2019
 - Sculley, David, Gary Holt, Daniel Golovin, Eugene Davydov, Todd Phillips, Dietmar Ebner, Vinay Chaudhary, Michael Young, Jean-Francois Crespo, and Dan Dennison. "[Hidden technical debt in machine learning systems](#)." In Advances in neural information processing systems, pp. 2503-2511. 2015.

AI AS A SERVICE

Third-Party AI Components in the Cloud

AI Components as Microservices



READYMADE AI COMPONENTS IN THE CLOUD

- Data Infrastructure
 - Large scale data storage, databases, stream (MongoDB, Bigtable, Kafka)
- Data Processing
 - Massively parallel stream and batch processing (Sparks, Hadoop, ...)
 - Elastic containers, virtual machines (docker, AWS lambda, ...)
- AI Tools
 - Notebooks, IDEs, Visualization
 - Learning Libraries, Frameworks (tensorflow, torch, keras, ...)
- Models
 - Image, face, and speech recognition, translation
 - Chatbots, spell checking, text analytics
 - Recommendations, knowledge bases



The Microsoft AI platform

Cloud-powered AI for every developer

Azure AI Services

PRE-BUILT AI

Cognitive Services

CONVERSATIONAL AI

Bot Service

CUSTOM AI

Azure Machine Learning

Tools

CODING & MANAGEMENT TOOLS

VS Tools
for AI

Azure ML
Studio

Azure ML
Workbench

Others (PyCharm, Jupyter Notebooks...)

Azure Infrastructure

AI ON DATA

Cosmos
DB

SQL
DB

SQL
DW

Data
Lake

AI COMPUTE

Spark

DSVM

Batch
AI

ACS

IoT
Edge

CPU, FPGA, GPU

3rd Party

Cognitive
Toolkit

TensorFlow

Caffe

Others (Scikit-learn, MXNet, Keras,
Chainer, Gluon...)

BUILD VS BUY

Hardware, software, models?



Speaker notes

Discuss privacy implications



REFLECTION

Qualities of interest? Important design tradeoffs? Decisions?



現金のみ



SUMMARY

- Software architecture is an established discipline to reason about design alternatives
- Understand relevant quality goals
- Problem-specific modeling and analysis: Gather estimates, consider design alternatives, make tradeoffs explicit
- Examples of important design decision:
 - modeling technique to use
 - where to deploy the model
 - how and how much telemetry to collect
 - whether and how to modularize the model service
 - when and how to update models
 - build vs buy, cloud resources




CASE STUDY 2: UBER SURGE PREDICTION



GO OFFLINE

GO OFFLINE



Google

CURRENT PROMOTION



HOME




EARNINGS



RATINGS



ACCOUNT




CURRENT PROMOTION



4 MINUTES
██████████ Ave, Long Beach, CA
90814, USA

5.0 ★ | POOL | ⚡ 1.9X



Speaker notes

Consider you work at Uber and want to predict where rider demand is going to be high.



QUALITIES OF INTEREST?





WHERE SHOULD THE MODEL LIVE?

- Car
- Phone
- Cloud

What qualities are relevant for the decision?



Speaker notes

Trigger initial discussion



TELEMETRY DESIGN

How to evaluate mistakes in production?

