

SOAP and WSDL

Oxford University
Software Engineering
Programme
May 2017



© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See <http://creativecommons.org/licenses/by-nc-sa/4.0/>

Contents

- Understanding WS-*
- SOAP
- SOAP examples
- WSDL




WS-* Standards



- A set of *extensible* and *composable* standards that work together
- Providing a common, standard, interoperable base to implement SOA

Key Web Services Standards



The Web services platform forms a complete framework for open standards enterprise middleware



Representational state transfer

Protocol

wsdl


Search term

+ Add term

Beta: Measuring search interest in *topics* is a beta feature which quickly provides accurate measurements of overall search interest. To measure search interest for a specific *query*, select the "search term" option. [?](#)

Interest over time [?](#)

☐ News headlines [?](#) ☐ Forecast [?](#)



© Paul Fremantle 2016 except where credited elsewhere. This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License
See <http://creativecommons.org/licenses/by-nc-sa/4.0/>

HOW STANDARDS PROLIFERATE:
(SEE: A/C CHARGERS, CHARACTER ENCODINGS, INSTANT MESSAGING, ETC.)



A Sample SOAP Message

```
<soap:Envelope xmlns:soap="http://  
  schemas.xmlsoap.org/soap/envelope/">  
  <soap:Header/>  
  <soap:Body>  
    <getProductDetails          xmlns="http://  
      warehouse.example.com/ws">  
      <productID>827635</productID> </  
      getProductDetails>  
    </soap:Body>  
  </soap:Envelope>
```



A Sample SOAP Message (cont)

```
<soap:Envelope xmlns:soap="http://  
schemas.xmlsoap.org/soap/envelope/">
```

```
<soap:Header/>
```

```
<soap:Body>
```

```
<getProductDetails          xmlns="http://  
warehouse.example.com/ws">
```

```
<productID>827635</productID> </  
getProductDetails>
```

```
</soap:Body>
```

```
</soap:Envelope>
```

The SOAP header provides a space
for arbitrary headers to be added to
the message`

A Sample SOAP Message (cont)

```
<soap:Envelope xmlns:soap="http://  
  schemas.xmlsoap.org/soap/envelope/">  
  <soap:Header/>  
  <soap:Body>  
    <getProductDetails      xmlns="http://  
      warehouse.example.com/ws">  
      <productID>827635</productID> </  
      getProductDetails>  
    </soap:Body>  
</soap:Envelope>
```



The contents of the SOAP body
element can be any valid XML that the
parties wish to interchange

Using SOAP Headers

- Some simple examples
 - Add a signature to ensure the message isn't modified
 - Add a process identifier to track this message as part of a wider process
 - Add a userid so that end-to-end security can be guaranteed
 - Add a message number so messages can be resent if lost



What is a service definition?



What is a service definition?

- What does it do?
- Where is it?
- Who owns and runs it?
- Is it going to be up on Monday?
- What do I have to do to use it?
- How much does it cost?



What is a service definition?

- What does it do?
- **Where is it?**
- Who owns and runs it?
- Is it going to be up on Monday?
- **What do I have to do to use it?**
- How much does it cost?



Abstraction

- WSDL splits into:
 - Interface / PortType
 - The abstract interface
 - The Binding
 - The mapping into SOAP or XML/HTTP (or +++)
 - The port
 - The actual endpoint or location




Graphical view of WSDL









Definition

Imports









Types

→  <http://www.wso2.com/types>








Services

- [-]  Trader
 - [-]  TraderSOAP11port0
 -  soap:address
 - [+]  TraderSOAP11port1
 - [+]  TraderSOAP12port0
 - [+]  TraderSOAP12port1
 - [+]  TraderHttpport0
 - [+]  TraderHttpport1







Bindings

- [+]  TraderHttpBinding
- [+]  TraderSOAP12Binding
- [-]  TraderSOAP11Binding
 -  soap:binding
 - [-]  getQuote
 -  input
 - [+]  output
 - [+]  getSymbols


Port Types

- [-]  TraderPortType
 - [-]  getQuote
 -  input
 - [+]  output
 - [-]  getSymbols
 -  input
 - [+]  output

Messages

- [+]  getQuoteRequestMessage
- [+]  getQuoteResponseMessage
- [-]  getSymbolsRequestMessage
 -  part1 (types:getSymbolsRequest)
- [-]  getSymbolsResponseMessage
 -  part1 (types:getSymbolsResponse)

WSDL link to Schema



WSDL type definitions

```
<wsdl:types>
```

```
  <schema>
```

```
    <element name="getQuoteRequest">
```

```
      ...
```

```
    </element>
```

```
  </schema>
```

```
</wsdl:types>
```

A simple schema


```
<?xml version="1.0" encoding="UTF-8"?>
<schema>
  <complexType name="Person">
    <sequence>
      <element name="Name" type="string"/>
      <element name="Company" type="string"/>
    </sequence>
  </complexType>
  <element name="People" type="tns:Person"/>
</schema>
```



Schema

- Simple types
 - e.g: integer, decimal, string, short, time, unsignedLong, date, any, hexBinary
- ComplexTypes
 - Named or inline
 - sequence, choice, all
- Multiplicity
 - 0..1,1..1,etc

Graphically



Granularity

- Fine-grained
- Are you exposing services or the internals of your application?
- Often the result of taking existing APIs and “service-enabling” them
- Coarse grained
- Generally considered better
- But can be too big
 - Require too much data passed in every request
 - Need to be useful in your enterprise



Bottom-up modelling

- Take existing code and expose as services
- Unlikely to expose *re-usable* services
 - Because the existing code was designed to be used within the application
- Quick way to get started




Top-down modelling

- A major undertaking
- Requires a good understanding of the business and business processes
- Various methodologies exist:
 - IBM's SOMA – Service Oriented Modeling Architecture
 - Based on a very high level business analysis
 - Refined down to processes and services
 - A simpler approach is BPEL process modeling and evolve the service definitions from the processes
- If this is a long process it may be counter-productive



Top down design



Why Contract First?

- *Advantages*

- Agree the external interface

- Good design principle
 - How Service Oriented Architecture is meant to be
 - Focus the mind on what is most important

- Improves interoperability

- WSDL first design leads to much more interop

- *Disadvantages*

- Need to know WSDL and Schema syntax!



Summary

- SOAP was designed to be a simpler alternative to CORBA
- SOAP has good descriptions and tooling
- However, RESTful approaches rapidly disrupting the market

