## PBI #4

As an election official,

I would like to bring in ballots from multiple balloting locations to run the election so that all ballots for an election are processed together from different polling locations.

# Acceptance Criteria:

- 1. CompuVote is able to accept multiple files as input.
- CompuVote is able to parse all the files as one election, only parsing one file's pre-ballot information (i.e. election type, number of candidates, candidates, and number of seats if applicable)

### Definition of Done:

- 1. All acceptance criteria are met.
- 2. All acceptance tests that can be automated are automated.
- 3. All acceptance tests are met.
- 4. Test logs have been created for all related tests.
- 5. Documentation has been created for all related components.
- 6. The feature is able to be demoed.
- 7. The changes have been accepted.
- 8. Duplicate code has been removed through refactoring
- Messy and poorly-designed code has been cleaned up through refactoring as per our Java style guide

### Effort: Extra Large

PBI Author(s): Aaron Kandikatla, Nikunj Chawla

- Task 4.1: Converts each file in the command-line arguments to input streams
  - Validates that the files exist in the provided paths in the command-line arguments
- Task 4.2: Passes the input streams to the parse function in some sort of collection (likely an array)
- Task 4.3: The parse function takes in a collection (likely an array) of input streams and parses the first input stream for the election type, number of candidates, candidates, number of seats (if applicable)
- Task 4.4: The parse function parses all input streams for the number of ballots and the ballots themselves
- Task 4.5: Add a system test that uses multiple files and its respective log file
- Task 4.6: Modify the tests for parse to fit the new signature for parse and modify their respective log files as necessary
- Task 4.7: Create new tests for parse that use multiple files and their respective log files

## PBI#6

As an election official,

I want the IR election system to invalidate ballots that do not rank at least half of the candidates

so that the requirement by state election officials is met.

## Acceptance Criteria:

1. CompuVote removes all ballots that do not rank at least half of the candidates in an instant-runoff voting system from consideration.

#### Definition of Done:

- 1. All acceptance criteria are met.
- 2. All acceptance tests that can be automated are automated.
- 3. All acceptance tests are met.
- 4. Test logs have been created for all related tests.
- 5. Documentation has been created for all related components.
- 6. The feature is able to be demoed.
- 7. The changes have been accepted.
- 8. Duplicate code has been removed through refactoring
- 9. Messy and poorly-designed code has been cleaned up through refactoring as per our Java style guide

Effort: Medium

PBI Author(s): Aaron Kandikatla

- Task 6.1: Make the addBallot function for IR not add a ballot that ranks less than half of the candidates
- Task 6.2: Add a system test, if it does not already exist, that has ballots that rank less than half of the candidates and its respective log file
- Task 6.3: Modify the IR tests to accommodate the change in the addBallot function and their respective log files
- Task 6.4: Modify the IR system tests (excluding timed) to accommodate the change in the addBallot function and their respective log files
- Task 6.5: Modify the IR timed system test to accommodate the change in the addBallot function and their respective log files
- Task 6.6: Create new tests for the addBallot function that takes into consideration the invalidation of ballots and create their respective log files

#### Kanban Board:

Not Started	In Progress	Completed
<ul><li>Aaron: Task 6.2</li><li>Aaron: Task 6.3</li><li>Aaron: Task 6.4</li></ul>	<ul><li>Aaron: Task 4.5</li><li>Aaron: Task 4.7</li></ul>	<ul> <li>Nikunj: Task 4.1</li> <li>Nikunj: Task 4.2</li> <li>Nikunj: Task 4.3</li> <li>Nikunj: Task 4.4</li> <li>Nikunj: Task 4.6</li> <li>Jack: Task 6.1</li> </ul>

	<ul><li>Nikunj: Task 6.5</li><li>Nikunj: Task 6.6</li></ul>
	Trikurij. rask 0.0