
## \_\_ McRoberts Secondary






Personal Data		Registration Number		
Family Name:				
Given Name:				
Signature:	checked	2		
In this section <b>no</b> changes or modifications must be made!  Type Exam ID(Physics 11)  025  25100600003		5         0         0         5         6         0         0         0         6         7         0         0         0         0         7         8         0         0         0         0         0         0         9         9         0         0         0         0         0         9         9		
Please mark the boxes carefully: This document is scanned automatical please use a blue or black pen.  Only clearly marked and position	atically. Please keep clean and do	not bend or fold. For filling in the document processed!		
Answers 1 - 15 a b c d  1	Answers 16 - 25  a b c d  16			

- 1. True or false? When a ball is thrown straight up, its acceleration at the top is zero.
  - a. True
  - b. False
- 2. True or false? When you throw a ball to your friend, the ball's acceleration is zero when it reaches its maximum height.
  - a. True
  - b. False
- 3. True or false? It is possible to have zero acceleration and still be moving.
  - a. True
  - b. False
- 4. True or false? When a ball is thrown straight up, its velocity at the top is zero.
  - a. True
  - b. False
- 5. True or false? When you throw a ball over to your friend, the ball's velocity is zero when it reaches its maximum height.
  - a. True
  - b. False
- 6. Can an object's velocity change direction when its acceleration is constant?
  - a. No, because the object is always speeding up.
  - b. No, because the object is always speeding up or slowing down, but it can never turn around.
  - c. Yes, a rock thrown straight up is an example.
  - d. Yes, a car that starts from rest, speeds up, slows to a stop, and then backs up is an example.
- 7. Which position-time graph represents an object at rest?



- a. Graph A
- b. Graph B
- c. Graph C
- d. Graph D

8. Which choice best matches the given position-time graph?



- a. moving to the right and speeding up.
- b. moving to the right and slowing down.
- c. moving to the left and speeding up.
- d. moving to the left and slowing down.
- 9. Consider a ball that is thrown upwards and which then falls back down. If up is the positive direction, then the ball's velocity
  - a. is always positive.
  - b. is always negative.
  - c. starts positive, then becomes negative.
  - d. starts negative, then becomes positive.
- 10. Consider a ball that is thrown upwards and which then falls back down. If up is the positive direction, then the ball's acceleration
  - a. is always positive.
  - b. is always negative.
  - c. starts positive, then becomes negative.
  - d. starts negative, then becomes positive.
- 11. Two balls are thrown from the top of a building. One is thrown straight up while the other is thrown straight down, both with same initial speed. If air resistance can be ignored, how do their speeds compare when they hit the ground?
  - a. The ball thrown up is going faster.
  - b. The ball thrown down is going faster.
  - c. Both balls are going the same speed.
  - d. It is impossible to determine with the given information.
- 12. The acceleration of gravity on the Moon is one-sixth of that on Earth. If you hit a baseball on the Moon with the same speed and angle that you would on Earth, the ball would land
  - a. the same distance away
  - b. one-sixth as far
  - c. 6 times as far
  - d. 36 times as far
- 13. Suppose that several projectiles are launched. Which one will be in the air for the longest time?
  - a. The one with the furthest horizontal range.
  - b. The one with the greatest maximum height.
  - c. The one with the greatest initial speed.
  - d. None of the above.

- 14. A package of supplies is dropped from a plane flying at a constant velocity. Five seconds later, a second package is dropped. Neglecting air resistance, the horizontal distance between the falling packages will
  - a. increase
  - b. decrease
  - c. be constant
  - d. any of the above depending on the weight of the packages
- 15. Which of the following are scalars? Select all that apply.
  - a. velocity
  - b. speed
  - c. displacement
  - d. acceleration
- 16. A fighter plane is launched from a catapult on an aircraft carrier. Starting from rest, it reaches a speed of 221 km/h in 2.35 s. Assuming constant acceleration, what is the length of the aircraft catapult?
  - a. 36.5 m
  - b. 65.4 m
  - c. 72.1 m
  - d. 144 m
- 17. A truck travels at 39 km/h for 3 hours and at 92 km/h for 12 hours. What is the average speed for the trip?
  - a. 43 km/h
  - b. 78.4 km/h
  - c. 65.5 km/h
  - d. 81.4 km/h
- 18. An airplane increases its speed from  $139 \, \text{m/s}$  to  $214 \, \text{m/s}$ , at an average rate of  $4 \, \text{m/s}^2$ . How much time does it take to complete this speed increase?
  - a. 0.05 s
  - b. 5.3 s
  - c. 18.8 s
  - d. 300 s
- 19. Suppose an object travels at a constant velocity of 24.0 km/h. What distance would it travel in 99.0 minutes?
  - a. 10.8 km
  - b. 2270 km
  - c. 39.6 km
  - d. 32.3 km
- 20. A car accelerates from  $30 \,\text{km/h}$  to  $80 \,\text{km/h}$ , at an average rate of  $4 \,\text{m/s}^2$ . How much time does it take to complete this speed increase?
  - a. 3.09 s
  - b. 1.21 s
  - c. 2.26 s
  - d. 3.47 s

ı ııy.	sics 11 Milematics Offic Test. 25100000005
21.	A person throws a rock straight down from a bridge with an initial speed of 1.19 m/s. It falls 19.8 m to the water below. How much time does it take for the rock to hit the water?
	<ul><li>a. 1.49 s</li><li>b. 0.97 s</li><li>c. 1.89 s</li><li>d. 1.64 s</li></ul>
22.	A ball tossed straight up returns to its starting point in 5.54 s. What was its initial speed? Ignore air resistance.
	<ul> <li>a. 22.8 m/s</li> <li>b. 18.4 m/s</li> <li>c. 36 m/s</li> <li>d. 27.1 m/s</li> </ul>
23.	What is the maximum height reached by a ball thrown straight up with an initial velocity of 11.3 m/s? Assume that the ball is thrown on the surface of the Earth and that it undergoes

24. A person throws a rock horizontally, with an initial velocity of 12.4 m/s, from a bridge. It falls 2.14 m to the water below. How far does it travel horizontally before striking the water?

25. A golf ball is hit with an initial velocity of 32 m/s at an angle of 44° above the horizontal. What is its range (horizontal distance before hitting the ground)? Ignore air resistance and

constant acceleration due to gravity (ignore air resistance).

a. 6.5 mb. 10.3 mc. 9.3 md. 9.9 m

a. 8.2 mb. 11.9 mc. 4.9 md. 8.4 m

a. 104 mb. 127 mc. 153 md. 150 m

assume a flat golf course.